PB-218 205

MUNICIPAL WATER FACILITIES INVENTORY AS OF JANUARY 1, 1958. VOLUME 3. REGION III - DISTRICT OF COLUMBIA, KENTUCKY, MARYLAND, NORTH CAROLINA, VIRGINIA, WEST VIRGINIA, PUERTO RICO, VIRGIN ISLANDS

Public Health Service
Washington, D. C.

1960

DISTRIBUTED BY:

NTIS
National Technical Information Service
U. S. DEPARTMENT OF COMMERCE
5285 Port Royal Road, Springfield Va. 22151

PB 218 205

MUNICIPAL WATER FACILITIES

INVENTORY AS OF JANUARY 1, 1958

VOLUME 3

Region III - District of Columbia, Kentucky, Maryland,
North Carolina, Virginia, West Virginia,
Puerto Rico, Virgin Islands

Reproduced by
NATIONAL TECHNICAL
INFORMATION SERVICE
U S Department of Commerce
Springfield VA 22151

U. S. DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE
Public Health Service
Division of Water Supply and Pollution Control
Washington 25, D. C.

116

For administrative purposes, the Department of Health, Education, and Welfare divides the States of the Nation into nine regional groupings. The MUNICIPAL WATER FACILITIES INVENTORY AS OF JANUARY 1, 1958 is published as a series of nine volumes--a separate publication for each region as shown below:

Region I - PHS Publication No. - Volume 1
Connecticut, Maine, Massachusetts, New Hampshire, Rhode Island, Vermont

Region II - PHS Publication No. - Volume 2
Delaware, New Jersey, New York, Pennsylvania

Region III - PHS Publication No. - Volume 3
District of Columbia, Kentucky, Maryland, North Carolina, Virginia, West Virginia, Puerto Rico, Virgin Islands

Region IV - PHS Publication No. - Volume 4
Alabama, Florida, Georgia, Mississippi, South Carolina, Tennessee

Region V - PHS Publication No. - Volume 5
Illinois, Indiana, Michigan, Ohio, Wisconsin

Region VI - PHS Publication No. - Volume 6
Iowa, Kansas, Minnesota, Missouri, Nebraska, North Dakota, South Dakota

Region VII - PHS Publication No. - Volume 7
Arkansas, Louisiana, New Mexico, Oklahoma, Texas

Region VIII - PHS Publication No. - Volume 8
Colorado, Idaho, Montana, Utah, Wyoming

Region IX - PHS Publication No. - Volume 9
Arizona, California, Nevada, Oregon, Washington, Alaska, Hawaii

Public Health Service Publication No. 775

Volume 3

1960

FOREWORD

Measured in any of several ways the business of providing safe water in adequate quantities for our municipalities constitutes one of the largest and most important industries of the country. Over 12 billion dollars are invested in the physical facilities of this industry, which must grow at an ever-increasing rate if the thrist of our cities is to be quenched. It is estimated that well over a billion dollars are now being spent each year by the water works industry to operate existing facilities and to provide the new structures, pipe lines, pumps and the endless variety of equipment and manpower needed. Within the next twenty years this annual rate of expenditure is expected to be nearly twice as great.

Quite apart from the size of this industry it would be difficult to find any other part of man's community life than his public water supply in which the health and safety of entire population groups are so intimately dependent on the integrity and skills of a few dedicated individuals.

It is significant, therefore, to bring together in one publication pertinent facts about the individual water works installations which make up this enormous industry that is so vital a part of our national life. It is hoped these data will serve, as previous similar compilations have in the past, the many purposes of those who are responsible for the water works of the country.

The Public Health Service is enabled to compile this information only through the cooperation of State Health Departments and local water works officials through whom most of the facts have been secured, thus continuing a working relationship in the compilation of water supply inventories of over twenty years' duration. We gratefully acknowledge this sustained assistance and support. And we pay tribute here to the spirit of dedication which is so thoroughly a part of the water works profession but which too often may be taken for granted.

G. E. McCallum

G. E. McCallum
Chief, Division of Water
Supply and Pollution Control


WASHINGTON
MONTANA
NORTH DAKOTA
MINNESOTA
OREGON
IDAHO
WYOMING
SOUTH DAKOTA
WISCONSIN
MICHIGAN
MAINE
VT.
N.H.
NEW YORK
Boston MASS.
CONN.
R.I.
New York
N.J.
PENNSYLVANIA
DEL.
MD.
W. VA.
VIRGINIA
Charlottesville
N. CAROLINA
KENTUCKY
OHIO
INDIANA
ILLINOIS
Chicago
IOWA
NEBRASKA
MISSOURI
Kansas City
KANSAS
COLORADO
Denver
UTAH
NEVADA
CALIFORNIA
San Francisco
ARIZONA
NEW MEXICO
OKLAHOMA
TEXAS
Dallas
ARKANSAS
LOUISIANA
TENNESSEE
MISS.
ALA.
GA.
Atlanta
S. CAR.
FLORIDA
I
II
III
IV
V
VI
VII
VIII
IX
GUAM
ALASKA
Anchorage
HAWAII
Honolulu
PUERTO RICO.
VIRGIN ISLANDS

U. S. DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE

REGION	REGIONAL OFFICE
I......	Boston, Massachusetts
II........	New York, New York
III.	Charlottesville, Virginia
IV..........	Atlanta, Georgia
V..........	Chicago, Illinois
VI.....	Kansas City, Missouri
VII............	Dallas, Texas
VIII........	Denver, Colorado
IX.	San Francisco, California

CONTENTS

Page

List of Nine Volumes - PHS Publication No. 775 ... ii

Foreword ... iii

Map - Department of Health, Education, and Welfare Regions ... iv

Notes Regarding Tabulations ... 1

District of Columbia ... 7

Kentucky ... 11

Maryland ... 31

North Carolina ... 43

Virginia ... 63

West Virginia ... 89

Puerto Rico ... 117

Virgin Islands ... 123

NOTES REGARDING TABULATIONS

GENERAL

This volume is one of nine which, taken together, comprise an inventory of public water supply facilities in the United States as of January 1, 1958. The listing includes all facilities serving places having a 1950 population of 100 or more which have been reported by the respective State Departments of Health. In a few States, places smaller than this size have been reported, and in one or two others the minimum size has been somewhat greater. The listing is alphabetic by name of place within the State. At the end of each State listing there appear the names of all places having a 1950 population of 100 or more but which were not reported as having a community water supply. Persons desiring more detailed information about water supply facilities in the larger communities are referred to PHS Publication No. 661, Municipal Water Facilities Communities of 25,000 Population and Over--Continental United States and Territorial Possessions--As of January 1, 1958. The data on these larger communities in this volume are extracted from that publication.

The purpose of this inventory is to furnish up-to-date information on all water facilities for the use of industries and other private agencies and all levels of government. The Public Health Service will assist in making this material more useful through the publication of special papers based on statistical analysis of the data.

In the following discussion, each individual item listed is defined as an "entry." An "x" in the listing indicates that the data requested were unknown. A dash, "-" signifies the item does not apply. A triangle "△" shows information was not supplied.

Detailed Notes for Columns

Column 1 - Community or District

Entries marked with a star have facilities which serve one or more additional communities.

Column 2 - 1950 Population, Estimated Population Served

Top-line Entry - 1950 population (U. S. Bureau of the Census where available).

Bottom-line Entry - estimated total number of people served by the facility. Data in parentheses indicate population served by some other facility.

Column 3 - Year Operation Started

Top-line Entry - Present Supply . . . the year the present source of supply was put into service, or the latest year during which a new or additional source was developed.

Bottom-line Entry - Present Treatment Plant . . . the year the present treatment plant was put into operation, or the date of the latest major revision or addition.

Column 4 - Ownership

M - Public (Federal, State, county, municipal, district, etc.)
P - Private (private corporations, companies, etc.)

Column 5 - Number of Services, Number of Meters

Top-line Entry - Number of accounts served by the facility.

Bottom-line Entry - Number of meters used in the water system.

Column 6 - Laboratory Control

Refers to control by a plant laboratory, not to samples analyzed elsewhere.

C - Chemical (other than chlorine residual)
B - Bacteriological
N - None

Column 7 - Source of Supply

The source or sources from which water is obtained. Specific lakes or streams are named when possible.

Column 8 - Safe Yield, Impounded (Surface) Maximum Dependable Draft, (Ground)

Top-line Entry - Safe Yield, Surface, the maximum safe daily yield which can be secured from the source of water supply based on the driest period of record.

Bottom-line Entry - Maximum Dependable Draft, Ground Water, the maximum dependable 24-hour draft of a well field or fields, or other ground source, which can be sustained for a period of high demand through five days. (Number of wells now in use may have no bearing on this figure.)

The designation "Unl." signifies a relatively large or unlimited supply.

Column 9 - Rated Plant Capacity and Average Plant Output

Top-line Entry - Rated Capacity, the maximum rated daily capacity on the basis of filters, pumps, or other limiting factor.

Bottom-line Entry - Average, the average daily output of the facility.

Column 10 - Treatment

Where the treatment is at all extensive, one or more symbols identifying the general type or function of the plant precede those used to identify the particular treatment plant or method. In general, a plant is not classified as a "purification plant" unless filters having fine granular material (sand or anthracite) are used.

Principal treatment features, identified by capitalized letters, are further described by lower case letters following them. In general, the symbols are arranged in the order in which treatment occurs. Combination units performing more than one function in a single structure are denoted by enclosing the appropriate symbols in parentheses. Enclosures in brackets indicate parallel or alternate operation.

Treatment methods are coded as follows:

Type of Plant

P - Purification
H - Softening
I - Iron or Manganese removal

Treatment or Device

A - Aeration
  Ac ..contact beds or trays, coke or other material
  Am..patented aerator
  As ..spray aerator
  At...overflow trays cascade or other splash aerator
  Ao ..other type aerator

C - Chemical dosage for coagulation or softening
  Ca ..alum
  Ci...iron salts
  Cl...lime
  Cs ..soda ash
  Ct...activated silica
  Co ..other coagulant

D - Disinfection
  Dc ..chlorine gas
  Dd ..dechlorination
  Dh ..hypochlorites
  Ds ..free residual chlorine
  Dx ..chlorine dioxide
  Dz ..ozone
  Do ..Other means

F - Filters
  Fa ..anthrafilt
  Fc ..roughing or contact
  Fd ..diatomaceous earth
  Fg ..gravity (slow)
  Fp ..pressure
  Fr ..gravity (rapid)
  Fs ..sand
  Fz ..zeolite

K - Chemical dosage for corrosion correction or water stabilization
  Kc ..phosphate compounds
  Kg ..chlorine gas
  Kh ..hypochlorite
  Ko ..sodium silicate
  Kp ..alkali feed for pH adjustment

M - Mixing device or tank
  Ma ..air agitation
  Mb ..baffle mix
  Mh ..hydraulic (standing wave flume)
  Mi ..injection or pump suction
  Mp ..slow mechanical mix
  Ms ..patented sludge blanket
  Mt ..rapid mechanical mix
  (MtpsSv).."Liquon Reactor": "Accelator"; or "Precipitator"

Treatment or Device (continued)

N - Ammoniation
  Nc ..ammonium compound
  Ng ..ammonia gas
R - Recarbonation
S - Sedimentation
  Sb...basins, baffled (other than inlet or outlet)
  Sc...covered basins (other than housed)
  Sm ..mechanical sludge removal
  So...open basin (may be in plant building)
  Sv...upflow cylindrical tanks
  (MtpsSv) .."Liquon Reactor"; "Accelator"; or "Precipitator"

T - Chemical taste and odor control
  Tc ..activated carbon
  Td ..chlorine dioxide
  Ts ..sulfur dioxide
  Tz ..ozone
  To ..other

V - Fluoride adjustment
  Va ..hydrofluosilicic acid
  Vs ..sodium silicofluoride
  Vt...sodium fluoride
  Ve ..ammonium silicofluoride
  Vo ..other fluorides
  -V ...fluoride reduction
  $V_{1.2}$ - 1.2 ppm natural fluoride

Column 11 - Distribution Storage

Top-line Entry - Pumped to Mains..storage of finished water in the distribution system area that must be pumped into mains (clearwells, underground or low level storage, etc.)

Bottom-line Entry - Elevated..storage of finished water in the distribution system area that will flow into mains by gravity (elevated tanks, standpipes, high level reservoirs, etc.).

Water storage in impounding reservoirs or balancing reservoirs on long supply conduits not included.

Column 12 - Improvements Needed

Improvements currently needed to provide adequate service. The following codes are used:

N - None
U - Source, underground
S - Source, surface
M - Transmission
P - Pumping
T - Treatment
G - Ground storage
L - Elevated storage
D - Distribution system
O - Other

DISTRICT OF COLUMBIA

Preceding page blank

INVENTORY OF MUNICIPAL WATER FACILITIES

STATE: DISTRICT OF COLUMBIA
DATE: Jan. 1, 1958
PAGE: 1 of 1

COMMUNITY	1950 Population Estimated Population Served	Year Oper. Started Present Supply Present Treatment Plant	OWNERSHIP	Number of Services Number of Meters	LAB. CONTROL	SOURCE OF SUPPLY	Safe Yield Impounded Maximum Dependable Draft (Gr. water) MGD	Rated Plant Capacity Average Plant Output MGD	TREATMENT	Dist. Storage Pumps to Mains Gravity to Mains MG	IMPROVEMENTS NEEDED	LINE NO.
1	2	3	4	5	6	7	8	9	10	11	12	
* WASHINGTON, D. C. Dalecarlia Plant	802,173 546,400	1863 1927	M -	130,520 126,600	C B	Potomac River -	197.00 -	109.0 60.44	P-CaDcdsFarsKpMp SoTdsVs V 0.25	44.50 118.4	SMPT -	1
* WASHINGTON, D. C. McMillan Plant	- 626,600	1905 1946	M -	- -	C B	Potomac River -	309.00 -	125.0 95.92	P-CaSoFgsDcsKpTdVs -	- Δ	T -	2
												3
												4
												5
												6
												7
												8
												9
												10
												11
												12
												13
												14
												15
												16
												17
												18
												19
												20
												21
												22
												23
												24
												25
												26
												27
												28
												29
												30

PHS–2226
REV. 4–59

Preceding page blank

Preceding page blank

INVENTORY OF MUNICIPAL WATER FACILITIES

STATE	DATE	PAGE
KENTUCKY	Jan. 1, 1958	1 of 12

COMMUNITY	1950 Population	Year Oper. Started: Present Supply	OWNERSHIP	Number of Services	LAB. CONTROL	SOURCE OF SUPPLY	Safe Yield Impounded	Rated Plant Capacity	TREATMENT	Dist. Storage: Pumps to Mains	IMPROVEMENTS NEEDED	LINE NO.
	Estimated Population Served	Present Treatment Plant		Number of Meters			Maximum Dependable Draft (Gr. water) MGD	Average Plant Output MGD		Gravity to Mains MG		
1	2	3	4	5	6	7	8	9	10	11	12	
ADAIRVILLE	800	1932	M	282	N	South Fork River(Red)	0.070	0.150	P-CaMbS FrsDc	0.020	N	1
	1,100	1950	-	275	-	-	-	0.040	-	0.050	-	
AFLEX	250	1926	P	-	-	Williamson, W. Va.	-	-	Williamson, W. Va.	-	-	2
	(450)	-	-	-	-	-	-	-	-	-	-	
*AGNES	600	1927	P	120	N	Well	-	-	None	Δ	L	3
	Δ	-	-	0	-	-	Δ	Δ	-	0.003	-	
ALBANY	1,920	1939	M	410	C	Spring	-	0.400	P-ClaMbS FrsDc	0.000	ML	4
	1,900	1939	-	410	-	-	Δ	0.120	-	0.050	-	
ALEXANDRIA	536	1941	M	450	C	2 lakes and impounded	95.000	0.250	P-ClaMbSoFrsDh	0.864	Δ	5
	1,500	1941	-	450	-	reservoir	-	0.200	-	0.050	-	
ALLAIS	579	Δ	M	-	-	Hazard	-	-	Hazard	-	-	6
	(Δ)	-	-	-	-	-	-	-	-	-	-	
ALLEN CITY	421	Δ	P	1,200	C	Big Sandy River	0.060	0.040	P-CalsMiSoFrsDh	0.035	D	7
	1,200	1950	-	275	B	-	-	0.035	-	0.040	-	
* ALLOCK	1,000	1953	P	15	Δ	Mine	-	-	None	Δ	Δ	8
	50	-	-	0	-	-	1.500	Δ	-	Δ	-	
ALVA	1,341	1921	P	300	M	Wells	-	-	None	0.025	L	9
	1,200	-	-	0	-	-	Δ	0.048	-	0.060	-	
ANCHORAGE	883	1916	Δ	-	-	Louisville	-	-	Louisville	-	-	10
	(925)	-	-	-	-	-	-	-	-	-	-	
ARLINGTON	584	1921	M	253	Δ	Wells	-	0.576	Dc	0.000	Δ	11
	560	1935	-	Δ	-	-	0.400	0.012	-	0.075	-	
* ASHLAND	31,131	1919	M	9,930	C	Ohio River	Unl	4.700	P-S AcCl[illegible]TcDcMp SmFrsDcVs	0.220	MPTD	12
	46,000	1957	-	10,285	B	-	-	3.600		6.250	-	
AUBURN	994	1935	M	379	Δ	Spring	-	0.202	P-ClaMbTcSoFrsDh	0.025	Δ	13
	1,050	1935	-	367	-	-	0.350	0.084	-	0.065	-	
AUGUSTA	1,599	Δ	M	Δ	N	2 wells	-	-	None	0.000	T	14
	1,300	-	-	Δ	-	-	Δ	0.050	-	0.040	-	
AUXIER	950	Δ	P	60	Δ	Big Sandy River	Δ	-	None	Δ	T	15
	500	-	-	Δ	-	-	-	Δ	-	0.285	-	
* BARBOURVILLE	2,926	1953	M	1,100	C	Cumberland River	2.000	0.750	P-CloM S FrsDc	0.175	N	16
	3,300	1953	-	1,100	-	-	-	0.750	-	0.410	-	
BARDO	300	Δ	Δ	-	-	Liggett	-	-	None	-	-	17
	(Δ)	-	-	-	-	-	-	-	-	-	-	
BARDSTOWN	4,154	1904	M	1,300	C	3 lakes and river	0.500	0.500	P-AcClastDcTcMtKgSbm FgrsNgDc	Δ	STL	18
	5,000	Δ	-	1,200	-	-	-	0.200		Δ	-	
BARDWELL	1,033	1924	P	421	N	Wells	-	1.584	DcVt	0.100	Δ	19
	1,300	1957	-	421	-	-	0.900	0.075	-	0.025	-	
BARLOW	657	1910	M	295	M	Wells	-	-	None	0.000	Δ	20
	700	-	-	0	-	-	Δ	0.030	-	0.050	-	
BAXTER	500	Δ	Δ	-	-	Harlan	-	-	Harlan	-	-	21
	(Δ)	-	-	-	-	-	-	-	-	-	-	
BEATTYVILLE	1,042	1935	M	Δ	Δ	Kentucky River	Δ	0.402	P-ClaMbSoFrsDcVs	Δ	Δ	22
	800	1935	-	Δ	-	-	-	0.018	-	0.088	-	
BEAVER DAM	1,349	1927	P	Δ	Δ	Wells	-	Δ	Dh	Δ	Δ	23
	1,950	1942	-	650	-	Hartford (Aux.)	Δ	Δ	-	Δ	-	
BEDFORD	533	1957	M	281	N	2 wells	0.250	-	None	0.010	D	24
	2,000	-	-	218	-	-	0.250	0.250	-	0.107	-	
BELLEVUE Source # 1	9,040	1939	M	-	-	Covington	-	-	Covington	-	-	25
	(200)	-	-	-	-	-	-	-	-	-	-	
BELLEVUE Source # 2	-	1875	M	-	-	Newport	-	-	Newport	-	-	26
	(9,000)	-	-	-	-	-	-	-	-	-	-	
BENHAM	2,700	1912	P	400	C	Maggards, Scotts	Δ	0.620	P-AtTcCalNgDcMbSoFrs KcDc	0.425	L	27
	2,000	1931	-	0	-	Brooks, mine and well	Δ	0.162		0.130	-	
BENTON	1,980	Δ	M	983	N	Wells	-	0.600	I-AcClMKpDcS Vs	0.100	U	28
	3,000	Δ	-	983	-	-	Unl.	0.160	-	0.200	-	
BEREA	3,372	1905	P	1,051	Δ	Lakes and springs	Δ	0.720	P-CalMbTcSoFrsKpNgDc	0.150	T	29
	5,000	1905	-	1,051	-	-	Δ	0.500	-	0.100	-	
BLACK BOTTOM	200	Δ	Δ	-	-	Louellen	-	-	None	-	-	30
	(Δ)	-	-	-	-	-	-	-	-	-	-	

Preceding page blank

INVENTORY OF MUNICIPAL WATER FACILITIES

STATE	DATE	PAGE
KENTUCKY	Jan. 1, 1958	2 of 12

COMMUNITY	1950 Population	Year Oper. Started	OWNERSHIP	Number of Services	LAB. CONTROL	SOURCE OF SUPPLY	Safe Yield Impounded	Rated Plant Capacity	TREATMENT	Dist. Storage	IMPROVEMENTS NEEDED	LINE NO.
		Present Supply								Pumps to Mains		
	Estimated Population Served	Present Treatment Plant		Number of Meters			Maximum Dependable Draft (Gr. water) MGD	Average Plant Output MGD		Gravity to Mains MG		
1	2	3	4	5	6	7	8	9	10	11	12	
* BLACK JOE	30 700	1920 -	P -	100 Δ	N -	Well -	- Δ	- 0.005	None -	0.004 0.002	L -	1
BLANCHE	400 150	Δ -	P -	Δ Δ	Δ -	4 wells and springs -	- Δ	- Δ	None -	Δ 0.000	Δ -	2
BLOOMFIELD	600 500	1940 1941	M -	260 260	C -	2 deep wells & lks. Simpson Cr.of Salt R.	Δ Δ	0.226 0.045	H-AmCaTcMbSvFrsDc -	Δ 0.050	USL -	3
BLUE DIAMOND	1,600 Δ	Δ -	P -	100 0	N -	Mine -	- Δ	- Δ	None -	Δ 6	G -	4
BOLDMAN Source # 1	500 200	1937 Δ	P -	Δ Δ	N -	Levisa River and wells	Δ Δ	1.144 Δ	P-MbFrsDc -	0.000 0.010	Δ -	5
BOLDMAN Source # 2	- 100	1931 1931	P -	Δ Δ	N -	Levisa River -	Δ -	0.040 0.010	P-CaSoFpsDc -	0.000 0.110	T -	6
BOWLING GREEN	18,347 33.000	Δ 1957	M -	7,500 7.500	C -	Barren River -	Δ -	1.500 6.000	P-ClaMp3 FrsKpDc -	11.50 6.500	Δ -	7
BRADFORDSVILLE	500 210	Δ Δ	M -	40 40	Δ -	North Fork of Rolling Fork	0.001 -	Δ 0.020	Dh -	Δ 0.055	T -	8
BRANDENBURG	755 1,360	1954 1954	M -	445 445	C -	2 springs -	- Δ	0.432 0.072	Dc -	0.060 0.055	UPTD L	9
BRODHEAD	808 650	1939 1939	M -	220 234	N -	Spring -	- 0.070	0.060 0.060	Dc -	0.000 0.075	ST -	10
BROMLEY	980 (Δ)	Δ -	Δ -	- -	- -	Covington -	- -	- -	Covington -	- -	- -	11
BROOKSIDE	500 (Δ)	Δ -	Δ -	- -	- -	Agnes -	- -	- -	None -	- -	- -	12
BROOKSVILLE	622 500	Δ Δ	M -	Δ 400	C -	Willow Creek (imp.) -	Δ -	0.125 0.030	P-ClaTcMbSbFrsDc -	0.030 0.050	Δ -	13
BROWNSVILLE	447 500	Δ -	P -	Δ Δ	N -	Green River -	Δ -	- Δ	None -	Δ 0.105	Δ -	14
BURGIN	777 (Δ)	Δ -	M -	- -	- -	Harrodsburg -	- -	- -	Harrodsburg -	- -	- -	15
BURKESVILLE	1,278 2,000	1934 1934	M -	419 419	C -	Cumberland River -	Δ -	0.360 0.060	P-ClaMbSoFrsDcVt -	0.000 0.075	N -	16
BURNSIDE	615 400	1949 1949	P -	210 178	C -	South Fork of Cumberland River	Unl. -	0.400 0.020	P-CalMtSbFrsDc -	Δ 0.075	Δ -	17
BUTLER	404 500	1954 Δ	M -	152 152	C -	Licking River -	Δ -	0.500 0.010	P-CalMtSoFrsDc -	Δ 0.050	N -	18
CADIZ	1,280 2.200	1944 1944	M -	562 562	Δ -	Spring -	- 0.360	Δ 0.095	P-ClaMbSoKgFpsDc -	0.032 Δ	N -	19
CALHOUN	746 750	1929 Δ	M -	297 250	N -	Green River -	Δ -	0.036 0.040	P-CalTcMpS KpFrsDcVt -	0.020 0.040	N -	20
CALVERT CITY	800 1,200	Δ Δ	M -	308 308	C -	2 wells -	- 1.000	0.300 0.120	PI-AcClMbSoKpFpsDc -	0.005 0.075	N -	21
CAMPBELLSBURG	350 Δ	1939 1939	M -	Δ Δ	Δ -	Lt. Kentucky River (impounded)	Δ -	0.144 0.050	P-ClaT MbS FrsDc -	0.012 0.050	T -	22
CAMPBELLSVILLE	3,477 6.800	1953 1953	M -	2,316 2.316	N -	2 lakes and Pitman Creek (imp.)	Δ -	0.950 0.750	P-ClaTcMtpS FrsDc -	Δ 0.350	N -	23
CARDINAL	380 75	Δ -	P -	18 0	N -	1 well -	- 0.050	- 0.006	None -	0.000 0.025	L -	24
CARLISLE	1,524 2.500	1954 1928	M -	585 585	C -	Breeds Fork Creek (impounded)	32.000 -	0.730 0.094	P-CaMbSoFrsDcKgp -	0.060 0.140	N -	25
CARROLLTON	3,226 3.400	1924 1924	M P	1,138 1.138	N -	2 wells -	- 1.000	1.000 0.500	I-AcsCaKcgScDc -	0.500 0.200	TL -	26
* CATLETTSBURG	4,750 10.100	1891 1917	P -	Δ Δ	C -	Big Sandy River -	Δ -	2.360 0.500	P-ClaT NcMbS FrsDc -	0.055 2.500	Δ -	27
CAVE CITY	1,119 1,700	Δ -	P -	450 450	C -	Wells -	- Δ	- 0.200	None -	Δ 0.060	TD -	28
CENTRAL CITY	4,110 Δ	Δ Δ	M -	1,680 1.695	N -	Green River -	Δ -	0.900 0.540	P-ClaDcMpSbFrsVs -	0.120 0.446	N -	29
CHEVROLET	689 100	1936 -	P -	20 Δ	N -	2 wells -	- Δ	- 0.005	None -	0.000 0.008	L -	30

INVENTORY OF MUNICIPAL WATER FACILITIES

STATE	DATE	PAGE
KENTUCKY	Jan. 1, 1958	3 of 12

COMMUNITY	1950 Population	Year Oper. Started	OWNERSHIP	Number of Services	LAB. CONTROL	SOURCE OF SUPPLY	Safe Yield Impounded	Rated Plant Capacity	TREATMENT	Dist. Storage	IMPROVEMENTS NEEDED	LINE NO.
	Estimated Population Served	Present Supply Present Treatment Plant		Number of Meters			Maximum Dependable Draft (Gr. water) MGD	Average Plant Output MGD		Pumps to Mains Gravity to Mains MG		
1	2	3	4	5	6	7	8	9	10	11	12	
CHRISTOPHER	650	Δ	M	-	-	Hazard	-	-	Hazard	-	-	1
	(Δ)	-	-	-	-	-	-	-	-	-	-	
CLAY	1,291	1931	M	565	C	Wells	-	0.144	PH-ActCoMpScFpzKgDch	Δ	Δ	2
	800	1952	-	550	-	-	2.500	0.085	-	0.055	-	
CLINTON	1,593	1912	P	550	N	Wells	-	0.720	Dc	0.040	Δ	3
	1.500	1933	-	550	-	-	0.900	0.015	-	0.040	-	
CLOSPLINT Source # 1	300	1927	P	100	Δ	Clover Fork of	Δ	0.035	P-CalMbScKpFrsDh	0.000	TL	4
	450	1938	-	Δ	-	Cumberland River	-	0.020	-	0.100	-	
CLOSPLINT Source # 2	-	Δ	Δ	-	-	Louellen	-	-	None	-	-	5
	(Δ)	-	-	-	-	-	-	-	-	-	-	
CLOVERPORT	1,357	Δ	M	416	N	Wells	-	Δ	Dh	0.040	U	6
	1.200	Δ	-	380	-	-	Δ	0.045	-	0.075	-	
* COALGOOD	400	1925	P	100	N	2 wells	-	-	None	0.000	L	7
	600	-	-	Δ	-	-	Δ	0.023	-	0.022	-	
COLD SPRINGS	518	1943	M	232	C	Δ	Unl.	18.00	PH-AmTcdoDcCalMtpSbm	Δ	Δ	8
	930	1938	-	230	B	-	-	7.620	KpFrsNgDc	0.355	-	
COLUMBIA	2,167	1931	M	763	N	Russell Creek	1.000	0.529	P-CalMtSbFrsDc	0.050	Δ	9
	3.050	1948	-	760	-	-	-	0.160	-	0.739	-	
COLUMBUS	482	1929	M	210	N	Wells	-	0.200	Dh	0.000	Δ	10
	550	Δ	-	Δ	-	-	0.600	0.030	-	0.030	-	
* CORBIN	7,744	1950	M	Δ	C	Laurel River	1.000	2.000	P-AtTcClaiMbSmKpFrsDc	Δ	Δ	11
	8,000	1950	-	Δ	B	-	2.000	Δ	-	3.000	-	
CORYDON	742	Δ	M	Δ	Δ	Wells	-	Δ	Dh	0.025	U	12
	300	1939	-	Δ	-	-	Δ	0.007	-	0.025	-	
* COVINGTON	64,452	1870	M	14,000	C	Ohio River	Unl.	20.00	P-S CalsTcdMtpSmR	3.500	N	13
	90.250	1937	-	14,000	B	-	-	7.530	FrsNgDc	4.575	-	
COXTON	950	Δ	Δ	-	-	Black Joe	-	-	None	-	-	14
	(Δ)	-	-	-	-	-	-	-	-	-	-	
CRAB ORCHARD	757	Δ	M	Δ	N	Impounded lake	Δ	Δ	P-ScFpsKgDc	Δ	STL	15
	Δ	Δ	-	Δ	-	-	-	Δ	-	Δ	-	
CRESCENT SPRINGS	400	1956	Δ	-	-	Kenton County	-	-	Kenton County	-		16
	(Δ)	-	-	-	-	Water District # 1	-	-	Water District # 1	-	-	
CROMONA	600	Δ	Δ	-	-	Haymond	-	-	Haymond	-	-	17
	(Δ)	-	-	-	-	-	-	-	-	-	-	
CRUMMIES	500	1934	P	20	N	2 wells	-	-	None	0.002	L	18
	100	-	-	0	-	-	Δ	0.004	-	0.003	-	
CUMBERLAND	4,249	1936	M	1,000	C	Poor Fork Creek	Δ	0.430	P-AmClaT MtSobFrsDcVs	0.200	TL	19
	5.000	1936	-	1.000	-	-	-	0.215	-	0.500	-	
CYNTHIANA	4,847	Δ	M	2,110	C	South Fork of	Δ	1.500	P-A CalMtpsSbo	Δ	Δ	20
	8.020	Δ	-	1.896	B	Licking River	-	0.925	NgDcFrsTcDcVs	0.625	-	
* DANVILLE	8,686	1894	M	2,625	C	Dix River	Unl.	2.500	P-AmDcClaMitSmoKpFrs	0.500	N	21
	20.000	1953	-	2.625	-	-	-	1.556	VsDcNg	0.350	-	
DAVID	800	1942	P	500	C	2 impounded lakes	12.000	0.001	P-CasMiFpDc	0.035	Δ	22
	Δ	1942	-	0	B	-	-	0.035	-	0.060	-	
DAWSON SPRINGS	2,374	1930	M	836	N	4 wells	-	0.720	P-AmClaMbSmFpDc	0.000	N	23
	3,000	1955	-	836	-	-	0.058	0.150	-	0.180	-	
DAYTON Source # 1	8,977	1939	M	-	-	Covington	-	-	Covington	-	-	24
	(200)	-	-	-	-	-	-	-	-	-	-	
DAYTON Source # 2	-	1875	M	-	-	Newport	-	-	Newport	-	-	25
	(9.000)	-	-	-	-	-	-	-	-	-	-	
DIXON	624	1940	M	175	C	Dixon Lake and	0.050	0.038	HI-AtClaDcS Fps	0.000	L	26
	500	Δ	-	50	-	2 wells	0.050	0.020	-	0.020	-	
DRAKESBORO	1,102	Δ	M	216	N	Wells	-	Δ	Dc	0.000	U	27
	1.250	Δ	-	216	-	-	Δ	0.012	-	0.050	-	
DRY RIDGE	640	Δ	M	-	-	Williamstown	-	-	Williamstown	-	-	28
	(Δ)	-	-	-	-	-	-	-	-	-	-	
EARLINGTON	2,753	Δ	P	840	N	Imp. reservoir and	Δ	0.273	Dc	0.000	N	29
	3.000	Δ	-	840	-	Lake Loch Mary	-	0.173	-	0.090	-	
EDDYVILLE	1,840	Δ	M	253	N	Cumberland River	Δ	0.404	P-ClaMbScFrsDc	Δ	PT	30
	2.000	Δ	-	200	-	-	-	0.490	-	0.075	-	

PHS-2226
REV. 4-59

INVENTORY OF MUNICIPAL WATER FACILITIES

STATE	DATE	PAGE
KENTUCKY	Jan. 1, 1958	4 of 12

COMMUNITY	1950 Population	Year Oper. Started	OWNERSHIP	Number of Services	LAB. CONTROL	SOURCE OF SUPPLY	Safe Yield Impounded	Rated Plant Capacity	TREATMENT	Dist. Storage	IMPROVEMENTS NEEDED	LINE NO.
	Estimated Population Served	Present Supply Present Treatment Plant		Number of Meters			Maximum Dependable Draft (Gr. water) MGD	Average Plant Output MGD		Pumps to Mains Gravity to Mains MG		
1	2	3	4	5	6	7	8	9	10	11	12	
EDMONTON	519	Δ	M	196	Δ	2 wells	–	0.144	Do	0.050	TDL	1
	1.500	Δ	–	180	–	–	0.174	0.030	–	0.065	–	
EKRON	188	1955	M	27	C	1 well	–	–	None	Δ	L	2
	Δ	–	–	0	–	–	Δ	Δ	–	Δ	–	
ELIZABETHTOWN	5,807	1924	M	2,957	N	1 well and 2 springs	–	1.500	P-ClaMbSbFrsDcVs	0.060	Δ	3
	13,000	1953	–	2,957	–	–	2.300	0.900	–	0.840	–	
ELKHORN CITY	1,349	Δ	M	325	B	Levisa River	Unl.	0.180	P-Cal(MtpsSv)FrsDc	Δ	N	4
	2,000	1953	–	280	–	–	–	0.045	–	Δ	–	
ELKTON	1,312	1915	P	415	N	2 wells	–	0.360	P-AtClsoMtScTcFrsKpDc	0.070	N	5
	1,600	1946	–	250	–	–	0.500	0.120	–	0.050	–	
ELSMERE	3,483	1956	M	–	–	Kenton County	–	–	Kenton County	–	–	6
	(Δ)	–	–	–	–	Water District # 1	–	–	Water District # 1	–	–	
* EMINENCE	1,462	1934	M	505	Δ	Drennon Creek (Imp.)	Δ	0.360	P-ClasTcMbS FrsDc	0.020	Δ	7
	Δ	1934	–	505	–	–	–	0.110	–	0.075	–	
ERLANGER	3,694	1956	M	–	–	Kenton County	–	–	Kenton County	–	–	8
	(Δ)	–	–	–	–	Water District # 1	–	–	Water District # 1	–	–	
ESTILL	600	Δ	P	–	–	Wayland	–	–	Wayland	–	–	9
	(Δ)	–	–	–	–	–	–	–	–	–	–	
EVARTS	1,937	Δ	M	450	C	Clover Fork of	Δ	0.216	P-CalMpScFrsDh	0.008	SPTL	10
	2,000	Δ	–	40	B	Cumberland River	–	0.054	–	0.075	–	
FAIRDALE	400	Δ	M	–	–	Louisville Extension	–	–	Louisville Extension	–	–	11
	(400)	–	–	–	–	Water District	–	–	Water District	–	–	
FALMOUTH	2,186	Δ	M	1,000	C	Licking River	Δ	Δ	P-CalMbSbFrsDc	Δ	D	12
	2,500	Δ	–	1,000	B	–	–	0.400	–	Δ	–	
FANCY FARM	419	1956	P	60	N	3 wells	–	–	None	Δ	TL	13
	400	–	–	0	–	–	0.400	0.040	–	Δ	–	
FELDER FIELDS	558	Δ	Δ	Δ	Δ	3 wells	–	–	None	Δ	Δ	14
	50	–	–	Δ	–	–	Δ	Δ	–	Δ	–	
FERGUSON	550	Δ	P	–	–	Somerset	–	–	Somerset	–	–	15
	(Δ)	–	–	–	–	–	–	–	–	–	–	
FERN CREEK	500	Δ	M	–	–	Louisville	–	–	Louisville	–	–	16
	(500)	–	–	–	–	–	–	–	–	–	–	
FINCHVILLE	125	1952	P	Δ	N	Lake	Δ	0.020	P-CalMbSoTcFrsDh	Δ	Δ	17
	200	1952	–	Δ	–	–	–	0.010	–	0.000	–	
FLATWOODS	250	1937	M	–	–	Russell	–	–	Russell	–	–	18
	(5,500)	–	–	–	–	–	–	–	–	–	–	
FLEMING	943	Δ	P	–	–	McRoberts	–	–	McRoberts	–	–	19
	(1,200)	–	–	–	–	–	–	–	–	–	–	
FLEMINGSBURG	1,502	Δ	M	525	C	Fleming Creek (Imp.)	Δ	0.448	P-ClaT MbS FrsDc	0.001	STD	20
	2,000	Δ	–	512	–	–	–	0.020	–	0.100	–	
FLORENCE	1,325	Δ	Δ	–	–	Kenton County	N	–	Kenton County	–	–	21
	(Δ)	–	–	–	–	Water District # 1	–	–	Water District # 1	–	–	
FONDE	700	Δ	P	Δ	Δ	Wells	–	Δ	Dh	Δ	T	22
Source # 1	250	Δ	–	Δ	–	–	Δ	0.010	–	Δ	–	
FONDE	–	Δ	Δ	–	–	Pruden	–	–	None	–	–	23
Source # 2	(Δ)	–	–	–	–	–	–	–	–	–	–	
FORT MITCHELL	372	1956	M	–	–	Kenton County	–	–	Kenton County	–	–	24
	(375)	–	–	–	–	Water District # 1	–	–	Water District # 1	–	–	
FORT THOMAS	10,870	1882	M	3,904	C	Ohio River	Unl.	18.00	PI-AmTcdoDcCalMtpSbm	Δ	L	25
Source # 1	12,000	1938	–	3,904	B	–	–	7.620	KpFrsNgDc	0.355	–	
FORT THOMAS	–	1875	M	16	C	Ohio River	Unl.	6.000	PI-CalTcMbDcSbKpFrsDc	Δ	G	26
Source # 2	70	1925	–	16	B	–	–	4.576	–	0.500	–	
FORT WRIGHT	594	1956	Δ	–	–	Kenton County	–	–	Kenton County	–	–	27
	(Δ)	–	–	–	–	Water District # 1	–	–	Water District # 1	–	–	
FOUR MILE	700	Δ	P	10	N	Cumberland River	Δ	Δ	P-CaDhMaiFpsDc	Δ	Δ	28
	70	Δ	–	1	–	–	–	Δ	–	Δ	–	
FOURSEAM	600	1944	P	40	Δ	Mines	–	–	None	Δ	P	29
	200	–	–	0	–	–	Δ	Δ	–	Δ	–	
* FRANKFORT	11,916	1885	M	5,635	C	Kentucky River	7.000	6.000	P-CalsDcMtpSoFrsDc	Δ	L	30
	23,000	1913	–	5,635	B	–	–	2.200	VsKp	7.000	–	

INVENTORY OF MUNICIPAL WATER FACILITIES

STATE	DATE	PAGE
KENTUCKY	Jan. 1, 1958	5 of 12

COMMUNITY	1950 Population	Year Oper. Started	OWNERSHIP	Number of Services	LAB. CONTROL	SOURCE OF SUPPLY	Safe Yield Impounded	Rated Plant Capacity	TREATMENT	Dist. Storage	IMPROVEMENTS NEEDED	LINE NO.
	Estimated Population Served	Present Supply Present Treatment Plant		Number of Meters			Maximum Dependable Draft (Gr. water) MGD	Average Plant Output MGD		Pumps to Mains Gravity to Mains MG		
1	2	3	4	5	6	7	8	9	10	11	12	
FRANKLIN	4,343	1912	M	1,750	Δ	Drakes Creek	Δ	1.500	P-ClaMbSbFrsDcVs	0.550	Δ	1
	4.500	1927	-	1.750	-	(impounded reservoir)	-	0.500	-	0.100	-	
FREDRICKTOWN	75	Δ	P	36	C	2 wells and lakes	0.015	0.050	P-CalSbFrsDc	Δ	PD	2
	275	Δ	-	0	-	-	Δ	0.010	-	Δ	-	
FREEBURN	673	Δ	P	125	N	Peter Creek and well	Δ	Δ	ClS FpsDc	Δ	Δ	3
	600	1957	-	Δ	-	-	Δ	Δ	-	0.110	-	
FULLERTON	1,501	Δ	P	-	-	South Shore	-	-	South Shore	-	-	4
	200	-	-	-	-	-	-	-	-	-	-	
FULTON	3,224	Δ	M	1,375	Δ	2 wells	-	1.500	HI-ActCloKpMpDcScKc	0.800	Δ	5
	4.325	1954	-	1.375	-	-	1.500	0.800	-	0.300	-	
GARRETT	938	1913	P	Δ	C	Right Beaver Creek	0.100	0.100	P-CalTcMbScFrsKhDh	Δ	DL	6
	1,500	1941	-	120	B	-	-	0.050	-	0.150	-	
GEORGETOWN	5,516	Δ	M	Δ	Δ	Royal Spring	-	6	p-CalSbFrsDc	0.600	Δ	7
	6,000	1957	P	Δ	-	-	6	1.500	-	0.300	-	
GILBERTSVILLE	350	Δ	M	Δ	C	2 wells	-	0.288	H-AcClaMpsSoFrsKpDc	0.014	Δ	8
	Δ	Δ	-	Δ	-	-	Δ	0.086	-	0.100	-	
GLASGOW	7,025	Δ	M	2,600	C	Beaver Creek	Δ	1.060	P-ClaTcMpSvFrsDcVs	0.250	Δ	9
	9.000	Δ	-	2.600	-	-	-	0.800	-	1.000	-	
GLENVIEW	150	Δ	M	-	-	Louisville	-	-	Louisville	-	-	10
	(Δ)	-	-	-	-	-	-	-	-	-	-	
GRAHAM	895	Δ	P	145	N	Impounding reservoir	Δ	Δ	Dc	0.000	MPTD	11
	1.000	Δ	-	0	-	-	-	0.005	-	0.000	L	
GRAYSON	1,383	Δ	M	591	Δ	Little Sandy River	Δ	0.288	P-ClaMbS FrsDc	0.090	T	12
	2,900	Δ	-	575	-	-	-	0.090	-	0.100	-	
GREENSBURG	1,032	1937	M	600	C	Green River	10.000	0.396	P-ClaT MbSvFrsDcVa	0.000	Δ	13
	2.100	1937	-	600	-	-	-	0.135	-	0.100	-	
GREENUP	1,276	1929	M	450	N	3 drilled wells	-	0.144	Dc	0.080	L	14
	2,200	1929	-	450	-	-	0.144	0.080	-	0.150	-	
GREENVILLE	2,661	Δ	P	1,200	N	3 lakes	Δ	0.850	P-ClaMbpSbFrsDc	0.050	N	15
	4.500	Δ	-	1.185	-	-	-	0.230	-	0.350	-	
GUTHRIE	1,253	1935	M	Δ	N	Spring	-	0.360	P-AtSoDhFpKh	0.025	MT	16
	2,000	1935	-	400	-	-	10.000	0.100	-	0.150	-	
HARDBURLY	985	Δ	P	60	Δ	Pond	Δ	-	None	Δ	SG	17
	200	-	-	Δ	-	-	-	0.001	-	0.002	-	
HARDINSBURG	902	Δ	M	340	N	Hardin Creek (imp.)	Δ	0.360	P-CalTcMsSvDcFra	Δ	D	18
	1,000	1952	-	335	-	-	-	0.050	-	0.050	-	
HARDY	854	1913	P	Δ	N	Well	-	Δ	Dc	0.000	Δ	19
	750	Δ	-	Δ	-	-	Δ	0.020	-	0.040	-	
* HARLAN	4,786	1915	M	Δ	C	Poor Fork Creek	Δ	1.130	P-DcCalTcMp	0.200	TL	20
	7,500	1928	-	Δ	B	(impounded)	-	0.500	ScFrsNgKcDc	0.350	-	
* HARRODSBURG	5,262	1957	M	2,100	Δ	Salt and	Unl.	1.500	P-DcClaSoFrsDcVs	Δ	N	21
	7.200	1957	-	2.100	-	Kentucky Rivers	-	0.550	-	0.450	-	
HARTFORD	1,564	1906	M	Δ	Δ	Rough River	Δ	0.576	P-CaMbS FrsDcKp	0.015	Δ	22
	2,195	1937	-	549	-	-	-	0.142	-	0.075	-	
HARVEYTON	600	1930	P	25	B	2 wells	-	-	None	Δ	L	23
	100	-	-	0	-	-	0.001	0.002	-	0.002	-	
HAWESVILLE	896	1897	P	280	Δ	3 wells	-	0.120	Dh	Δ	T	24
	800	Δ	-	Δ	-	-	Δ	0.080	-	0.100	-	
* HAYMOND	650	1914	P	65	N	Well	-	Δ	Dh	0.000	Δ	25
	300	Δ	-	0	-	-	Δ	0.009	-	0.010	-	
* HAZARD	6,985	1957	M	1,750	C	North Fork of	8.000	2.000	P-AtCalSbTcNgFrsDcVs	0.001	Δ	26
	18,000	1957	-	1,200	-	Kentucky River	-	Δ	-	0.001	-	
HAZEL	444	1936	M	173	N	2 deep wells	-	Δ	I-AcClScDh	0.000	T	27
	400	1945	-	163	-	-	Δ	Δ	-	Δ	-	
HEIDRICK	520	Δ	Δ	-	-	Barboursville	-	-	Barboursville	-	-	28
	(Δ)	-	-	-	-	-	-	-	-	-	-	
HEMPHILL	906	1914	P	Δ	N	Abandoned mine	-	-	None	0.000	Δ	29
	200	-	-	Δ	-	-	Δ	0.004	-	0.000	-	
HENDERSON	16,837	Δ	M	5,600	Δ	Ohio River	Δ	5.200	P-ClaMbSbFrsNgDc	3.177	Δ	30
	20,000	Δ	-	5,600	-	-	-	4.000	-	3.545	-	

PHS-2226
REV. 4-59

INVENTORY OF MUNICIPAL WATER FACILITIES

STATE	DATE	PAGE
KENTUCKY	Jan. 1, 1958	6 of 12

COMMUNITY	1950 Population	Year Oper. Started Present Supply	OWNERSHIP	Number of Services	LAB. CONTROL	SOURCE OF SUPPLY	Safe Yield Impounded	Rated Plant Capacity	TREATMENT	Dist. Storage Pumps to Mains	IMPROVEMENTS NEEDED	LINE NO.
	Estimated Population Served	Present Treatment Plant		Number of Meters			Maximum Dependable Draft (Gr. water) MGD	Average Plant Output MGD		Gravity to Mains MG		
1	2	3	4	5	6	7	8	9	10	11	12	
* HENRY CLAY	300	Δ	P	60	N	Mountain stream	Δ	-	None	Δ	L	1
	345	-	-	0	-	and well	Δ	0.020	-	0.060	-	
* HENRY COUNTY	-	Δ	M	230	C	Impoundment	Δ	0.150	P-CalMbSoFrsDh	Δ	N	2
WATER DISTRICT	800	-	-	230	-	-	-	0.024	-	0.075	-	
HICKMAN	2,037	1954	M	991	Δ	Wells	-	Δ	I-AmMaSoKgFsDc	0.137	N	3
	3.100	Δ	P	986	-	-	1.000	0.137	-	1.200	-	
HIGHLAND HEIGHTS	1,569	1939	M	-	-	Covington	-	-	Covington	-	-	4
	(3,200)	-	-	-	-	-	-	-	-	-	-	
HIGHLAND SUBDIVISION	350	Δ	Δ	-	-	Lexington	-	-	Lexington	-	-	5
	(Δ)	-	-	-	-	-	-	-	-	-	-	
* HIGHSPLINT	1,506	1922	P	76	N	2 wells	-	-	None	0.000	Δ	6
	325	-	-	0	-	-	Δ	0.010	-	0.035	-	
HODGENVILLE	1,695	Δ	M	697	C	North Fork of Nolin	Δ	0.360	P-ClaAmMaSbFrsDc	0.032	N	7
	2,091	Δ	-	597	-	River and 3 wells	0.150	0.135	-	0.050	-	
HOPKINSVILLE	12,526	Δ	M	6,173	C	Lakes	3.000	2.000	P-NgCalDcTcAtMtFrs	0.750	MPTD	8
	21,480	Δ	-	6,173	-	-	-	1.500	SmoDcVs	0.750	-	
HORSE CAVE	1,545	Δ	M	Δ	Δ	4 wells	-	0.190	PH-CalMbTcSvFrs	Δ	TL	9
	Δ	Δ	P	600	-	-	Δ	0.125	Dc V 0.90	0.260	-	
HUSTONVILLE	435	Δ	Δ	-	-	Danville	-	-	Danville	-	-	10
	(700)	-	-	-	-	-	-	-	-	-	-	
INSULE	900	1924	P	37	N	Well	-	-	None	0.000	L	11
	100	-	-	0	-	-	Δ	Δ	-	0.013	-	
* IRVINE	3,259	Δ	P	1,202	N	Kentucky River	Δ	1.000	P-ClaT MbS FrsDc	Δ	Δ	12
	3,800	Δ	-	1,190	-	-	-	0.250	-	Δ	-	
IRVINGTON	831	Δ	M	390	N	Wells	-	Δ	CalSoDc	0.050	T	13
	1.000	Δ	-	390	-	-	Δ	0.038	-	0.050	-	
JACKSON	1,078	1925	M	Δ	Δ	North Fork of	Δ	0.360	P-ClaT MbS FrsD	0.020	Δ	14
	Δ	1929	-	Δ	-	Kentucky River	-	0.125	-	0.200	-	
JAMESTOWN	1,064	Δ	M	285	N	Springs	-	0.080	Dh	0.055	PL	15
	750	Δ	-	285	-	spring (aux.)	0.080	0.050	-	0.050	-	
JEFFERSONTOWN	1,246	Δ	M	-	-	Louisville	-	-	Louisville	-	-	16
	(1,500)	-	-	-	-	-	-	-	-	-	-	
JELLICO	600	Δ	Δ	-	-	Jellico, Tennessee	-	-	Jellico, Tennessee	-	-	17
	(Δ)	-	-	-	-	-	-	-	-	-	-	
JENKINS	6,921	1913	P	900	C	Reservoirs, springs	Δ	1.000	P-CaT M S FrsDc	0.035	Δ	18
	5.500	1936	-	83	-	mines, and wells	Δ	0.625	-	1.300	-	
JETT	250	Δ	Δ	-	-	Frankfort	-	-	Frankfort	-	-	19
	(200)	-	-	-	-	-	-	-	-	-	-	
* JUNCTION CITY	988	Δ	M	-	-	Danville	-	-	Danville	-	-	20
	(Δ)	-	-	-	-	-	-	-	-	-	-	
* KENTON COUNTY	-	1956	M	8,300	C	Licking River	Δ	3.000	P-CalTcMtDcSmoFrsKg	0.275	Δ	21
WATER DISTRICT # 1	30.000	1956	-	8,300	B	-	-	1.500	-	1.300	-	
KENTON VALE	165	Δ	Δ	-	-	Covington	-	-	Covington	-	-	22
	(Δ)	-	-	-	-	-	-	-	-	-	-	
KENVIR	3,200	1919	P	400	N	2 wells	-	Δ	Dc	0.000	L	23
Source # 1	2.000	1949	-	0	-	-	Δ	0.060	-	0.062	-	
KENVIR	-	1927	P	Δ	N	Well	-	Δ	Dc	0.000	L	24
Source # 2	500	Δ	-	Δ	-	-	Δ	0.015	-	0.030	-	
KETTLE ISLAND	375	Δ	P	Δ	[illegible]	Spring	-	-	None	Δ	Δ	25
	500	-	-	Δ	-	-	Δ	Δ	-	Δ	-	
KILDAY	250	1924	P	35	N	Mine and 1 well	-	-	None	0.000	L	26
	150	-	-	0	-	-	Δ	0.017	-	0.033	-	
KINGSWOOD	248	Δ	M	Δ	N	Spring	-	-	None	Δ	T	27
	150	-	-	Δ	-	-	Δ	Δ	-	Δ	-	
KITTS	1,431	1928	P	60	N	1 well and mine	-	Δ	Dh	0.000	G	28
	300	Δ	-	0	-	-	Δ	0.027	-	0.000	-	
KOSMOSDALE	230	Δ	M	-	-	Louisville Extension	-	-	Louisville Extension	-	-	29
	(200)	-	-	-	-	Water District	-	-	Water District	-	-	
KUTTAWA	794	Δ	[illegible]	245	N	Kuttawa Lake	Δ	Δ	Dc	Δ	TDL	30
	1,200	Δ	-	200	-	-	-	0.030	-	0.120	-	

PHS-2226
REV. 4-59

INVENTORY OF MUNICIPAL WATER FACILITIES

STATE	DATE	PAGE
KENTUCKY	Jan. 1, 1958	7 of 12

COMMUNITY	1950 Population Estimated Population Served	Year Oper. Started Present Supply Present Treatment Plant	OWNERSHIP	Number of Services Number of Meters	LAB. CONTROL	SOURCE OF SUPPLY	Safe Yield Impounded Maximum Dependable Draft (Gr. water) MGD	Rated Plant Capacity Average Plant Output MGD	TREATMENT	Dist. Storage Pumps to Mains Gravity to Mains MG	IMPROVEMENTS NEEDED	LINE NO.
1	2	3	4	5	6	7	8	9	10	11	12	
LA CENTER	593 1.000	1935 -	M -	325 0	N -	Wells -	- 1.000	- 0.015	None -	0.000 0.075	Δ -	1
LA GRANGE	1,558 2,100	Δ 1930	M -	634 634	Δ -	Lake and reservoir (impounded)	Unl. -	0.360 0.090	P-ClaTcMbDcSoFrsDc -	0.065 0.100	N -	2
LAKESIDE	988 (1,000)	1956 -	Δ -	- -	- -	Kenton County Water District # 1	- -	- -	Kenton County Water District # 1	- -	- -	3
LANCASTER	2,402 Δ	1952 1952	M -	926 954	N -	2 reservoirs (imp.) well (aux.)	50.000 -	0.500 0.125	P-CalDhMpSobFcFgsDcVs -	0.650 0.100	Δ -	4
LANCER	400 (300)	Δ -	M -	- -	- -	Prestonburg -	- -	- -	Prestonburg -	- -	- -	5
LAWRENCEBURG	2,369 3,500	1951 1951	M -	1,050 1.050	C -	Kentucky River -	Δ -	0.700 0.325	P-AmClaMtSmFrsDcVs -	0.075 0.260	Δ -	6
LEBANON	4,640 6.000	Δ Δ	M -	1,400 1.400	Δ -	Rolling Fork River (impounded)	80.000 -	Δ 0.500	P-ClaMps FrsDc -	Δ 1.000	Δ -	7
LEBANON JUNCTION	1,243 1.400	1935 1935	M -	Δ Δ	Δ -	Rolling Fork River -	Δ -	0.242 0.015	P-CalsMbSbFrsKcDc -	0.030 0.100	Δ -	8
LECKIEVILLE	468 (350)	1920 -	Δ -	- -	- -	Williamson, W. Va. -	- -	- -	Williamson, W. Va. -	- -	- -	9
LEITCHFIELD	1,312 3.300	Δ Δ	M -	920 920	C B	Impoundment and wells -	Δ Δ	0.300 0.100	PH-AmCalsMpTcoSoKg FrsDc V 1.00	0.100 0.100	L -	10
LENARUE	400 (Δ)	Δ -	Δ -	- -	- -	Coalgood -	- -	- -	None -	- -	- -	11
LETCHER	600 60	Δ Δ	P -	Δ Δ	N -	2 wells -	- Δ	Δ Δ	DhFp -	Δ Δ	T -	12
LEWISPORT	656 600	1936 Δ	M -	Δ Δ	Δ -	2 wells -	- Δ	0.400 0.040	Dh -	Δ 0.050	T -	13
LEXINGTON *	55,534 115,000	1885 1958	P -	25,862 25,862	C B	Kentucky River and impoundment	Unl. -	16.00 11.25	P-ClaAtMpSbTcFrsDcVs -	2.050 1.500	Δ -	14
LIBERTY	1,291 2,500	Δ Δ	M -	500 500	Δ -	Green River -	Δ -	0.180 0.015	P-ClaMbSbFrsDc -	0.001 0.100	SDL -	15
* LIGGETT	1,061 490	1924 -	Δ -	70 0	N -	2 wells -	- Δ	- 0.050	None -	0.050 Δ	G -	16
LIVERMORE	1,441 1.600	1935 1935	M -	548 548	N -	Green River -	0.140 -	Δ Δ	P-A CalMpSbcFrsDc -	Δ Δ	P -	17
LIVINGSTON	378 378	Δ Δ	M -	Δ Δ	N -	Rockcastle River -	Δ -	0.072 Δ	P-CasMbSoFrsKpDh -	Δ Δ	M -	18
LONDON	3,426 4.800	Δ Δ	M -	1,250 Δ	Δ -	Sinking Creek (imp.) -	0.800 -	0.580 Δ	P-CalSmTcFrsDc -	0.030 0.400	D -	19
LONEOAK	862 (2,500)	Δ -	Δ -	- -	- -	Paducah -	- -	- -	Paducah -	- -	- -	20
LOOKOUT	915 (345)	Δ -	Δ -	- -	- -	Henry Clay -	- -	- -	Henry Clay -	- -	- -	21
LOOKOUT HEIGHTS	603 (Δ)	1956 -	Δ -	- -	- -	Kenton County Water District # 1	- -	- -	Kenton County Water District # 1	- -	- -	22
LOTHAIR	1,313 (Δ)	Δ -	Δ -	- -	- -	Hazard -	- -	- -	Hazard -	- -	- -	23
LOUELLEN	1,800 300	1937 Δ	P -	75 Δ	N -	Abandoned mine -	- Δ	Δ 0.030	Dh -	0.000 0.011	T -	24
LOUISA	2,015 1.900	1900 1928	M -	853 853	C -	Levisa Fork -	Unl. -	0.690 0.150	P-ClaTcMpSboFrsKpDh -	0.174 0.150	L -	25
* LOUISVILLE	369,129 550,000	1860 1957	M -	113,879 110,941	C B	Ohio River -	Unl. -	160.0 81.40	PH-SoCalsFrsaKpMtpNc RSmTcdVsDcs	26.00 33.60	PTD -	26
*LOUISVILLE EXTENSION Water District	- 30,000	1949 1956	M -	7,500 7.500	C -	4 wells -	- 17.000	4.000 1.700	H-AmCalMbSmoFrsKcgDc -	0.400 1.500	N -	27
LOYALL	1,548 (Δ)	Δ -	M -	- -	- -	Harlan -	- -	- -	Harlan -	- -	- -	28
LUDLOW	6,374 (Δ)	Δ -	M -	- -	- -	Covington -	- -	- -	Covington -	- -	- -	29
LUZERNE	250 Δ	Δ Δ	P -	49 0	N -	Impounded reservoir -	Δ -	Δ 0.005	Dc -	Δ 0.000	T -	30

INVENTORY OF MUNICIPAL WATER FACILITIES

STATE	DATE	PAGE
KENTUCKY	Jan. 1, 1958	8 of 12

COMMUNITY	1950 Population / Estimated Population Served	Year Oper. Started Present Supply / Present Treatment Plant	OWNERSHIP	Number of Services / Number of Meters	LAB. CONTROL	SOURCE OF SUPPLY	Safe Yield Impounded / Maximum Dependable Draft (Gr. water) MGD	Rated Plant Capacity / Average Plant Output MGD	TREATMENT	Dist. Storage Pumps to Mains / Gravity to Mains MG	IMPROVEMENTS NEEDED	LINE NO.
1	2	3	4	5	6	7	8	9	10	11	12	
LYNCH	5,200	1920	P	1,600	C	Gap Branch, mine	200.00	1.500	P-AsCalMbTcSboKp	0.500	L	1
	8.000	1953	-	0	-	and Looney Creek	Δ	1.000	FraDc	0.600	-	
LYNDON	681	Δ	M	-	-	Louisville	-	-	Louisville	-	-	2
	(1,000)	-	-	-	-	-	-	-	-	-	-	
McANDREWS	533	1918	P	75	N	Mine water	-	0.206	Dc	0.000	T	3
	725	Δ	-	Δ	-	-	Δ	0.015	-	0.022	-	
* McROBERTS	900	Δ	P	622	N	Mine and deep wells	-	0.310	H-ClSbAmFraDc	Δ	TL	4
	4,400	1916	-	66	-	-	0.440	0.280	-	Δ	-	
McVEIGH	1,292	Δ	P	Δ	N	Sealed mine	-	0.086	FpsDc	0.010	Δ	5
	1.000	1913	-	Δ	-	-	Δ	0.020	-	0.080	-	
MADISONVILLE	11,132	6	M	4,853	C	Pond River tributary	7.500	2.000	P-ClaAmSbFraTcNgDcKc	0.047	PDL	6
	18,000	Δ	-	4.850	-	& Pee Wee Lake (imp.)	-	1.100	-	0.400	-	
MAJESTIC	503	1939	P	50	N	3 wells and spring	-	-	None	Δ	Δ	7
	250	-	-	0	-	-	Δ	Δ	-	0.010	-	
MANCHESTER	1,706	1935	M	500	B	Big Cheese Creek	Unl.	0.180	P-ClaMbS TcFraDc	0.025	USMP	8
	2.000	1936	-	500	-	-	-	0.030	-	0.125	TDLO	
MANTON	200	Δ	P	21	N	Abandoned mine shaft	-	-	None	Δ	T	9
	110	-	-	21	-	-	Δ	0.007	-	0.007	-	
MARION	2,375	Δ	M	Δ	Δ	Crooked Creek	Δ	0.864	P-ClaT MbSbFraDc	0.002	Δ	10
	2,000	Δ	-	Δ	-	(impounded reservoir)	-	0.140	-	Δ	-	
MARLOWE	100	Δ	P	Δ	Δ	Well	-	Δ	Dh	Δ	Δ	11
	160	Δ	-	Δ	-	-	Δ	Δ	-	Δ	-	
MARTIN	1,170	Δ	M	300	N	Left Fork of	Unl.	0.200	P-CalTcDcMpSoFra	0.075	DL	12
	1.200	1951	-	300	-	Beaver Creek	-	0.100	V Dc V 1.00	0.075	-	
MAYFIELD	8,990	1957	M	3,736	N	4 wells	-	2.000	I-ClAcM KpDcScVs	Δ	M	13
	14.000	1942	-	3.736	-	-	Unl.	0.800	-	0.500	-	
MAYSVILLE	8,632	1879	P	2,922	C	Ohio River	Δ	2.880	P-ClaDcTcSbFraVsKpDc	0.035	G	14
	9,510	1934	-	2,892	B	-	-	0.983	-	2.750	-	
MIDDLESBORO	14,482	1892	P	3,400	Δ	Fern Lake	Unl.	2.900	Dc	0.000	M	15
	14.000	1919	-	3.200	-	-	-	0.800	-	1.500	-	
MIDDLETOWN	1,200	Δ	M	-	-	Louisville	-	-	Louisville	-	-	16
	(2,000)	-	-	-	-	-	-	-	-	-	-	
MIDWAY	950	1936	M	Δ	C	Lee's Branch	Δ	0.417	P-ClaT MbDcSoFraD	0.001	M	17
	900	1936	-	Δ	-	andwell	Δ	0.060	-	0.075	-	
MILLERSBURG	828	1929	M	220	N	Hinkston Creek	0.078	0.078	DcClMbS Dc	0.015	Δ	18
	1,200	1929	-	200	-	-	-	0.035	-	0.075	-	
MILLSTONE	900	1919	P	Δ	N	Well	-	-	None	0.000	Δ	19
	250	-	-	Δ	-	-	Δ	0.010	-	0.105	-	
MILTON	370	1956	M	230	M	2 wells	-	0.360	Dh	Δ	M	20
	900	1956	-	230	-	-	Δ	0.060	-	0.050	-	
MONTICELLO	2,934	1940	M	1,000	M	2 wells	-	0.432	P-CalMtSbFraDc	0.060	Δ	21
	3.800	1951	-	1.000	-	-	0.700	0.180	-	0.120	-	
MOREHEAD	3,102	1952	M	1,017	C	Evans Branch Lake	0.450	0.450	P-ClaTcAmtSbFraDcVs	0.040	M	22
	4.000	1936	-	1.017	-	and Triplett Creek	-	0.350	-	0.020	-	
MORELAND	300	Δ	Δ	-	-	Danville	-	-	Danville	-	-	23
	(350)	-	-	-	-	-	-	-	-	-	-	
MORGANFIELD	3,257	Δ	M	1,400	N	Ohio River	Δ	0.777	P-ClaMpSbFraDc	0.600	T	24
	4.000	Δ	-	1,400	-	-	-	0.170	-	0.060	-	
MORGANTOWN	850	Δ	M	352	C	Green River	Unl.	0.288	P-ClaMbSoKgpFraDc	0.014	M	25
	1,250	Δ	-	352	-	-	-	0.080	-	0.118	-	
MORTONS GAP	1,081	Δ	M	360	N	City Lake	0.075	0.380	P-ClaMpSbFraDc	0.012	M	26
	1,000	Δ	-	360	-	-	-	0.032	-	0.075	-	
MOUNT OLIVET	455	1957	M	204	C	Blue Licks and	Δ	0.204	P-CalMbSoFraDh	0.182	M	27
	500	1957	-	204	-	Main Licking Rivers	-	0.020	-	0.100	-	
MOUNT STERLING	5,294	Δ	P	1,899	C	Slate Creek	0.500	0.742	P-ClaMbDcSbcFraDc	Δ	T	28
	5,500	Δ	-	1,800	-	(impounded reservoir)	-	0.525	-	0.300	-	
MOUNT VERNON	1,106	1936	M	500	C	Roundstone Creek	0.250	0.208	P-ClaMbSoFraDc	0.000	M	29
	725	1936	-	500	-	(impounded)	-	0.030	-	0.103	-	
MULDRAUGH	700	Δ	Δ	-	-	Fort Knox	-	-	Fort Knox	-	-	30
	(Δ)	-	-	-	-	-	-	-	-	-	-	

PHS-2226
REV. 4-59

INVENTORY OF MUNICIPAL WATER FACILITIES

STATE	DATE	PAGE
KENTUCKY	Jan. 1, 1958	9 of 12

COMMUNITY	1950 Population / Estimated Population Served	Year Oper. Started / Present Supply / Present Treatment Plant	OWNERSHIP	Number of Services / Number of Meters	LAB. CONTROL	SOURCE OF SUPPLY	Safe Yield Impounded / Maximum Dependable Draft (Gr. water) MGD	Rated Plant Capacity / Average Plant Output MGD	TREATMENT	Dist. Storage / Pumps to Mains / Gravity to Mains MG	IMPROVEMENTS NEEDED	LINE NO.
1	2	3	4	5	6	7	8	9	10	11	12	
MUNFORDVILLE	894	1953	M	Δ	N	Green River	Δ	0.060	P-CalDcMtSbFrs	Δ	M	1
	Δ	Δ	-	360	-	-	-	Δ	-	0.470	-	
MURRAY	6,035	1913	M	2,615	N	3 wells	-	2.000	I-A CaS Dc	Δ	Δ	2
	11,500	1913	-	2,500	-	-	3.000	1.000	-	1.250	-	
NAZARETH	500	Δ	P	1	C	5 lakes	Δ	0.040	P-CatMaS KgFgsDc	Δ	SL	3
	550	Δ	-	0	-	-	-	0.028	-	Δ	-	
NEON	1,055	Δ	P	-	-	McRoberts	-	-	McRoberts	-	-	4
	(Δ)	-	-	-	-	-	-	-	-	-	-	
NEW CASTLE	631	Δ	Δ	-	-	Eminence	-	-	Eminence	-	-	5
	(Δ)	-	-	-	-	-	-	-	-	-	-	
NEW HAVEN	563	Δ	M	205	Δ	Rolling Fork River	Δ	Δ	P-ClaTcMtSmFrsDh	Δ	MT	6
	Δ	Δ	-	205	-	-	-	Δ	-	Δ	-	
* NEWPORT	31,044	1873	M	7,465	C	Ohio River	Unl.	6.000	P-DcCaTc(ClKp)MbSbo	53.00	MTDL	7
	52,110	1925	-	7,465	B	-	-	4.600	MgFrsDc	0.230	-	
NICHOLASVILLE	3,406	Δ	M	1,100	Δ	Kentucky River	Unl.	0.720	P-CalTcMpSoFrsKpDc	Δ	M	8
	4,200	1954	-	1,100	-	and wells	Δ	0.275	-	0.550	-	
NORTH CORBIN	1,977	Δ	Δ	-	-	Corbin	-	-	Corbin	-	-	9
	(300)	-	-	-	-	-	-	-	-	-	-	
NORTH MIDDLETON	319	1940	M	162	C	Stoner Creek	0.050	0.144	P-ClaMbSoFrsDc	0.025	M	10
	400	1940	-	163	-	-	-	0.022	-	0.050	-	
NORTH PLEASUREVILLE	198	Δ	M	-	-	Henry County	-	-	Henry County	-	-	11
	(200)	-	-	-	-	Water District	-	-	Water District	-	-	
NORTONVILLE	909	Δ	M	350	N	2 wells	-	0.135	Dc	0.025	M	12
	1,000	Δ	-	350	-	-	0.155	0.090	-	0.050	-	
* OLIVE HILL	1,351	1953	M	785	Δ	City Lake on	Unl.	0.450	P-ClaMbSbFrsDc	Δ	M	13
	2.250	953	-	735	-	Perrys Branch	-	0.450	-	0.450	-	
OWENSBORO	33,651	1906	M	12,000	C	24 wells	-	7.000	H-AsClsSmRCaMptS	4.000	M	14
	48,000	1940	-	12,871	-	-	20.000	5.160	FrsDcVs	1.000	-	
OWENTON	1,249	1933	M	500	C	2 lakes	0.250	0.250	P-CalTcMbS FrsDc	0.030	Δ	15
	2.000	1933	-	500	-	-	-	0.120	-	0.075	-	
OWINGSVILLE	929	Δ	M	400	C	Slate Creek	Δ	0.360	P-ClaMbSoFrsDc	0.026	Δ	16
	1,600	Δ	-	400	-	-	-	0.022	-	0.075	-	
* PADUCAH	32,828	1886	M	11,500	C	Ohio River	Unl.	9.000	P-DcClaTcMptSbmFrs	1.390	M	17
	48,000	1952	-	11,638	B	-	-	5.020	M Dc	5.000	-	
* PAINTSVILLE	4,309	1951	M	Δ	Δ	Levisa Fork	Δ	1.000	P-CalTcMtpSoFrsKcDcVs	0.350	M	18
	5.500	1951	-	Δ	-	-	-	0.350	-	0.335	-	
PARIS	6,912	1890	M	2,500	C	Stoner Creek	400.00	2.000	P-DcCasTcAmtMbSoFrsDc	1.050	Δ	19
	8.000	1931	-	2.100	B	-	-	1.090	-	0.740	-	
PARK CITY	448	1956	M	140	C	2 wells	-	0.096	Dh	Δ	Δ	20
	450	Δ	-	62	-	-	Δ	0.050	-	0.100	-	
PARK HILLS	2,577	1956	Δ	-	-	Kenton County	-	-	Kenton County	-	-	21
	(2,600)	-	-	-	-	Water District # 1	-	-	Water District # 1	-	-	
PEMBROKE	532	1914	P	192	B	2 wells	-	0.860	Dc	Δ	Δ	22
	470	1952	-	192	-	-	0.144	Δ	-	Δ	-	
PERRYVILLE	660	1949	M	198	C	1 well	-	1.000	Dc V 0.10	Δ	UPT	23
	800	1952	-	198	-	-	0.330	0.300	-	0.055	-	
PIKEVILLE	5,154	1902	M	Δ	Δ	Levisa River	Δ	0.970	P-ClaMbSbFrsDc	0.020	Δ	24
	6.000	1924	-	Δ	-	-	-	0.330	-	0.300	-	
PINE MOUNTAIN	175	Δ	P	Δ	Δ	Mountain Springs	-	Δ	Dh	Δ	T	25
	225	Δ	-	0	-	-	Δ	Δ	-	0.125	-	
PINEVILLE	3,890	Δ	P	960	N	2 wells	-	0.650	P-ClaT MpSoFrsKpDc	Δ	L	26
	3,900	Δ	-	960	-	-	0.600	0.200	-	0.400	-	
PINSON FORK	1,114	1913	P	Δ	N	Mines	-	0.086	DcFps	0.010	Δ	27
	950	1913	-	Δ	-	-	Δ	0.022	-	0.040	-	
PLEASURE RIDGE PARK	750	Δ	M	-	-	Louisville Extension	-	-	Louisville Extension	-	-	28
	(1,500)	-	-	-	-	Water District	-	-	Water District	-	-	
PLEASUREVILLE	355	Δ	M	-	-	Henry County	-	-	Henry County	-	-	29
	(800)	-	-	-	-	Water Distr'ct	-	-	Water District	-	-	
POTTERS FORK	50	Δ	Δ	-	-	Haymond	-	-	Haymond	-	-	30
	(Δ)	-	-	-	-	-	-	-	-	-	-	

INVENTORY OF MUNICIPAL WATER FACILITIES

STATE	DATE	PAGE
KENTUCKY	Jan. 1, 1958	10 of 12

COMMUNITY	1950 Population Estimated Population Served	Year Oper. Started Present Supply Present Treatment Plant	OWNERSHIP	Number of Services Number of Meters	LAB. CONTROL	SOURCE OF SUPPLY	Safe Yield Impounded Maximum Dependable Draft (Gr. water) MGD	Rated Plant Capacity Average Plant Output MGD	TREATMENT	Dist. Storage Pumps to Mains Gravity to Mains MG	IMPROVEMENTS NEEDED	LINE NO.
1	2	3	4	5	6	7	8	9	10	11	12	
PRESTONBURG *	3,585 4.500	Δ 1958	M -	1,113 1,113	N -	Levisa Fork and Big Sandy River	Δ -	1.000 1.000	P-CaloMpSbm FraTcoDcKpVa	0.150 0.550	D -	1
PRINCETON	5,388 7.000	1927 1950	M -	2,135 2,135	C -	Spring -	- 0.600	0.500 0.450	PH-AcCalSo(MtpaSv)Kp RTdFraDc	0.185 0.150	SMP TDL	2
PROVIDENCE	3,935 4.500	1915 1929	M -	Δ Δ	C -	Tradewater River and 2 lakes	3.000 -	1.612 0.450	PHI-ClaaTcoMbSoFra KgpDc	0.450 Δ	Δ -	3
* PRUDEN	1,200 315	1938 -	P -	64 0	N -	Deep well -	- 0.006	- 0.003	None -	0.002 Δ	T -	4
* RACELAND	1,001 1.200	1954 1954	M -	525 505	N -	2 drilled wells -	- 0.750	0.750 0.120	Dc -	0.120 0.100	Δ -	5
RAVENNA	979 (Δ)	Δ -	Δ -	- -	- -	Irvine -	- -	- -	Irvine -	- -	- -	6
RICHMOND	10,268 13,000	1890 1938	M -	3,000 3,000	C -	2 lakes and Otter Creek Tributary	1.500 -	1.250 0.850	P-A NgDcCal TcMtpS FraDc	0.080 0.500	Δ -	7
ROCKFORT	450 400	Δ 1935	M -	Δ Δ	Δ -	Green River -	Δ -	0.380 0.010	P-ClaMbS FraD -	0.001 0.050	Δ -	8
* RUSSELL	1,681 (2.500)	1929 -	M -	- -	- -	Ashland -	- -	- -	Ashland -	- -	- -	9
RUSSELL SPRINGS	1,125 800	Δ Δ	M -	350 340	N -	Spring -	- 0.080	0.080 0.075	Dh -	0.055 0.050	T -	10
RUSSELLVILLE	4,529 Δ	1947 1947	M -	1,625 1,350	N -	Mud river (imp.) and lake	1.700 -	1.400 0.450	PH-ClaaMpSbFraDc -	0.100 1.000	M -	11
SACRAMENTO	378 412	Δ 1957	M -	103 15	N -	2 wells -	- 0.050	Δ 0.143	ScaCaDcSo -	0.063 0.050	PD -	12
SADIEVILLE	355 575	Δ 1957	M -	Δ Δ	Δ -	Eagle Creek -	Δ -	0.144 0.012	P-ClaMbS FraDc -	0.015 0.045	Δ -	13
ST. CATHERINE	200 250	Δ Δ	P -	7 0	C -	3 wells -	- 0.160	0.040 0.040	P-ClaMtS FraDc -	Δ Δ	L -	14
SALEM	480 400	1954 Δ	M -	100 Δ	Δ -	Well -	- Δ	Δ 0.015	Dh -	Δ Δ	T -	15
SALYERSVILLE	1,174 Δ	Δ Δ	M -	237 237	N -	Well -	- 0.360	0.180 Δ	PI-AcFraDc -	Δ Δ	T -	16
SCOTTSVILLE	2,060 3.500	Δ 1952	M -	Δ 1,000	Δ -	Calvert Spring -	- Δ	0.156 0.156	Dc -	0.156 0.500	Δ -	17
SEBREE	1,158 1.000	Δ 1936	M -	304 304	C -	Wells -	- 0.022	0.216 0.040	KhMlDh -	Δ 0.100	L -	18
SECO	644 700	1920 -	P -	175 0	M -	Well -	- Δ	- 0.010	None -	Δ 0.010	Δ -	19
SEDALIA	240 Δ	1951 -	M -	50 0	N -	2 wells -	- 0.500	- 0.004	None -	Δ 0.001	TL -	20
SHELBIANA	800 75	1949 1949	P -	Δ Δ	M -	Levisa Fork -	Δ -	Δ 0.025	H-CallaS Kc -	Δ Δ	T -	21
SHELBY CITY	500 (Δ)	Δ -	Δ -	- -	- -	Danville -	- -	- -	Danville -	- -	- -	22
SHELBYVILLE	4,403 7,500	Δ Δ	M -	1,820 1,820	Δ -	Mary Bass Lake, Clear Creek (imp. res.)	0.200 -	0.750 0.432	P-DcCaAtSbTcKpFraDc -	0.200 0.200	Δ -	23
SHEPHERDSVILLE	953 1,500	1935 1935	M -	300 300	Δ -	Salt River -	Δ -	0.190 0.150	P-ClaMbSbFraDh -	0.035 0.050	Δ -	24
SILVER GROVE	900 980	1941 1941	M P	241 241	N -	3 wells -	- Δ	2.160 0.175	H-ClaoMpSmKc -	Δ 0.700	T -	25
SIMPSONVILLE	247 140	Δ Δ	P -	44 20	Δ -	Lake -	25.000 -	36.00 10.00	P-TcDhFp -	Δ Δ	PTD LG	26
SMITHLAND	498 600	Δ 1940	M -	225 225	Δ -	Wells -	- Δ	Δ 0.035	I-AcaCaaTdKpDc -	0.035 0.045	MPT -	27
SMITHS GROVE	683 800	1957 1948	P -	295 125	Δ -	4 wells -	- Unl.	0.200 0.075	CalScDx -	0.125 0.050	Δ -	28
* SOMERSET	7,097 13,000	1957 1957	P -	3,000 3,000	Δ -	Lake Cumberland -	Δ -	1.800 0.750	P-CalMptTcDcSoKg FgraDc	0.150 0.750	M -	29
SOUTH FORT MITCHELL	3,142 (Δ)	Δ -	Δ -	- -	- -	Kenton County Water District # 1	- -	- -	Kenton County Water District # 1	- -	- -	30

PHS-2226
REV. 4-59

INVENTORY OF MUNICIPAL WATER FACILITIES

STATE	DATE	PAGE
KENTUCKY	Jan. 1, 1958	11 of 12

COMMUNITY	1950 Population Estimated Population Served	Year Oper. Started Present Supply Present Treatment Plant	OWNERSHIP	Number of Services Number of Meters	LAB. CONTROL	SOURCE OF SUPPLY	Safe Yield Impounded Maximum Dependable Draft (Gr. water) MGD	Rated Plant Capacity Average Plant Output MGD	TREATMENT	Dist. Storage Pumps to Mains Gravity to Mains MG	IMPROVEMENTS NEEDED	LINE NO.
1	2	3	4	5	6	7	8	9	10	11	12	
SOUTHGATE	1,903 (2,000)	1875 -	M -	- -	- -	Newport -	- -	- -	Newport -	- -	- -	1
SOUTH HILLS	412 (Δ)	Δ -	Δ -	- -	- -	Kenton County Water District # 1	- -	- -	Kenton County Water District # 1	- -	- -	2
SOUTH PORTSMOUTH	378 (50)	1956 -	Δ -	- -	- -	South Shore -	- -	- -	South Shore -	- -	- -	3
* SOUTH SHORE	900 2,000	1926 1956	P -	700 700	N -	3 drilled wells -	- 0.500	5.000 0.134	Dc -	0.134 0.065	Δ -	4
SOUTH WILLIAMSON	1,144 (1,200)	1926 -	M -	- -	- -	Williamson, W. Va. -	- -	- -	Williamson, W. Va. -	- -	- -	5
SPRINGFIELD	2,032 3,000	Δ Δ	M -	950 845	C -	Beech Fork River (impounded) & 2 lakes	Δ -	0.550 0.160	P-CalTcMptSoKpFrsDcVs -	0.025 0.200	N -	6
STAFFORDSVILLE	478 (400)	Δ -	M -	- -	- -	Paintsville -	- -	- -	Paintsville -	- -	- -	7
STAMPING GROUND	396 500	Δ Δ	M -	Δ Δ	Δ -	Buffalo Springs and North Elkhorn Creek	Δ Δ	0.288 0.025	P-ClaMbS FrsDc -	0.013 0.050	Δ -	8
STANFIELD	200 (Δ)	Δ -	Δ -	- -	- -	Liggett -	- -	- -	None -	- -	- -	9
STANFORD	1,861 2,500	Δ 1954	P -	800 800	C -	Lake -	0.500 -	0.360 0.190	PHI-ClaMsDcSmov KpFrsKg	0.190 0.200	L -	10
STANTON	635 1,100	1934 1934	M -	275 20	C -	2 wells -	0.030 0.050	0.080 0.040	I-ClAcScKpDh -	0.040 0.055	U -	11
STEARNS	900 750	1956 1956	P -	220 0	N -	2 lakes -	Δ -	0.070 0.040	P-CalMbSoDcTcFrs -	Δ Δ	N -	12
STONE	728 800	1912 Δ	P -	Δ Δ	Δ -	Well -	- Δ	0.001 -	Dc -	0.002 0.200	Δ -	13
STONEY FORK	200 40	Δ -	P -	Δ Δ	Δ -	Spring -	- Δ	Δ Δ	None -	Δ Δ	T -	14
STURGIS	2,222 3,000	Δ Δ	M -	840 840	N -	Tradewater River -	Δ -	0.547 0.060	P-ClaMpSoFrsDc -	0.090 0.077	T -	15
TAYLORSVILLE	888 900	1936 1936	M -	Δ Δ	Δ -	Salt River -	Δ -	0.242 0.060	P-CaMbSbFrsDc -	0.030 0.100	Δ -	16
THEALKA	662 (Δ)	Δ -	Δ -	- -	- -	Paintsville -	- -	- -	Paintsville -	- -	- -	17
THREE POINT	400 Δ	1928 -	P -	70 0	N -	1 well -	- Δ	- 0.005	None -	0.000 0.033	L -	18
TIERNEY	450 Δ	1933 Δ	P -	Δ Δ	N -	Well -	- Δ	0.019 0.010	Dc -	0.000 0.010	Δ -	19
TOMPKINSVILLE	1,859 650	Δ Δ	M -	650 650	Δ -	Mill Creek (impounded reservoir)	Δ -	0.720 0.185	P-ClaT MbS FrsDc -	Δ 0.075	L -	20
TOTZ	300 200	1936 -	P -	40 0	N -	Poor Fork Watershed and 1 well	Δ Δ	- 0.005	None -	0.000 0.050	L -	21
TRENTON	577 450	1936 1958	M -	150 135	Δ -	2 wells -	- 0.100	0.288 0.030	P-CalMpSboFg KhDh -	0.020 0.050	N -	22
TRIBBEY	325 (Δ)	Δ -	Δ -	- -	- -	Hardburly -	- -	- -	None -	- -	- -	23
TEVILA CREEK	596 200	1905 -	P -	40 0	N -	Well -	- Δ	- 0.012	None -	0.000 0.020	L -	24
UNIONTOWN	1,054 750	Δ Δ	M -	500 285	N -	Ohio River -	Δ -	0.432 0.012	P-ClaT MbSoFrsDc -	0.001 0.100	L -	25
VALLEY STATION	5,500 (Δ)	Δ -	M -	- -	- -	Louisville Extension Water District	- -	- -	Louisville Extension Water District	- -	- -	26
VANCEBURG	1,528 1,400	1957 Δ	M -	340 340	Δ -	2 wells -	- Δ	0.360 0.060	DcVt -	0.060 Δ	N -	27
* VAN LEAR	1,096 1,600	Δ Δ	P -	406 Δ	Δ -	Big Sandy River -	Δ -	0.321 0.080	P-ClaMaSbFrsDc -	Δ Δ	T -	28
VERSAILLES	2,760 2,900	1908 1923	M -	1,200 1,200	C -	1 well -	- Δ	0.576 0.268	P-AsClaTcVLSbFrsDcVs -	0.170 0.214	Δ -	29
VICCO	600 (Δ)	Δ -	Δ -	- -	- -	Allock -	- -	- -	None -	- -	- -	30

PHS-2226
REV. 4-59

INVENTORY OF MUNICIPAL WATER FACILITIES

STATE	DATE	PAGE
KENTUCKY	Jan. 1, 1958	12 of 12

COMMUNITY	1950 Population / Estimated Population Served	Year Oper. Started / Present Supply / Present Treatment Plant	OWNERSHIP	Number of Services / Number of Meters	LAB. CONTROL	SOURCE OF SUPPLY	Safe Yield Impounded / Maximum Dependable Draft (Gr. water) MGD	Rated Plant Capacity / Average Plant Output MGD	TREATMENT	Dist. Storage / Pumps to Mains / Gravity to Mains MG	IMPROVEMENTS NEEDED	LINE NO.
1	2	3	4	5	6	7	8	9	10	11	12	
VINE GROVE	1,252	Δ	M	500	N	Otter Creek and	Δ	0.363	P-CalMsSmvFrsDc	0.170	Δ	1
	1.700	1942	-	500	-	spring	1.000	0.170	-	0.478	-	
WALTON	1,358	1931	M	385	C	2 lakes	100.00	0.360	PH-CalMbtTcDcSo	0.090	N	2
	Δ	1956	-	385	-	-	-	0.090	KgpFrsDc	0.100	-	
WARFIELD	324	Δ	Δ	-	-	Kermit, West Virginia	-	-	Kermit, West Virginia	-	-	3
	(Δ)	-	-	-	-	-	-	-	-	-	-	
WARSAW	829	Δ	M	400	N	Well	-	0.720	Dh	0.000	Δ	4
	1,500	1951	-	300	-	-	0.050	Δ	-	0.050	-	
WATER VALLEY	346	1950	M	70	N	2 wells	-	0.004	ClDsSoDh	0.005	TDL	5
	400	1950	-	0	-	-	Δ	0.040	-	0.005	-	
WAVERLY HILLS	120	Δ	M	-	-	Louisville	-	-	Louisville	-	-	6
	(120)	-	-	-	-	-	-	-	-	-	-	
* WAYLAND	1,807	1920	P	385	N	Right Beaver Creek	Δ	0.103	P-AcClsTcS KpFrsDh	Δ	TDL	7
	3.000	Δ	-	150	-	and well	Δ	0.080	-	0.103	-	
WEEKSBURY	1,340	1916	P	36	N	1 well	-	-	None	Δ	UTDL	8
	1.500	-	-	Δ	-	-	Δ	0.010	-	0.125	-	
WEST DANVILLE	2,500	Δ	Δ	-	-	Danville	-	-	Danville	-	-	9
	(Δ)	-	-	-	-	-	-	-	-	-	-	
WEST LIBERTY	931	Δ	M	425	C	Licking River	Δ	0.288	P-CalDcMbSoFrsDcKg	Δ	Δ	10
	1,800	Δ	-	410	-	-	-	0.100	-	Δ	-	
WEST POINT	1,669	1939	M	300	N	Wells	-	0.360	H-ClasSbFpsDc	0.175	Δ	11
	2.250	1939	-	300	-	-	1.000	0.175	-	0.055	-	
WEST PRESTONBURG	950	Δ	M	-	-	Prestonburg	-	-	Prestonburg	-	-	12
	(700)	-	-	-	-	-	-	-	-	-	-	
WEST RUSSELL	1,081	Δ	Δ	-	-	Raceland	-	-	Raceland	-	-	13
	(400)	-	-	-	-	-	-	-	-	-	-	
WEST SOMERSET	400	Δ	P	-	-	Somerset	-	-	Somerset	-	-	14
	(Δ)	-	-	-	-	-	-	-	-	-	-	
WEST VAN LEAR	284	Δ	P	-	-	Van Lear	-	-	Van Lear	-	-	15
	(Δ)	-	-	-	-	-	-	-	-	-	-	
WHEELWRIGHT	2,037	1930	P	Δ	C	Active mine and well	-	0.450	P-CalMbKcTcScFrsDc	Δ	N	16
	2,000	1941	-	Δ	-	-	0.850	0.240	-	0.380	-	
WHITESBURG	1,393	Δ	P	325	N	Well	-	Δ	AtDc	0.000	T	17
	Δ	1950	-	275	-	-	Δ	0.130	-	0.240	-	
WHITESVILLE	723	1939	M	180	N	3 wells	-	-	None	0.000	Δ	18
	500	-	-	180	-	-	0.030	0.020	-	0.025	-	
WICKLIFFE	1,019	1930	P	325	N	Well	-	0.403	Dh	0.000	Δ	19
	800	1948	-	325	-	-	Δ	0.020	-	0.075	-	
WILDER	204	1875	Δ	-	-	Newport	-	-	Newport	-	-	20
Source # 1	(10)	-	-	-	-	-	-	-	-	-	-	
WILDER	-	Δ	Δ	-	-	Covington	-	-	Covington	-	-	21
Source # 2	(195)	-	-	-	-	-	-	-	-	-	-	
WILLIAMSBURG	3,348	1915	M	1,200	C	Cumberland River	Δ	0.590	P-CsaTcMbSobFrsDc	0.028	Δ	22
	3.300	1924	-	1,200	-	-	-	0.200	-	0.150	-	
* WILLIAMSTOWN	1,466	Δ	M	436	Δ	Grassy Creek (imp.)	Δ	0.288	P-CalMbDcSoFrsDc	0.100	T	23
	1,250	Δ	-	436	-	-	-	0.150	-	0.050	-	
WILMORE	2,337	Δ	P	381	Δ	Kentucky River	Unl.	0.432	P-ClaDcTcMpSoFrsDc	Δ	N	24
	2,300	1949	-	381	-	-	-	0.140	-	0.110	-	
WINCHESTER	9,226	1891	M	4,236	C	Kentucky River	Δ	1.400	P-AmClatDcTcMatpKgS	0.140	MPT	25
	11.500	1941	P	3.710	-	and 2 lakes	-	0.450	FrsDcNg	0.775	DL	
WINGO	451	1956	M	200	N	2 wells	-	0.400	Dh	Δ	Δ	26
	500	Δ	-	0	-	-	0.400	0.040	-	0.035	-	
WINSTON PARK	588	Δ	Δ	-	-	Covington	-	-	Covington	-	-	27
	(Δ)	-	-	-	-	-	-	-	-	-	-	
WOODLAWN	339	1875	M	-	-	Newport	-	-	Newport	-	-	28
	(350)	-	-	-	-	-	-	-	-	-	-	
WORTHINGTON	695	1954	M	-	-	Raceland	-	-	Raceland	-	-	29
	(1,200)	-	-	-	-	-	-	-	-	-	-	
												30

PHS-2226
REV. 4-59

PLACES WITH NO COMMUNITY WATER SUPPLY

KENTUCKY

LOCATION	1950 CEN POP
ADAMS KY	205
ADOLPHUS KY	100
ALLEN SPRINGS KY	115
ALLENSVILLE KY	351
ALPHA KY	140
ALPINE KY	180
ALTRO KY	300
AMMIE KY	120
ANCO KY	848
ANNETA KY	100
ANNVILLE KY	700
ARGO KY	250
ARJAY KY	890
ARTEMUS KY	950
ASHBYBURG KY	150
ASHCAMP KY	100
AULT KY	250
AVAWAM KY	200
BAGDAD KY	300
BAKERTON KY	120
BALKAN KY	799
BANDANA KY	400
BANNER KY	250
BAPTIST KY	100
BARCREEK KY	300
BARK CAMP KY	200
BARNETTS CREEK KY	250
BARRIER KY	200
BASKETT KY	300
BATTLETOWN KY	100
BAUGHMAN KY	400
BEAUMONT KY	100
BEAUTY KY	146
BEECH KY	100
BEECH CREEK KY	1,477
BEECH GROVE KY	167
BEECHMONT KY	300
BEE SPRING KY	100
BELCHER KY	591
BELFRY KY	1,500
BELMONT KY	200
BELTON KY	650
BERNSTADT KY	425
BERRY KY	363
BETHANY KY	135
BETHEL KY	200
BETHELRIDGE KY	300
BETHLEHEM KY	134
BETSEY KY	200
BETSY LAYNE KY	664
BEULAH HEIGHTS KY	200
BEVERLY KY	306
BIG CLIFTY KY	690
BIG CREEK KY	250
BIG FORK KY	200
BIG SPRING KY	150
BLACKEY KY	545
BLACKFORD KY	271
BLAINE KY	124
BLAIR KY	300
BLANDVILLE KY	201
BLUE HERON KY	100
BOND KY	500
BONDVILLE KY	100
BONNIEVILLE KY	350
BONNYMAN KY	687
BOONEVILLE KY	283
BOONS CAMP KY	950
BOSTON KY	300
BOWLINGTOWN KY	200
BREMEN KY	239
BROAD BOTTOM KY	150
BROCK KY	100
BRONSTON KY	435
BROOKS KY	150
BROWDER KY	500
BROWNS CROSSROADS KY	250
BROWNS FORK KY	135
BRUIN KY	110
BRYANTSVILLE KY	125
BUCHANAN KY	125
BUCKHORN KY	125
BUCKNER KY	125

KENTUCKY -CONT-

LOCATION	1950 CEN POP
BUENA VISTA KY	100
BUFFALO KY	230
BULAN KY	200
BURLINGTON KY	350
BURNA KY	300
BURNING SPRINGS KY	400
BURNWELL KY	300
BUSH KY	200
BUSY KY	190
BUTTERFLY KY	300
BYPRO KY	280
CAINS STORE KY	200
CALIFORNIA KY	106
CALVIN KY	200
CAMPTON KY	418
CANADA KY	1,800
CANE CREEK KY	100
CANE VALLEY KY	250
CANEY KY	300
CANEYVILLE KY	399
CANMER KY	400
CANNEL CITY KY	200
CANOE KY	100
CANTON KY	350
CARPENTER KY	100
CARR CREEK KY	115
CARRIE KY	250
CARRSVILLE KY	243
CARTER KY	169
CARVER KY	230
CASEY CREEK KY	130
CAWOOD KY	2,463
CAYCE KY	175
CECELIA KY	500
CENTER KY	101
CENTERTOWN KY	424
CERULEAN KY	213
CHAPLIN KY	187
CHAVIES KY	800
CHENOA KY	500
CISCO KY	185
CLARKSON KY	390
CLAY CITY KY	627
CLAYHOLE KY	500
CLEARFIELD KY	550
CLEATON KY	400
CLEMENTSVILLE KY	100
CLERMONT KY	100
CLIFTY KY	150
CLOVER BOTTOM KY	174
COAL RUN KY	500
COBB KY	100
CODY KY	200
COLDIRON KY	250
COLEMAN KY	100
COLESBURG KY	150
COLLEGE HILL KY	200
COLO KY	100
COMBS KY	1,321
CONCORD KY	160
CONFLUENCE KY	200
CONSTANCE KY	150
CONWAY KY	125
COOPER KY	200
CO OPERATIVE KY	250
CORINTH KY	210
CORNETTSVILLE KY	300
CORNISHVILLE KY	300
CRANE NEST KY	110
CRANKS KY	700
CRAYNE KY	150
CREEKMORE KY	300
CREEKVILLE KY	180
CRESTWOOD KY	500
CRITTENDEN KY	232
CROCKETT KY	125
CROFTON KY	688
CROMWELL KY	200
CROPPER KY	175
CRUTCHFIELD KY	300
CUB RUN KY	200
CUNDIFF KY	400
CUNNINGHAM KY	300

PLACES WITH NO COMMUNITY WATER SUPPLY

KENTUCKY -CONT-

LOCATION	1950 CEN POP
CURDSVILLE KY	211
CUTSHIN KY	200
DALTON KY	100
DARFORK KY	300
DAY KY	150
DAYHOIT KY	350
DEANE KY	400
DEFOE KY	150
DEMA KY	200
DE MOSSVILLE KY	175
DENNEY KY	100
DENTON KY	150
DENVER KY	100
DEPOY KY	350
DEXTER KY	243
DICE KY	150
DIZNEY KY	250
DORTON KY	200
DOVER KY	353
DRIFT KY	200
DRYHILL KY	200
DUBRE KY	150
DUCO KY	100
DUNBAR KY	200
DUNDEE KY	150
DUNMOR KY	158
DUNNVILLE KY	200
DWALE KY	260
DWARF KY	300
DYCUSBURG KY	178
DYER KY	100
EAST BERNSTADT KY	950
EASTERN KY	180
EAST MCDOWELL KY	600
EAST POINT KY	100
EASTWOOD KY	250
EBERLE KY	150
ECHOLS KY	257
ELAMTON KY	200
ELIHU KY	100
ELIZAVILLE KY	200
ELKATAWA KY	200
ELLA KY	500
ELLIOTTVILLE KY	121
ELMROCK KY	250
ELNA KY	300
EMERSON KY	100
EMLYN KY	600
EMMA KY	200
ENGLE KY	117
EOLIA KY	500
EPSON KY	125
ERMINE KY	150
ETTY KY	500
EUBANK KY	303
EVANSTON KY	100
EWING KY	525
EZEL KY	147
FAIRFIELD KY	150
FAIRVIEW KY	125
FALCON KY	100
FALLSBURG KY	200
FARMERS KY	236
FARMINGTON KY	134
FAUBUSH KY	100
FEDSCREEK KY	250
FELTY KY	100
FIELD KY	200
FIREBRICK KY	366
FISHERVILLE KY	100
FISHTRAP KY	100
FISTY KY	100
FLATGAP KY	150
FLAT LICK KY	500
FLAT ROCK KY	100
FLIPPIN KY	200
FORD KY	250
FORDS BRANCH KY	300
FORDSVILLE KY	587
FOREST COTTAGE KY	100
FORKS OF ELKHORN KY	172
FORT KNOX KY	2,900
FOUNT KY	700

KENTUCKY -CONT-

LOCATION	1950 CEN POP
FOUNTAIN RUN KY	334
FOXTOWN KY	200
FRAKES KY	150
FREDONIA KY	446
FRENCHBURG KY	289
FRITZ KY	100
FROZEN CREEK KY	200
FULTZ KY	100
FUSONIA KY	100
GAMALIEL KY	250
GAPVILLE KY	183
GARFIELD KY	100
GARLIN KY	119
GARNER KY	300
GARRARD KY	300
GARRISON KY	350
GATLIFF KY	750
GAUSDALE KY	200
GEE KY	100
GENEVA KY	300
GERMANTOWN KY	304
GHENT KY	414
GILLEY KY	150
GILPIN KY	100
GLENCOE KY	450
GLENDALE KY	250
GLEN DEAN KY	250
GLENS FORK KY	150
GOLDEN POND KY	150
GOODLOE KY	210
GOODY KY	500
GOOSEROCK KY	100
GORDON KY	100
GRACEY KY	234
GRAHN KY	500
GRAND RIVERS KY	499
GRANGE CITY KY	150
GRANT KY	109
GRASSY CREEK KY	200
GRATZ KY	139
GRAVEL SWITCH KY	125
GRAY KY	1,000
GRAY HAWK KY	125
GRAYS KNOB KY	100
GREASY CREEK KY	150
GREENMOUNT KY	190
GREENWOOD KY	200
GULSTON KY	300
GUSTON KY	100
GYPSY KY	200
HADDIX KY	200
HALCOM KY	100
HALDEMAN KY	250
HALL KY	100
HALLS GAP KY	100
HALO KY	100
HAMPTON KY	125
HANDSHOE KY	100
HANSON KY	364
HAPPY KY	500
HARDIN KY	414
HARDYVILLE KY	225
HARNED KY	216
HAROLD KY	694
HARRODS CREEK KY	194
HARTLEY KY	150
HATFIELD KY	600
HAZEL GREEN KY	311
HAZLE PATCH KY	300
HEBBARDSVILLE KY	140
HEBRON KY	206
HEIDELBERG KY	500
HELLIER KY	606
HENDRICKS KY	114
HENSHAW KY	250
HERNDON KY	150
HICKORY KY	234
HIDALGO KY	200
HIGH BRIDGE KY	300
HI HAT KY	100
HILLSBORO KY	146
HILL TOP KY	475
HIMA KY	500

PLACES WITH NO COMMUNITY WATER SUPPLY

KENTUCKY -CONT-

LOCATION	1950 CEN POP
HIMYAR KY	400
HINDMAN KY	521
HINTON KY	115
HIPPO KY	200
HIRAM KY	500
HISEVILLE KY	196
HITCHINS KY	900
HOLLAND KY	150
HOLLONVILLE KY	275
HOLLYBUSH KY	375
HOLLYHILL KY	200
HOLMES MILL KY	100
HONAKER KY	200
HONEYBEE KY	300
HORSE BRANCH KY	300
HOSKINSTON KY	150
HOUCKVILLE KY	185
HOWARDSTOWN KY	125
HUDDY KY	602
HUEYSVILLE KY	650
HUFF KY	105
HUNTERSVILLE KY	300
HUNTSVILLE KY	150
HURST KY	150
HYDEN KY	647
ILSLEY KY	500
INDEPENDENCE KY	285
INDEX KY	100
INEZ KY	622
INGLE KY	308
INGRAM KY	175
INSKO KY	150
ISLAND KY	566
ISOM KY	900
IVYTON KY	500
JABEZ KY	100
JACKHORN KY	850
JACOBS KY	150
JAMBOREE KY	600
JARVIS KY	500
JEFF KY	682
JEFFERSONVILLE KY	500
JENSON KY	125
JEREMIAH KY	405
JERICHO KY	145
JOHNETTA KY	200
JONANCY KY	800
JONESVILLE KY	250
JUAN KY	150
JUSTELL KY	300
KALIOPI KY	200
KAYJAY KY	400
KEATON KY	350
KEAVY KY	200
KEENE KY	500
KEHOE KY	200
KELTNER KY	300
KENO KY	300
KENTON KY	240
KERBY KNOB KY	300
KESSINGER KY	102
KEVIL KY	202
KIDDER KY	200
KIMPER KY	300
KINGS CREEK KY	300
KINGS MOUNTAIN KY	500
KIRKMANSVILLE KY	138
KIRKSEY KY	180
KIRKSVILLE KY	100
KITE KY	100
KNIFLEY KY	250
KNOB LICK KY	100
KONA KY	500
KRYPTON KY	215
LACKEY KY	452
LA FAYETTE KY	246
LAKE KY	250
LAKEVILLE KY	197
LAMASCO KY	100
LAMBRIC KY	100
LANGLEY KY	550
LARKSLANE KY	375
LAURA KY	450

KENTUCKY -CONT-

LOCATION	1950 CEN POP
LAUREL CREEK KY	300
LAWTON KY	300
LEATHERWOOD KY	900
LEBURN KY	400
LEE CITY KY	120
LEJUNIOR KY	900
LEROSE KY	150
LETITIA KY	150
LEVI KY	100
LEWISBURG KY	496
LICKBURG KY	350
LICK CREEK KY	300
LIGGETT KY	500
LIGON KY	697
LILY KY	450
LINCOLN KY	450
LINDSEYVILLE KY	150
LITTCARR KY	150
LITTLE KY	150
LLOYD KY	500
LOCKPORT KY	102
LOGANSPORT KY	125
LOLA KY	400
LOMBARD KY	300
LONG RIDGE KY	115
LORETTO KY	500
LOST CREEK KY	350
LOVE KY	200
LOVELACEVILLE KY	200
LOVELY KY	500
LOWES KY	200
LOWMANSVILLE KY	800
LUCKY FORK KY	250
LYNN KY	144
LYNN GROVE KY	200
LYNNVILLE KY	130
LYTTEN KY	100
MCCARR KY	500
MCCOMBS KY	160
MCDOWELL KY	700
MCHENRY KY	511
MCKEE KY	190
MCKINNEY KY	300
MCQUADY KY	100
MACEO KY	200
MACKVILLE KY	400
MAGGARD KY	500
MAGNOLIA KY	300
MALONE KY	220
MANITOU KY	127
MANNINGTON KY	500
MANNSVILLE KY	150
MARCUM KY	165
MARE CREEK KY	500
MARIBA KY	100
MARROWBONE KY	200
MARSHALLVILLE KY	125
MARSHES SIDING KY	500
MARTHA KY	120
MARTWICK KY	300
MARY KY	300
MARY ALICE KY	350
MASHFORK KY	100
MAULDEN KY	400
MAYKING KY	925
MAYS LICK KY	400
MAYTOWN KY	100
MAZIE KY	300
MEALLY KY	300
MEANS KY	160
MEECE KY	150
MELBER KY	219
MELBOURNE KY	250
MELVIN KY	950
MENTOR KY	350
MERSHONS KY	200
MIDDLEBURG KY	150
MILBURN KY	400
MILDRED KY	150
MILFORD KY	100
MILLARD KY	300
MILLERS CREEK KY	100
MILLS KY	140

PLACES WITH NO COMMUNITY WATER SUPPLY

KENTUCKY -CONT-

LOCATION	1950 CEN POP
MILL SPRINGS KY	200
MILLTOWN KY	150
MILLWOOD KY	130
MIMA KY	300
MINERVA KY	100
MINNIE KY	500
MITCHELLSBURG KY	500
MIZE KY	175
MOLUS KY	596
MONTEREY KY	225
MOOREFIELD KY	200
MOORES CREEK KY	265
MOORMAN KY	250
MORNING VIEW KY	150
MOUNTAIN ASH KY	275
MOUNTAIN VALLEY KY	101
MOUNT EDEN KY	350
MOUNT HERMON KY	150
MOUNT SHERMAN KY	150
MOUNT VICTORY KY	500
MOUNT WASHINGTON KY	650
MOUSIE KY	500
MOUTHCARD KY	100
MOZELLE KY	300
MUMMIE KY	300
MYERS KY	150
MYRA KY	250
NANCY KY	300
NAOMI KY	400
NAPFOR KY	200
NAPIER KY	100
NEAFUS KY	150
NEBO KY	282
NED KY	186
NELSE KY	165
NERINX KY	150
NEVISDALE KY	500
NEWCOMBE KY	113
NEW HOPE KY	250
NEW LIBERTY KY	250
NEWMAN KY	120
NICKELL KY	150
NIPPA KY	300
NOBLE KY	170
NOLAND KY	212
NORFLEET KY	200
OAK GROVE KY	750
OAKLAND KY	195
OAKS KY	300
OAKTON KY	225
OAKVILLE KY	125
O BANNON KENTUCKY	300
OFFUTT KY	235
OGLE KY	250
OIL SPRINGS KY	250
OLD LANDING KY	200
OLDTOWN KY	350
OLIN KY	150
OLMSTEAD KY	120
OLYMPIA KY	250
OMAHA KY	175
ONEIDA KENTUCKY	500
ONTON KY	150
OPHIR KY	100
ORKNEY KY	200
ORLANDO KY	300
OSBORN KY	150
OSCALOOSA KY	150
OVEN FORK KY	100
OWSLEY KY	400
PAINT LICK KY	200
PANCO KY	200
PARKERS LAKE KY	150
PARKSVILLE KY	200
PARNELL KY	200
PARROT KY	400
PARTRIDGE KY	200
PATHFORK KY	500
PATSEY KY	109
PAW PAW KY	161
PAYNEVILLE KY	113
PEARL KY	150
PEBWORTH KY	200

KENTUCKY -CONT-

LOCATION	1950 CEN POP
PELLVILLE KY	119
PENDLETON KY	110
PENNY KY	200
PENROD KY	150
PEOPLES KY	200
PERMON KY	400
PETERSBURG KY	356
PETROLEUM KY	100
PEWEE VALLEY KY	687
PHELPS KY	926
PHYLLIS KY	900
PIGEONROOST KY	400
PILGRIM KY	600
PINE HILL KY	600
PINE KNOT KY	750
PINE RIDGE KY	300
PIPPA PASSES KY	150
PITTSBURG KY	810
PLACE KY	100
PLEASANT VIEW KY	500
POINTER KY	250
POMEROYTON KY	100
POOLE KY	300
PORTERSBURG KY	300
PORTSMOUTH KY	400
POWDERLY KY	450
PREMIUM KY	322
PRESTON KY	130
PRICETOWN KY	150
PRINTER KY	400
PROSPECT KY	100
PRYORSBURG KY	300
PRYSE KY	600
PUNCHEON KY	100
PUTNEY KY	200
PYRAMID KY	100
QUINCY KY	300
QUINTON KY	200
RACCOON KY	500
RAYWICK KY	175
REDBUSH KY	200
REED KY	225
REGINA KY	300
RELIEF KY	100
REVELO KY	200
REXVILLE KY	180
RICE STATION KY	400
RICHARDSON KY	125
RICHARDSVILLE KY	200
RILEY KY	150
RINEYVILLE KY	350
RISNER KY	350
RITCHIE KY	500
RITNER KY	150
ROAD FORK KY	125
ROARK KY	500
ROBARDS KY	375
ROBINSON KY	138
ROBINSON CREEK KY	100
ROCHESTER KY	372
ROCKFIELD KY	150
ROCKHOLDS KY	500
ROCKY HILL KY	178
ROGERS KY	100
ROSE HILL KY	300
ROSINE KY	350
ROUSSEAU KY	200
ROWLETTS KY	275
ROXANA KY	200
ROYALTON KY	300
RUMSEY KY	301
RUSH KY	300
RUTH KY	300
SAINT CHARLES KY	534
SAINT FRANCIS KY	350
SAINT HELENS KY	100
SAINT MARY KY	200
SAINT PAUL KY	100
SALT GUM KY	150
SALT LICK KY	488
SALVISA KY	500
SAMPLE KY	300
SAMUELS KY	250

PLACES WITH NO COMMUNITY WATER SUPPLY

KENTUCKY -CONT-

LOCATION	1950 CEN POP
	250
SANDERS KY	206
SANDGAP KY	200
SAND SPRINGS KY	375
SANDY HOOK KY	238
SANO KY	175
SARAH KY	100
SARDIS KY	176
SASSAFRAS KY	500
SASSER KY	175
SAUL KY	400
SAVOY KY	350
SAWYER KY	500
SAXTON KY	650
SCALF KY	250
SCIENCE HILL KY	445
SCRANTON KY	127
SCUDDY KY	200
SEBASTIANS BRANCH KY	200
SEITZ KY	200
SEMINARY KY	300
SERGENT KY	500
SETTLE KY	250
SEWELL KY	265
SEXTONS CREEK KY	250
SHARON GROVE KY	100
SHARPSBURG KY	405
SHELBY GAP KY	450
SHERIDAN KY	300
SHERMAN KY	125
SHOAL KY	200
SHOPVILLE KY	200
SIBERT KY	500
SIDNEY KY	300
SILER KY	416
SILVERHILL KY	200
SIMPSON KY	150
SITKA KY	100
SIZEROCK KY	175
SKYLINE KY	150
SLADE KY	200
SLAUGHTERS KY	326
SLEMP KY	500
SLOANS VALLEY KY	250
SMILAX KY	300
SMILE KY	100
SMITHFIELD KY	121
SMITH MILLS KY	300
SMITHSBORO KY	500
SMITH TOWN KY	200
SOLDIER KY	150
SONORA KY	292
SOUTH CARROLLTON KY	289
SOUTH IRVINE KY	250
SOUTH UNION KY	150
SPARKSVILLE KY	150
SPARTA KY	298
SPEIGHT KY	500
SPOTTSVILLE KY	465
SPRINGLAKE KY	250
SPRING LICK KY	125
SPRULE KY	150
STAB KY	300
STACY FORK KY	350
STAMBAUGH KY	300
STANLEY KY	170
STAY KY	200
STEELE KY	100
STEFF KY	150
STEPHENS KY	106
STEPHENSBURG KY	300
STEPHENSPORT KY	150
STEVENSON KY	150
STRAIGHT CREEK KY	250
STRUNK KY	450
STURGEON KY	400
SUDITH KY	100
SULLIVAN KY	250
SULPHUR KY	275
SULPHUR WELL KY	200
SUMMER SHADE KY	250
SUMMERSVILLE KY	350
SUMMIT KY	250
SUNNYBROOK KY	100

KENTUCKY -CONT-

LOCATION	1950 CEN POP
SWAMPTON KY	100
SWEEDEN KY	200
SYMSONIA KY	400
TAFT KY	200
TALBERT KY	150
TALLEGA KY	250
TATEVILLE KY	500
TAYLORSPORT KY	185
TEABERRY KY	500
TEGES KY	300
TEXAS KY	350
THELMA KY	250
THORNTON KY	568
THOUSANDSTICKS KY	600
THREEFORKS KY	500
TILFORD KY	150
TILINE KY	100
TINA KY	200
TINSLEY KY	300
TOLER KY	200
TOLIVER KY	121
TOLLESBORO KY	480
TOLU KY	325
TOMAHAWK KY	200
TOULOUSE KY	150
TOURISTVILLE KY	100
TRAM KY	275
TRAPPIST KY	210
TRAVELLERS REST KY	150
TREMONT KY	200
TRENT KY	100
TRIMBLE KY	400
TROSPER KY	150
TURKEY KY	100
TURKEY CREEK KY	790
TUTOR KEY KY	500
TYNER KY	500
TYPO KY	200
ULA KY	100
ULYSSES KY	500
UNION KY	135
UNION CITY KY	200
UPTON KY	383
URBAN KY	300
UTICA KY	300
VADA KY	200
VAN KY	560
VARNEY KY	200
VEACHLAND KY	100
VERDA KY	1,446
VERNE KY	250
VERONA KY	225
VERTREES KY	500
VEST KY	150
VICTORY KY	125
VINCENT KY	125
VIPER KY	600
VIRGIE KY	413
VOLGA KY	200
VORTEX KY	100
WACO KY	300
WADDY KY	300
WAGERSVILLE KY	150
WALDEN KY	200
WALES KY	300
WALLINS CREEK KY	525
WANETA KY	200
WARBRANCH KY	350
WASHINGTON KY	600
WATERGAP KY	500
WATERVIEW KY	150
WAVERLY KY	345
WAX KY	120
WAYNESBURG KY	450
WEBBVILLE KY	225
WEBSTER KY	101
WESTBEND KY	150
WEST IRVINE KY	250
WEST LOUISVILLE KY	250
WESTPORT KY	125
WHEATCROFT KY	418
WHEELERSBURG KY	120
WHITEHOUSE KY	500

PLACES WITH NO COMMUNITY WATER SUPPLY

KENTUCKY -CONT-

LOCATION	1950 CEN POP
WHITE MILLS KY	187
WHITE OAK KY	121
WHITE PLAINS KY	385
WHITLEY CITY KY	950
WIBORG KY	500
WILBUR KY	100
WILD CAT KY	100
WILDIE KY	200
WILLARD KY	124
WILLIAMSPORT KY	350
WILLISBURG KY	300
WILSTACY KY	300
WINDY KY	375
WINSTON KY	200
WOFFORD KY	200
WOLF COAL KY	250
WOLF CREEK KY	100
WOLVERINE KY	144
WONNIE KY	350
WOODBINE KY	800
WOODBURN KY	240
WOODMAN KY	300
WOOLLUM KY	100
WOOTON KY	356
WORTHVILLE KY	308
WURTLAND KY	950
YANCEY KY	821
YERKES KY	200
YORK KY	350
YOSEMITE KY	200
ZEBULON KY	200
ZULA KY	100

MARYLAND

INVENTORY OF MUNICIPAL WATER FACILITIES

STATE	DATE	PAGE
MARYLAND	Jan. 1, 1958	1 of 7

COMMUNITY	1950 Population	Year Oper. Started Present Supply	OWNERSHIP	Number of Services	LAB. CONTROL	SOURCE OF SUPPLY	Safe Yield Impounded	Rated Plant Capacity	TREATMENT	Dist. Storage Pumps to Mains	IMPROVEMENTS NEEDED	LINE NO.
	Estimated Population Served	Present Treatment Plant		Number of Meters			Maximum Dependable Draft (Gr. water) MGD	Average Plant Output MGD		Gravity to Mains MG		
1	2	3	4	5	6	7	8	9	10	11	12	
ABERDEEN	2,944	1953	M	Δ	C	9 wells	-	0.600	AmKpDc	0.075	SD	1
	3,000	1953	-	Δ	-	-	Δ	Δ	-	0.250	-	
* ANNAPOLIS	10,047	Δ	M	8,600	C	4 wells	-	Δ	P-A CaMpSmFrsNc	Δ	N	2
	30,000	1948	-	8,000	-	-	Δ	Δ	DcKpVst	1.750	-	
* BALTIMORE	949,708	1881	M	319,000	C	Gunpowder Falls	199.00	240.0	P-DcCaMbSoFrsKp	Δ	PDLG	3
Montebello Plant	1,000,000	1956	-	203,271	B	(Patapsco River)	-	150.0	Va V 0.05	6.800	-	
* BALTIMORE	-	Δ	M	-	C	Patapsco River	44.000	120.0	CaDcMtbpSomKpVa	Δ	Δ	4
Ashburton Plant	366,760	Δ	-	-	B	-	-	49.60	V 0.05	-	-	
BARRELLVILLE	175	1956	P	40	N	Well	-	Δ	Dh	Δ	MD	5
	150	1956	-	Δ	-	-	Δ	0.005	-	Δ	-	
BARTON	695	Δ	P	249	N	Bartlett Run and	Δ	Δ	Dc	Δ	Δ	6
	1,400	Δ	-	Δ	-	wells	Δ	Δ	-	Δ	-	
BEL AIR	2,578	1955	P	1,300	C	Winters Run	Δ	1.000	P-CasMbSoFrsDhVo	Δ	D	7
	4,000	1955	-	Δ	-	-	-	0.200	-	0.250	-	
BELCAMP	500	1944	P	75	N	Δ	-	Δ	Dh	0.100	TL	8
	Δ	1940	-	Δ	-	-	Δ	0.030	-	0.003	-	
BELTSVILLE	2,000	Δ	M	-	-	Washington Suburban	-	-	Washington Suburban	-	-	9
	(2,000)	-	-	-	-	Sanitary Commission	-	-	Sanitary Commission	-	-	
BERLIN	2,001	1930	M	Δ	Δ	3 wells	-	1.700	Dc	Δ	N	10
	Δ	1954	-	Δ	-	-	2.000	0.300	-	0.117	-	
BERWYN HEIGHTS	674	Δ	M	-	-	Washington Suburban	-	-	Washington Suburban	-	-	11
	(700)	-	-	-	-	Sanitary Commission	-	-	Sanitary Commission	-	-	
BETHESDA	29,756	Δ	Δ	-	-	Washington Suburban	-	-	Washington Suburban	-	-	12
	(Δ)	-	-	-	-	Sanitary Commission	-	-	Sanitary Commission	-	-	
BLADENSBURG	2,899	Δ	M	-	-	Washington Suburban	-	-	Washington Suburban	-	-	13
	(3,000)	-	-	-	-	Sanitary Commission	-	-	Sanitary Commission	-	-	
BLOOMINGTON	338	Δ	P	-	-	Westernport	-	-	Westernport	-	-	14
	(300)	-	-	-	-	-	-	-	-	-	-	
BLUE RIDGE SUMMIT	150	1944	P	40	N	4 wells	-	Δ	Dh	Δ	UD	15
	130	1944	-	Δ	-	-	Δ	Δ	-	0.700	-	
BOONSBORO	1,071	Δ	M	Δ	N	Gilardi Run	Δ	Δ	Dc	0.000	UMTD	16
*	1,200	1936	-	1	-	and 5 springs	0.030	0.055	-	1.840	-	
BORDEN SHAFT	192	Δ	P	75	Δ	Staubs Run (imp.)	Δ	Δ	Dh	Δ	UMTD	17
	Δ	1957	-	Δ	-	-	-	Δ	-	Δ	-	
BOULEVARD HEIGHTS	384	Δ	M	-	-	Washington Suburban	-	-	Washington Suburban	-	-	18
	(400)	-	-	-	-	Sanitary Commission	-	-	Sanitary Commission	-	-	
BOWLING GREEN	400	Δ	M	-	-	Cumberland	-	-	Cumberland	-	-	19
	(Δ)	-	-	-	-	-	-	-	-	-	-	
BRADDOCK HEIGHTS	500	Δ	P	Δ	N	Springs and well	-	Δ	Dh	Δ	UTD	20
	Δ	Δ	-	Δ	-	-	Δ	Δ	-	0.348	-	
BRENTWOOD	3,523	Δ	M	-	-	Washington Suburban	-	-	Washington Suburban	-	-	21
	(3,500)	-	-	-	-	Sanitary Commission	-	-	Sanitary Commission	-	-	
BRIARCLIFFE	100	Δ	Δ	-	-	Pines on Severn	-	-	Pines on Severn	-	-	22
	(75)	-	-	-	-	-	-	-	-	-	-	
BROOKLYN PARK	3,080	Δ	Δ	-	-	Baltimore	-	-	Baltimore	-	-	23
	(Δ)	-	-	-	-	-	-	-	-	-	-	
* BRUNSWICK	3,752	Δ	M	Δ	Δ	Springs	-	Δ	Dc	Δ	Δ	24
	4,200	Δ	-	Δ	-	-	Δ	Δ	-	3.000	-	
CAMBRIDGE	10,351	1947	P	4,300	C	10 wells	-	6.000	A DcKp	0.100	DL	25
	15,000	1947	-	700	B	-	6.000	2.900	-	2.000	-	
CAPITOL HEIGHTS	2,729	Δ	M	-	-	Washington Suburban	-	-	Washington Suburban	-	-	26
	(3,000)	-	-	-	-	Sanitary Commission	-	-	Sanitary Commission	-	-	
CARLOS	136	Δ	Δ	-	-	Borden Shaft	-	-	Borden Shaft	-	-	27
	(Δ)	-	-	-	-	-	-	-	-	-	-	
CATONSVILLE	19,500	Δ	Δ	-	-	Baltimore	-	-	Baltimore	-	-	28
	(Δ)	-	-	-	-	-	-	-	-	-	-	
CAVETOWN	289	Δ	M	-	-	Hagerstown	-	-	Hagerstown	-	-	29
	(Δ)	-	-	-	-	-	-	-	-	-	-	
CENTREVILLE	1,804	1917	M	550	N	2 wells	-	Δ	Dh	Δ	T	30
	1,500	1952	-	0	-	-	1.700	0.180	-	0.060	-	

PHS-2226
REV. 4-59

Preceding page blank

INVENTORY OF MUNICIPAL WATER FACILITIES

STATE	DATE	PAGE
MARYLAND	Jan. 1, 1958	2 of 7

COMMUNITY	1950 Population	Year Oper. Started Present Supply	OWNERSHIP	Number of Services	LAB. CONTROL	SOURCE OF SUPPLY	Safe Yield Impounded	Rated Plant Capacity	TREATMENT	Dist. Storage Pumps to Mains	IMPROVEMENTS NEEDED	LINE NO.
	Estimated Population Served	Present Treat-ment Plant		Number of Meters			Maximum Depend-able Draft (Gr. water) MGD	Average Plant Output MGD		Gravity to Mains MG		
1	2	3	4	5	6	7	8	9	10	11	12	
CHESAPEAKE BEACH	504	Δ	P	Δ	N	Wells	-	Δ	Dh	0.026	UMPT	1
	350	-	-	Δ	-	-	Δ	Δ	-	Δ	DG	
CHESAPEAKE CITY	1,154	1938	M	365	C	Well	-	0.100	H-FpzKpo	0.000	UTL	2
	1,250	1938	-	Δ	-		0.100	0.070	-	0.075	-	
CHESTERTOWN	3,143	1954	M	1,000	C	4 wells	-	1.700	I-AtKpDcMb	0.400	DL	3
	3,200	1957	-	800	-	-	1.200	0.500	-	0.100	-	
CHEVERLY	3,318	Δ	M	-	-	Washington Suburban	-	-	Washington Suburban	-	-	4
	(3,500)	-	-	-	-	Sanitary Commission	-	-	Sanitary Commission	-	-	
CHEVY CHASE	1,971	Δ	M	-	-	Washington Suburban	-	-	Washington Suburban	-	-	5
	(1,970)	-	-	-	-	Sanitary Commission	-	-	Sanitary Commission	-	-	
CLAIBORNE	150	1939	P	32	Δ	Well	-	-	None	Δ	T	6
	125	-	-	0	-	-	Δ	Δ	-	0.001	-	
CLEAR SPRING	558	Δ	M	100	Δ	Springs	-	Δ	Dc	Δ	UML	7
	Δ	Δ	-	Δ	-	-	Δ	0.050	-	0.180	-	
COLLEGE PARK	11,170	Δ	Δ	-	-	Washington Suburban	-	-	Washington Suburban	-	-	8
	(12,000)	-	-	-	-	Sanitary Commission	-	-	Sanitary Commission	-	-	
COLMAR MANOR	1,732	Δ	M	-	-	Washington Suburban	-	-	Washington Suburban	-	-	9
	(2,000)	-	-	-	-	Sanitary Commission	-	-	Sanitary Commission	-	-	
CONOWINGO	550	1928	P	Δ	C	Susquehanna River	Δ	0.040	P-CaSoFr Dc	Δ	M	10
	200	1929	-	Δ	-	(impounded)	-	0.015	-	0.100	-	
COTTAGE CITY	1,249	Δ	M	-	-	Washington Suburban	-	-	Washington Suburban	-	-	11
	(1,300)	-	-	-	-	Sanitary Commission	-	-	Sanitary Commission	-	-	
CRELLIN	800	Δ	P	60	N	Spring and well	-	Δ	Dh	Δ	UTDL	12
	Δ	Δ	-	Δ	-	-	Δ	Δ	-	0.020	-	
CRESAPTOWN	900	Δ	P	-	-	Cumberland	-	-	Cumberland	-	-	13
	(Δ)	-	-	-	-	-	-	-	-	-	-	
CRISFIELD	3,688	1948	M	1,225	Δ	4 wells	-	-	None	Δ	D	14
	3,700	-	-	Δ	-	-	0.500	Δ	-	Δ	-	
CROWNSVILLE	174	Δ	Δ	Δ	C	2 wells	-	Δ	I-A CalMpSoKpFs Dc	Δ	M	15
	Δ	Δ	-	0	-	-	0.645	0.400	-	Δ	-	
* CUMBERLAND	37,679	1913	M	12,165	C	Evitts Creek, Gordon	22.000	18.00	PH-MaCalsDcWhpFagrKgp	Δ	SDG	16
	48,640	1957	-	10,165	B	and Koon Lakes	8.000	12.80	NgSmvTcVa V 0.01	0.750	-	
DAMASCUS	950	1958	P	175	N	4 wells	-	Δ	DhKp	0.000	U	17
	700	1958	-	175	-	-	Δ	0.050	-	0.100	-	
DANIELS	750	Δ	P	100	N	Springs	-	Δ	DL	Δ	STDL	18
	250	Δ	-	0	-	-	Δ	Δ	-	0.055	-	
DELMAR	1,328	Δ	M	-	-	Delmar, Delaware	-	-	None	-	-	19
	(1,100)	-	-	-	-	-	-	-	-	-	-	
DENTON	1,806	1940	M	800	Δ	2 wells	-	-	None	0.000	T	20
	1,850	-	-	Δ	-	-	Δ	Δ	-	0.100	-	
DISTRICT HEIGHTS	1,735	Δ	M	-	-	Washington Suburban	-	-	Washington Suburban	-	-	21
	(2,000)	-	-	-	-	Sanitary Commission	-	-	Sanitary Commission	-	-	
DREAMS LANDING	200	Δ	P	-	-	Annapolis	-	-	Annapolis	-	-	22
	(Δ)	-	-	-	-	-	-	-	-	-	-	
EAST NEW MARKET	264	1911	M	75	N	Well	-	Δ	Dh	0.000	UD	23
	250	1951	-	0	-	-	Δ	Δ	-	0.025	-	
EASTON	4,836	1954	Δ	2,050	N	5 wells	-	Δ	Dhc	Δ	Δ	24
	6,200	Δ	-	Δ	-	-	2.000	0.700	-	Δ	-	
EAST RIVERDALE	1,424	Δ	M	-	-	Washington Suburban	-	-	Washington Suburban	-	-	25
	(1,500)	-	-	-	-	Sanitary Commission	-	-	Sanitary Commission	-	-	
ECKHART MINES	777	Δ	P	-	-	Frostburg	-	-	Frostburg	-	-	26
	(Δ)	-	-	-	-	-	-	-	-	-	-	
EDGEMERE	2,000	Δ	M	-	-	Baltimore	-	-	Baltimore	-	-	27
	(Δ)	-	-	-	-	-	-	-	-	-	-	
EDGEWOOD HEIGHTS	1,500	1943	M	-	-	Military supply	-	-	Military supply	-	-	28
	(1,500)	-	-	-	-	-	-	-	-	-	-	
EDMONSTON	1,190	Δ	M	-	-	Washington Suburban	-	-	Washington Suburban	-	-	29
	(1,200)	-	-	-	-	Sanitary Commission	-	-	Sanitary Commission	-	-	
ELKRIDGE	2,000	Δ	M	-	-	Baltimore	-	-	Baltimore	-	-	30
	(1,500)	-	-	-	-	-	-	-	-	-	-	

INVENTORY OF MUNICIPAL WATER FACILITIES

STATE MARYLAND
DATE Jan. 1, 1958
PAGE 3 of 7

COMMUNITY	1950 Population	Year Oper. Started	OWNERSHIP	Number of Services	LAB. CONTROL	SOURCE OF SUPPLY	Safe Yield Impounded	Rated Plant Capacity	TREATMENT	Dist. Storage	IMPROVEMENTS NEEDED	LINE NO.
		Present Supply								Pumps to Mains		
	Estimated Population Served	Present Treatment Plant		Number of Meters			Maximum Dependable Draft (Gr. water) MGD	Average Plant Output MGD		Gravity to Mains MG		
1	2	3	4	5	6	7	8	9	10	11	12	
ELKTON	5,245	1883	M	1,700	C	Big Elk Creek	2.100	2.400	P-Calo(MtpsSv)SoFr Dc	0.000	SDL	1
	6,000	1955	-	Δ	-	-	-	0.900	-	1.500	-	
* ELLICOTT CITY	2,109	1909	P	220	C	South Branch of	Δ	0.200	P-CalMbFrsDh	0.000	STD	2
	2,000	1953	-	220	-	Patapsco River & well	Δ	0.180	-	0.250	-	
EMMITSBURG	1,261	Δ	P	538	N	Turkey Branch,	Δ	Δ	Dc	Δ	MTL	3
	3,000	Δ	-	Δ	-	springs and 2 wells	Δ	Δ	-	23.00	-	
EPPING FOREST	150	Δ	P	Δ	C	Well	-	Δ	I-CsKpMbiSbFpsDh	Δ	N	4
	300	Δ	-	Δ	-	-	Δ	Δ	-	Δ	-	
ESSEX	18,000	Δ	M	-	-	Baltimore	-	-	Baltimore	-	-	5
	(Δ)	-	-	-	-	-	-	-	-	-	-	
FAIRMOUNT HEIGHTS	2,097	Δ	M	-	-	Washington Suburban	-	-	Washington Suburban	-	-	6
	(2,000)	-	-	-	-	Sanitary Commission	-	-	Sanitary Commission	-	-	
FEDERALSBURG	1,878	1955	M	780	C	5 wells	-	Δ	DcKp	0.000	TL	7
	2,500	1932	-	100	-	-	0.800	0.280	-	0.150	-	
FERNDALE	1,500	Δ	M	-	-	Glen Burnie	-	-	Glen Burnie	-	-	8
	(Δ)	-	-	-	-	-	-	-	-	-	-	
FOREST HEIGHTS	1,125	Δ	Δ	-	-	Washington Suburban	-	-	Washington Suburban	-	-	9
	(1,200)	-	-	-	-	Sanitary Commission	-	-	Sanitary Commission	-	-	
FRANKLIN	350	Δ	Δ	-	-	Westernport	-	-	Westernport	-	-	10
	(350)	-	-	-	-	-	-	-	-	-	-	
FREDERICK	18,142	1945	M	6,500	C	Linganore, Fishing &	3.000	4.500	P-CaSoFrsDcVst	Δ	STDL	11
	20,500	1945	-	300	-	Tuscarora Creeks	-	2.700	-	1.000	-	
FRIENDSVILLE	607	Δ	P	Δ	Δ	Springs and well	-	Δ	Dh	Δ	UMTD	12
	Δ	Δ	-	Δ	-	-	Δ	0.020	-	0.050	-	
* FROSTBURG	6,976	1933	M	1,500	N	Lt. Savage R., wells,	Δ	1.000	P-CaSoFr DcKp	Δ	UD	13
	7,300	1933	-	Δ	-	springs and Piney Run	Δ	0.400	-	5.000	-	
FUNKSTOWN	379	Δ	M	-	-	Hagerstown	-	-	Hagerstown	-	-	14
	(Δ)	-	-	-	-	-	-	-	-	-	-	
GAITHERSBURG	1,755	Δ	M	-	-	Washington Suburban	-	-	Washington Suburban	-	-	15
	(Δ)	-	-	-	-	Sanitary Commission	-	-	Sanitary Commission	-	-	
GALENA	259	1954	M	70	N	2 wells	-	Δ	Dh	Δ	DL	16
	240	1948	-	0	-	-	0.070	Δ	-	0.010	-	
GARRETT PARK	524	Δ	M	-	-	Washington Suburban	-	-	Washington Suburban	-	-	17
	(Δ)	-	-	-	-	Sanitary Commission	-	-	Sanitary Commission	-	-	
GARRISON	570	Δ	M	-	-	Baltimore	-	-	Baltimore	-	-	18
	(Δ)	-	-	-	-	-	-	-	-	-	-	
GIBSON ISLAND	76	Δ	P	Δ	C	2 wells	-	Δ	I-ClKpMiScFps	Δ	T	19
	150	-	-	Δ	-	-	Δ	0.075	-	Δ	-	
GILMORE	646	Δ	Δ	-	-	Lonaconing	-	-	Lonaconing	-	-	20
	(Δ)	-	-	-	-	-	-	-	-	-	-	
* GLEN BURNIE	5,000	Δ	M	Δ	C	Wells	-	Δ	I-AcCalKgpMbFps	Δ	N	21
	8,000	Δ	-	Δ	-	-	Δ	Δ	SbDcV	Δ	-	
GLEN ECHO	356	Δ	M	-	-	Washington Suburban	-	-	Washington Suburban	-	-	22
	(Δ)	-	-	-	-	Sanitary Commission	-	-	Sanitary Commission	-	-	
GLEN ECHO HEIGHTS	300	Δ	M	-	-	Washington Suburban	-	-	Washington Suburban	-	-	23
	(Δ)	-	-	-	-	Sanitary Commission	-	-	Sanitary Commission	-	-	
GLYNDON	250	Δ	Δ	-	-	Baltimore	-	-	Baltimore	-	-	24
	(Δ)	-	-	-	-	-	-	-	-	-	-	
GRAHAMTOWN	300	Δ	Δ	-	-	Frostburg	-	-	Frostburg	-	-	25
	(Δ)	-	-	-	-	-	-	-	-	-	-	
GRANTSVILLE	461	Δ	M	139	N	3 wells and springs	-	-	None	Δ	T	26
	400	-	-	Δ	-	-	Δ	0.040	-	0.140	-	
GREENBELT	7,074	Δ	Δ	-	-	Washington Suburban	-	-	Washington Suburban	-	-	27
	(Δ)	-	-	-	-	Sanitary Commission	-	-	Sanitary Commission	-	-	
GREENSBORO	1,181	1914	M	380	Δ	2 wells	-	-	None	Δ	Δ	28
	1,500	-	-	Δ	-	-	Δ	Δ	-	Δ	-	
* HAGERSTOWN	36,260	Δ	M	13,000	C	Potomac River	285.00	10.00	P-CaT SoFrsDsKpVs	11.50	MD	29
	35,000	1928	-	11,200	B	-	-	4.450	V 0.30	0.200	-	
* HAGERSTOWN	-	1881	M	Δ	Δ	Mountain Springs	-	3.000	Dc V 0.30	Δ	Δ	30
	18,000	Δ	-	Δ	-	-	2.000	2.280	-	Δ	-	

PHS-2226
REV. 4-59

INVENTORY OF MUNICIPAL WATER FACILITIES

STATE	DATE	PAGE
MARYLAND	Jan. 1, 1958	4 of 7

COMMUNITY	1950 Population Estimated Population Served	Year Oper. Started Present Supply Present Treatment Plant	OWNERSHIP	Number of Services Number of Meters	LAB. CONTROL	SOURCE OF SUPPLY	Safe Yield Impounded Maximum Dependable Draft (Gr. water) MGD	Rated Plant Capacity Average Plant Output MGD	TREATMENT	Dist. Storage Pumps to Mains Gravity to Mains MG	IMPROVEMENTS NEEDED	LINE NO.
1	2	3	4	5	6	7	8	9	10	11	12	
HALETHORPE	19,205	Δ	M	-	-	Baltimore	-	-	Baltimore	-	-	1
	(Δ)	-	-	-	-	-	-	-	-	-	-	
HALFWAY	2,153	Δ	M	-	-	Hagerstown	-	-	Hagerstown	-	-	2
	(Δ)	-	-	-	-	-	-	-	-	-	-	
HAMPSTEAD	677	Δ	M	195	C	4 wells	-	Δ	CaDh	Δ	Δ	3
	700	Δ	-	Δ	-	-	Δ	Δ	-	0.100	-	
HANCOCK	963	1926	M	235	M	Potomac River and	Δ	0.576	P-CaSoFrsDc	Δ	TD	4
	940	1925	-	Δ	-	Lt. Tonoloway Creek	-	Δ	-	0.300	-	
HAVRE DE GRACE	7,809	Δ	M	2,000	C	Susquehanna River	Δ	2.000	P-CaIMbSaFrsDc	Δ	D	5
	10,000	1955	-	Δ	-	-	-	0.800	-	1.000	-	
HEBRON	723	1957	P	170	M	2 wells	-	Δ	Dh	Δ	M	6
	800	Δ	-	Δ	-	-	Δ	0.100	-	0.075	-	
HENRYTON	200	Δ	Δ	-	-	Springfield State	-	-	Springfield State	-	-	7
	(Δ)	-	-	-	-	Hospital	-	-	Hospital	-	-	
HOLLYWOOD	260	Δ	P	25	M	2 wells	-	-	None	0.002	D	8
	80	-	-	0	-	-	Δ	Δ	-	0.000	-	
HURLOCK	944	1948	M	305	Δ	3 wells	-	-	None	0.000	UL	9
	900	-	-	Δ	-	-	Δ	0.100	-	0.075	-	
HYATTSVILLE	12,308	Δ	Δ	-	-	Washington Suburban	-	-	Washington Suburban	-	-	10
	(Δ)	-	-	-	-	Sanitary Commission	-	-	Sanitary Commission	-	-	
INDIAN HEAD	491	1954	M	250	M	Well	-	Δ	Dh	Δ	U	11
	600	1954	-	Δ	-	-	Δ	Δ	-	0.100	-	
INVERNESS	450	Δ	Δ	-	-	Baltimore	-	-	Baltimore	-	-	12
	(Δ)	-	-	-	-	-	-	-	-	-	-	
KENSINGTON	1,611	Δ	M	-	-	Washington Suburban	-	-	Washington Suburban	-	-	13
	(Δ)	-	-	-	-	Sanitary Commission	-	-	Sanitary Commission	-	-	
KENWOOD	400	Δ	Δ	-	-	Baltimore	-	-	Baltimore	-	-	14
	(Δ)	-	-	-	-	-	-	-	-	-	-	
KNOXVILLE	400	Δ	Δ	-	-	Brunswick	-	-	Brunswick	-	-	15
	(Δ)	-	-	-	-	-	-	-	-	-	-	
LANDOVER HILLS	1,661	Δ	Δ	-	-	Washington Suburban	-	-	Washington Suburban	-	-	16
	(1,500)	-	-	-	-	Sanitary Commission	-	-	Sanitary Commission	-	-	
LANHAM	1,800	Δ	M	-	-	Washington Suburban	-	-	Washington Suburban	-	-	17
	(2,000)	-	-	-	-	Sanitary Commission	-	-	Sanitary Commission	-	-	
LA PLATA	780	1950	M	300	Δ	3 wells	-	Δ	Dh	0.000	UDL	18
	1,000	1955	-	Δ	-	-	Δ	Δ	-	0.075	-	
LAUREL	4,482	Δ	M	-	-	Washington Suburban	-	-	Washington Suburban	-	-	19
	(5,000)	-	-	-	-	Sanitary Commission	-	-	Sanitary Commission	-	-	
LA VALE	950	Δ	M	500	Δ	3 wells and springs	-	Δ	Dh	Δ	UMDL	20
	3,000	Δ	P	Δ	-	-	Δ	Δ	-	0.305	-	
LEONARDTOWN	1,017	1947	M	300	Δ	2 wells	-	-	None	Δ	UTDL	21
	1,000	-	-	Δ	-	-	Δ	Δ	-	0.075	-	
LEXINGTON PARK	6,000	1944	M	-	-	Patuxent Naval	-	-	None	-	-	22
	(15,000)	-	-	-	-	Air Station	-	-	-	-	-	
LINTHICUM	3,000	Δ	Δ	-	-	Glen Burnie	-	-	Glen Burnie	-	-	23
	(Δ)	-	-	-	-	-	-	-	-	-	-	
LOCH LYNN HEIGHTS	415	Δ	Δ	-	-	Mountain Lake Park	-	-	Mountain Lake Park	-	-	24
	(Δ)	-	-	-	-	-	-	-	-	-	-	
LOCH RAVEN	150	Δ	Δ	-	-	Baltimore	-	-	Baltimore	-	-	25
	(Δ)	-	-	-	-	-	-	-	-	-	-	
* LONACONING	2,289	Δ	P	Δ	M	Elklick, Jackson and	Δ	Δ	Dch	Δ	T	26
	4,000	Δ	-	Δ	-	Koonts Runs,& 2 wells	Δ	Δ	-	Δ	-	
LORD	100	Δ	P	140	Δ	Wright's Run	Δ	Δ	Dh	Δ	UMT	27
	600	Δ	-	Δ	-	-	-	0.040	-	Δ	DL	
LUKE	820	Δ	P	-	-	West Virginia	-	-	West Virginia	-	-	28
	(Δ)	-	-	-	-	Pulp and Paper Co.	-	-	Pulp and Paper Co.	-	-	
MANCHESTER	1,027	Δ	M	268	M	Springs and well	-	Δ	Dh	Δ	T	29
	1,060	Δ	-	Δ	-	-	Δ	Δ	-	Δ	-	
MARYLAND PARK	931	Δ	Δ	-	-	Washington Suburban	-	-	Washington Suburban	-	-	30
	(900)	-	-	-	-	Sanitary Commission	-	-	Sanitary Commission	-	-	

INVENTORY OF MUNICIPAL WATER FACILITIES

STATE	DATE	PAGE
MARYLAND	Jan. 1, 1958	5 of 7

COMMUNITY	1950 Population Estimated Population Served	Year Oper. Started Present Supply Present Treatment Plant	OWNERSHIP	Number of Services Number of Meters	LAB. CONTROL	SOURCE OF SUPPLY	Safe Yield Impounded Maximum Dependable Draft (Gr. water) MGD	Rated Plant Capacity Average Plant Output MGD	TREATMENT	Dist. Storage Pumps to Mains Gravity to Mains MG	IMPROVEMENTS NEEDED	LINE NO.
1	2	3	4	5	6	7	8	9	10	11	12	
MIDDLE RIVER	23,000	Δ	Δ	-	-	Baltimore	-	-	Baltimore	-	-	1
	(Δ)	-	-	-	-	-	-	-	-	-	-	
MIDDLETOWN	936	Δ	M	400	M	Springs	-	Δ	Dc	Δ	Δ	2
	1,200	Δ	-	Δ	-	-	Δ	0.150	-	1.500	-	
MIDLAND	889	Δ	P	-	-	Lonaconing	-	-	Lonaconing	-	-	3
	(Δ)	-	-	-	-	-	-	-	-	-	-	
MIDLOTHIAN	475	Δ	P	50	M	Winebrenner Run	Δ	-	None	0.000	MPT	4
Source # 1	200	-	-	0	-	-	-	Δ	-	0.000	DL	
MIDLOTHIAN	-	Δ	P	10	M	Spring	-	-	None	0.000	UMPT	5
Source # 2	40	-	-	0	-	-	Δ	Δ	-	0.000	DL	
MIDLOTHIAN	-	Δ	P	10	M	Winebrenner Rur	Δ	-	None	0.000	P	6
Source # 3	40	-	-	0	-	-	-	Δ	-	0.000	-	
MORNINGSIDE	1,520	Δ	Δ	-	-	Washington Suburban	-	-	Washington Suburban	-	-	7
	(1,000)	-	-	-	-	Sanitary Commission	-	-	Sanitary Commission	-	-	
* MOUNTAIN LAKE PARK	891	Δ	P	Δ	Δ	Springs	-	Δ	Dc	Δ	MD	8
	Δ	Δ	-	Δ	-	-	Δ	Δ	-	0.075	-	
MOUNT AIRY	1,061	Δ	M	409	Δ	2 wells	-	Δ	Dh	Δ	MD	9
	1,200	Δ	-	Δ	-	-	Δ	0.120	-	0.075	-	
MOUNT RANIER	10,989	Δ	M	-	-	Washington Suburban	-	-	Washington Suburban	-	-	10
	(10,000)	-	-	-	-	Sanitary Commission	-	-	Sanitary Commission	-	-	
MOUNT SAVAGE	2,094	1955	P	230	Δ	Springs	-	-	None	Δ	MD	11
	800	-	-	Δ	-	-	Δ	Δ	-	Δ	-	
MOUNT WILSON	300	Δ	Δ	-	-	Baltimore	-	-	Baltimore	-	-	12
	(Δ)	-	-	-	-	-	-	-	-	-	-	
MYERSVILLE	250	Δ	M	Δ	Δ	Springs	-	Δ	Dc	Δ	Δ	13
	Δ	Δ	-	Δ	-	-	Δ	0.020	-	0.250	-	
NEW WINDSOR	707	Δ	M	200	M	Spring	-	Δ	Dh	Δ	TLG	14
	800	Δ	-	Δ	-	-	Δ	Δ	-	Δ	-	
NORTH BRENTWOOD	833	Δ	M	-	-	Washington Suburban	-	-	Washington Suburban	-	-	15
	(800)	-	-	-	-	Sanitary Commission	-	-	Sanitary Commission	-	-	
NORTH EAST	1,517	1956	M	450	C	5 wells	-	Δ	DhKp	0.000	U	16
	1,700	1949	-	450	-	-	Δ	Δ	-	Δ	-	
NORTH LINTHICUM	480	Δ	M	-	-	Glen Burnie	-	-	Glen Burnie	-	-	17
	(Δ)	-	-	-	-	-	-	-	-	-	-	
OAKLAND	1,649	1957	M	650	M	Spring and 5 wells	-	Δ	DhKc	Δ	S	18
	1,600	1952	-	Δ	-	-	Δ	Δ	-	0.600	-	
OCEAN CITY	1,234	1956	M	Δ	C	9 wells	-	3.000	HI-KpFx Dc	Δ	UL	19
	Δ	1956	-	Δ	-	-	Δ	0.150	-	0.550	-	
ODENTON	1,059	Δ	Δ	-	-	Glen Burnie	-	-	Glen Burnie	-	-	20
	(Δ)	-	-	-	-	-	-	-	-	-	-	
OELLA	1,255	Δ	Δ	-	-	Ellicott City	-	-	Ellicott City	-	-	21
	(Δ)	-	-	-	-	-	-	-	-	-	-	
OWINGS MILLS	500	Δ	Δ	-	-	Baltimore	-	-	Baltimore	-	-	22
	(Δ)	-	-	-	-	-	-	-	-	-	-	
OXFORD	757	Δ	M	Δ	Δ	Wells	-	Δ	Dh	Δ	Δ	23
	700	1948	-	Δ	-	-	0.120	Δ	-	0.100	-	
PASADENA	1,500	Δ	P	Δ	C	2 wells	-	Δ	CaMiDh	Δ	T	24
	700	Δ	-	Δ	-	-	Δ	Δ	-	Δ	-	
PERRY HALL	897	Δ	Δ	-	-	Baltimore	-	-	Baltimore	-	-	25
	(Δ)	-	-	-	-	-	-	-	-	-	-	
PERRYVILLE	679	Δ	P	200	C	Mill Creek	Δ	Δ	KpDc	3.600	TD	26
	800	1953	-	60	-	-	-	Δ	-	Δ	-	
PIKESVILLE	4,000	Δ	M	-	-	Baltimore	-	-	Baltimore	-	-	27
	(Δ)	-	-	-	-	-	-	-	-	-	-	
* PINES ON SEVERN	425	Δ	M	Δ	C	Well	-	0.100	I-AcClMbSoFps	Δ	T	28
	500	Δ	-	Δ	-	-	Δ	0.040	-	Δ	-	
POCOMOKE CITY	3,191	1957	M	1,200	C	10 wells	-	1.500	I-AcKpDc	0.200	M	29
	3,300	1948	-	250	-	-	1.500	0.400	-	0.100	-	
PORT DEPOSIT	1,139	Δ	M	-	-	Bainbridge Naval	-	-	Bainbridge Naval	-	-	30
	(1,000)	-	-	-	-	Training Center	-	-	Training Center	-	-	

INVENTORY OF MUNICIPAL WATER FACILITIES

STATE	DATE	PAGE
MARYLAND	Jan. 1, 1958	6 of 7

COMMUNITY 1	1950 Population Estimated Population Served 2	Year Oper. Started Present Supply Present Treatment Plant 3	OWNERSHIP 4	Number of Services Number of Meters 5	LAB. CONTROL 6	SOURCE OF SUPPLY 7	Safe Yield Impounded Maximum Dependable Draft (Gr. water) MGD 8	Rated Plant Capacity Average Plant Output MGD 9	TREATMENT 10	Dist. Storage Pumps to Mains Gravity to Mains MG 11	IMPROVEMENTS NEEDED 12	LINE NO.
POTOMAC HEIGHTS	150 2,500	1956 1955	P -	700 Δ	M -	2 wells -	- Δ	Δ 0.200	Dc -	0.000 0.180	U -	1
PRESTON	353 460	1945 -	M P	175 0	Δ -	2 wells -	- 0.250	- Δ	None -	Δ 0.075	TD -	2
PRINCE FREDERICK	500 50	1948 1953	M -	10 0	M -	Well -	- Δ	Δ Δ	Dc -	Δ 0.040	D -	3
PRINCESS ANNE	1,407 2,000	1955 1940	M -	360 Δ	C -	4 wells -	- 0.800	1.400 0.190	I-AtFpsKpDc -	Δ Δ	DL -	4
QUEENSTOWN	316 290	1935 1952	M -	90 0	M -	Well -	- 0.300	Δ Δ	Dh -	Δ 0.050	UL -	5
RANDALLSTOWN	995 (Δ)	Δ -	M -	- -	- -	Baltimore -	- -	- -	Baltimore -	- -	- -	6
REISTERSTOWN	1,800 (Δ)	Δ -	M -	- -	- -	Baltimore -	- -	- -	Baltimore -	- -	- -	7
RIDGELY	834 900	1957 -	M -	200 0	Δ -	2 wells -	- 0.700	- Δ	None -	Δ 0.050	TDL -	8
RISING SUN	668 600	1940 -	M -	300 Δ	M -	3 wells -	- Δ	- Δ	None -	0.000 0.088	TD -	9
RIVERDALE	5,530 (5,000)	Δ -	M -	- -	- -	Washington Suburban Sanitary Commission	- -	- -	Washington Suburban Sanitary Commission	- -	- -	10
RIVERDALE HEIGHTS	637 (600)	Δ -	M -	- -	- -	Washington Suburban Sanitary Commission	- -	- -	Washington Suburban Sanitary Commission	- -	- -	11
RIVER NECK	1,127 (Δ)	Δ -	Δ -	- -	- -	Baltimore -	- -	- -	Baltimore -	- -	- -	12
RIVIERA BEACH	1,949 (Δ)	Δ -	Δ -	- -	- -	Baltimore -	- -	- -	Baltimore -	- -	- -	13
ROCK HALL	786 900	1953 1943	M -	388 39	M -	3 wells -	- Δ	0.216 0.160	None -	Δ 0.075	TL -	14
ROCKVILLE Source # 1	6,934 20,000	Δ Δ	M -	5,235 Δ	M -	30 wells -	- Δ	Δ Δ	Dch -	Δ Δ	Δ -	15
ROCKVILLE Source # 2	- (5,000)	Δ -	M -	- -	- -	Washington Suburban Sanitary Commission	- -	- -	Washington Suburban Sanitary Commission	- -	- -	16
ROLAND TERRACE	550 (Δ)	Δ -	Δ -	- -	- -	Baltimore -	- -	- -	Baltimore -	- -	- -	17
ROSEWALD BEACH	250 (Δ)	Δ -	P -	- -	- -	Baltimore -	- -	- -	Baltimore -	- -	- -	18
ROUND BAY	450 (Δ)	Δ -	P -	- -	- -	Severna Park -	- -	- -	Severna Park -	- -	- -	19
ST. MICHAELS	1,470 1.472	1928 1953	M -	610 Δ	Δ -	2 wells -	- 0.250	Δ 0.080	Dh -	Δ 0.100	D -	20
SALISBURY *	15,151 18,000	1956 1925	M -	5,868 796	C -	11 wells -	- 5.600	7.300 3.200	AcKpDcNg -	Δ 1.400	U -	21
SAVAGE	1,238 1,200	1920 1927	P -	Δ Δ	M -	Lt. Patuxent River -	Δ -	Δ Δ	Dc -	Δ 0.187	STDL -	22
SEABROCK	550 (500)	Δ -	Δ -	- -	- -	Washington Suburban Sanitary Commission	- -	- -	Washington Suburban Sanitary Commission	- -	- -	23
SEAT PLEASANT	2,255 (2,500)	Δ -	M -	- -	- -	Washington Suburban Sanitary Commission	- -	- -	Washington Suburban Sanitary Commission	- -	- -	24
SECRETARY	344 460	1936 1953	M -	125 Δ	N -	Well -	- Δ	Δ Δ	Dh -	0.000 0.050	U -	25
SECURITY	200 (Δ)	Δ -	P -	- -	- -	Hagerstown -	- -	- -	Hagerstown -	- -	- -	26
* SEVERNA PARK	600 Δ	Δ Δ	P -	Δ Δ	C -	Wells -	- Δ	Δ 0.015	I-AcCalFpsKpDc -	Δ Δ	N -	27
SEVERN HEIGHTS	250 120	Δ Δ	P -	30 0	C -	Springs -	- Δ	Δ Δ	ScDh -	Δ 0.050	UT -	28
SHALLMAR	160 100	Δ -	P -	25 Δ	Δ -	Wolfden Run -	Δ -	- Δ	None -	Δ Δ	Δ -	29
SHARPTOWN	680 550	1952 1951	M -	150 Δ	Δ -	3 wells -	- 0.250	Δ Δ	Dh -	0.000 0.100	D -	30

INVENTORY OF MUNICIPAL WATER FACILITIES

STATE	DATE	PAGE
MARYLAND	Jan. 1, 1958	7 of 7

COMMUNITY	1950 Population Estimated Population Served	Year Oper. Started Present Supply Present Treatment Plant	OWNERSHIP	Number of Services Number of Meters	LAB. CONTROL	SOURCE OF SUPPLY	Safe Yield Impounded Maximum Dependable Draft (Gr. water) MGD	Rated Plant Capacity Average Plant Output MGD	TREATMENT	Dist. Storage Pumps to Mains Gravity to Mains MG	IMPROVEMENTS NEEDED	LINE NO.
1	2	3	4	5	6	7	8	9	10	11	12	
SHERWOOD FOREST	50	Δ	P	Δ	Δ	Stream	Δ	Δ	P-CalT FrsDhKp	Δ	N	1
	400	Δ	-	Δ	-	-	-	Δ	-	0.125	-	
SILVER SPRING	42,300	Δ	M	-	-	Washington Suburban	-	-	Washington Suburban	-	-	2
	(Δ)	-	-	-	-	Sanitary Commission	-	-	Sanitary Commission	-	-	
SMITHSBURG	641	Δ	M	-	-	Hagerstown	-	-	Hagerstown	-	-	3
	(Δ)	-	-	-	-	-	-	-	-	-	-	
SNOW HILL	2,091	1949	Δ	714	N	2 wells	-	1.300	DcVt	Δ	N	4
	2,180	1956	-	25	-	-	Δ	0.200	-	0.035	-	
SOMERSET	430	Δ	M	-	-	Washington Suburban	-	-	Washington Suburban	-	-	5
	(430)	-	-	-	-	Sanitary Commission	-	-	Sanitary Commission	-	-	
SPARROWS POINT	4,000	Δ	P	Δ	Δ	Wells	-	Δ	I-AtCloKpMpSoFpsDc	Δ	N	6
	Δ	Δ	-	Δ	-	-	Δ	Δ	-	Δ	-	
STEVENSON	400	Δ	P	12	N	Spring	-	Δ	Dh	0.000	UDL	7
	50	1953	-	0	-	-	Δ	Δ	-	0.055	-	
SUITLAND	4,400	Δ	M	-	-	Washington Suburban	-	-	Washington Suburban	-	-	8
	(4,500)	-	-	-	-	Sanitary Commission	-	-	Sanitary Commission	-	-	
SYLVAN SHORES	600	Δ	P	Δ	C	4 wells	-	Δ	HI-CstDh	Δ	N	9
	1,000	Δ	-	Δ	-	-	Δ	Δ	-	Δ	-	
TAKOMA PARK	13,341	Δ	M	-	-	Washington Suburban	-	-	Washington Suburban	-	-	10
	(13,340)	-	-	-	-	Sanitary Commission	-	-	Sanitary Commission	-	-	
TANEYTOWN	1,420	Δ	M	Δ	N	7 wells	-	Δ	Dh	Δ	T	11
	Δ	Δ	-	Δ	-	-	Δ	0.110	-	0.025	-	
THURMONT	1,676	Δ	P	500	N	2 wells, springs and	Δ	Δ	Dhc	Δ	SD	12
	1,900	Δ	-	Δ	-	High Run	Δ	Δ	-	0.290	-	
TOWSON	18,000	Δ	M	-	-	Baltimore	-	-	Baltimore	-	-	13
	(Δ)	-	-	-	-	-	-	-	-	-	-	
TRAPPE	325	1955	M	Δ	N	2 wells	-	Δ	Dh	Δ	D	14
	300	1944	-	Δ	-	-	0.070	0.028	-	0.075	-	
UNION BRIDGE	840	Δ	P	253	N	Well	-	Δ	Dc	Δ	T	15
	850	Δ	-	Δ	-	-	Δ	0.050	-	0.400	-	
UNIVERSITY PARK	2,205	Δ	M	-	-	Washington Suburban	-	-	Washington Suburban	-	-	16
	(2,000)	-	-	-	-	Sanitary Commission	-	-	Sanitary Commission	-	-	
UPPER MARLBORO	702	1947	M	174	N	2 wells	-	Δ	Dh	0.000	U	17
	800	1954	-	Δ	-	-	Δ	Δ	-	0.100	-	
VIENNA	414	1946	M	162	N	2 wells	-	Δ	Dh	0.000	T	18
	415	1949	-	Δ	-	-	Δ	Δ	-	0.050	-	
VINDEX	300	Δ	P	16	N	Three Forks Run	Δ	Δ	Dh	0.000	UD	19
	50	Δ	-	0	-	and well	Δ	Δ	-	0.000	-	
WALKERSVILLE	761	Δ	P	335	N	5 springs and well	-	Δ	Dh	Δ	UDL	20
	675	1940	-	0	-	-	Δ	Δ	-	0.500	-	
WASHINGTON GROVE	400	Δ	M	-	-	Washington Suburban	-	-	Washington Suburban	-	-	21
	(400)	-	-	-	-	Sanitary Commission	-	-	Sanitary Commission	-	-	
* WASHINGTON SUBURBAN	-	1939	M	112,879	C	Northwest Branch of	45.000	75.00	P-CaDcdsMpSoFrsKp	0.000	N	22
SANITARY COMMISSION	520,000	1955	-	112,879	R	Anacostia River	2.300	41.92	Vs V 0.20	78.20	-	
* WESTERNPORT	3,431	Δ	M	Δ	C	Savage River	Δ	1.000	P-CalMstSmoFrsKpDcs	Δ	D	23
	3,900	1957	-	Δ	-	-	-	0.475	-	1.357	-	
WESTMINSTER	6,140	Δ	Δ	2,200	C	Luckabaugh Creek	Δ	Δ	P-CalKpMiNcFpsDcVs	Δ	T	24
	3,000	Δ	-	Δ	B	-	-	Δ	-	Δ	-	
WEVERTON	50	Δ	Δ	-	-	Brunswick	-	-	Brunswick	-	-	25
	(50)	-	-	-	-	-	-	-	-	-	-	
WILLIAMSPORT	1,890	Δ	M	-	-	Hagerstown	-	-	Hagerstown	-	-	26
	(Δ)	-	-	-	-	-	-	-	-	-	-	
WOODENSBURG	175	Δ	Δ	Δ	C	North Branch of	Δ	Δ	P-ClKpFpsDh	Δ	T	27
	Δ	Δ	-	0	-	Patapsco River	-	Δ	-	Δ	-	
WOODSBORO	427	1954	M	133	N	Well	-	Δ	Dh	Δ	U	28
	450	1954	-	0	-	-	Δ	Δ	-	0.050	-	
WOODSIDE	2,843	Δ	M	-	-	Washington Suburban	-	-	Washington Suburban	-	-	29
	(Δ)	-	-	-	-	Sanitary Commission	-	-	Sanitary Commission	-	-	
WRIGHTS CROSSING	160	Δ	Δ	-	-	Frostburg	-	-	Frostburg	-	-	30
	(160)	-	-	-	-	-	-	-	-	-	-	

PHS-2226
REV. 4-59

PLACES WITH NO COMMUNITY WATER SUPPLY

MARYLAND

LOCATION	1950 CEN POP
ABELL MD	450
ABINGDON MD	690
ACCIDENT MD	236
ACCOKEEK MD	100
ADAMSTOWN MD	300
ALLEN MD	100
ANDREWS MD	150
ANNAPOLIS JUNCTION MD	150
AQUASCO MD	500
ASHTON MD	194
AVALON MD	150
AVENUE MD	100
BALDWIN MD	100
BARCLAY MD	119
BARNESVILLE MD	121
BARSTOW MD	250
BEACHVILLE MD	200
BEL ALTON MD	250
BELLEVUE MD	300
BENEDICT MD	350
BENSON MD	275
BENTLEY SPRINGS MD	125
BETTERTON MD	221
BIGPOOL MD	125
BIG SPRING MD	110
BISHOP MD	250
BISHOPS HEAD MD	250
BISHOPVILLE MD	350
BITTINGER MD	150
BIVALVE MD	200
BORING MD	130
BOWIE MD	767
BOYDS MD	475
BOZMAN MD	250
BRADSHAW MD	600
BRANCHVILLE MD	1,000
BRANDYWINE MD	450
BRINKLOW MD	104
BRISTOL MD	100
BROOKEVILLE MD	262
BROOKLANDVILLE MD	250
BROOMES ISLAND MD	450
BROWNSVILLE MD	170
BUCKEYSTOWN MD	300
BURKITTSVILLE MD	177
BUTLER MD	300
CABIN JOHN MD	1,800
CARDIFF MD	600
CARROLLTON MD	300
CASCADE MD	350
CECILTON MD	498
CEDARHURST MD	100
CHAMP MD	200
CHANCE MD	510
CHARLESTOWN MD	307
CHASE MD	950
CHELTENHAM MD	900
CHESTER MD	900
CHEWSVILLE MD	300
CHURCH CREEK MD	300
CHURCH HILL MD	316
CHURCHTON MD	800
CHURCHVILLE MD	175
CLARKSBURG MD	103
CLARKSVILLE MD	200
CLEMENTS MD	342
CLINTON MD	250
COCKEYSVILLE MD	1,515
COLORA MD	160
COLTONS POINT MD	200
CORDOVA MD	450
CORRIGANVILLE MD	602
CROCHERON MD	150
CRUMPTON MD	243
DARLINGTON MD	250
DEALE MD	600
DEER PARK MD	329
DERWOOD MD	225
DETOUR MD	100
DICKERSON MD	290
DOUBS MD	200
DUNKIRK MD	200

MARYLAND -CONT-

LOCATION	1950 CEN POP
EDEN MD	300
EDGEWATER MD	200
EDGEWOOD MD	800
EDNOR MD	150
ELK MILLS MD	500
ELLERSLIE MD	718
ELLIOTT MD	175
EWELL MD	350
FAIRMOUNT MD	800
FAIR PLAY MD	102
FALLSTON MD	150
FINKSBURG MD	200
FISHING CREEK MD	544
FLINTSTONE MD	150
FOREST HILL MD	300
FORK MD	100
FORT HOWARD MD	1,600
FRUITLAND MD	1,025
FULLERTON MD	1,813
FULTON MD	200
GAITHER MD	150
GALESVILLE MD	500
GAMBRILLS MD	600
GAPLAND MD	200
GEORGETOWN MD	200
GERMANTOWN MD	250
GIRDLETREE MD	300
GLENARM MD	250
GLENCOE MD	200
GLENN DALE MD	205
GOLDSBORO MD	197
GRACEHAM MD	204
GRASONVILLE MD	990
GRAYTON MD	175
GREAT MILLS MD	200
GREENMOUNT MD	163
HARMANS MD	224
HARWOOD MD	125
HELEN MD	150
HENDERSON MD	125
HIGHFIELD MD	500
HIGHLAND MD	100
HILLSBORO MD	181
HOMEWOOD MD.	800
HOOPERSVILLE MD	150
HUGHESVILLE MD	500
HUNTINGTOWN MD	900
HURRY MD	150
HUTTON MD	175
HYDES MD	200
IJAMSVILLE MD	103
ILCHESTER MD	310
INGLESIDE MD	100
ISLAND CREEK MD	175
ISSUE MD	140
JARRETTSVILLE MD	250
JEFFERSON MD	275
JENNINGS MD	200
JESSUPS MD	400
JOPPA MD	700
KEEDYSVILLE MD	404
KENNEDYVILLE MD	350
KEYMAR MD	110
KINGSTON MD	140
KITZMILLER MD	870
LANDOVER MD	215
LE GORE MD	370
LEWISTOWN MD	275
LIBERTY GROVE MD	210
LIBERTYTOWN MD	600
LIME KILN MD	175
LINEBORO MD	200
LISBON MD	109
LITTLE ORLEANS MD	200
LONG GREEN MD	210
LOTHIAN MD	300
LOVEVILLE MD	150
LOWER MARLBORO MD	200
LUTHERVILLE-TIMONIUM MD	2,800
LYNCH MD	200
MCDANIEL MD	210
MADDOX MD	300
MADISON MD	200

PLACES WITH NO COMMUNITY WATER SUPPLY

MARYLAND -CONT-

LOCATION	1950 CEN POP
MAGNOLIA MD	450
MANOKIN MD	200
MARBURY MD	500
MARDELA SPRINGS MD	418
MARION	550
MARRIOTTSVILLE MD	100
MARUMSCO MD	100
MARYLAND LINE MD	150
MAUGANSVILLE MD	625
MAYO MD	900
MECHANICSVILLE MD	300
MIDDLEBURG MD	142
MILLERS MD	142
MILLERSVILLE MD	105
MILLINGTON MD	307
MONIE MD	250
MONKTON MD	150
MONROVIA MD	100
MUIRKIRK MD	300
NANJEMOY MD	150
NANTICOKE MD	700
NEAVITT MD	312
NEWARK MD	600
NEWBURG MD	200
NEWCOMB MD	150
NEW MARKET MD	360
NEW MIDWAY MD	103
NEWPORT MD	200
NORTH BEACH MD	246
OAKLEY MD	250
OLDTOWN MD	200
OLIVET MD	110
OLNEY MD	500
ORIOLE MD	250
OWINGS MD	200
PARK HALL MD	350
PARKTON MD	600
PARSONSBURG MD	725
PATAPSCO MD	300
PERRYMAN MD	300
PERRY POINT MD	2,700
PHOENIX MD	345
PINEY POINT MD	200
PINTO MD	300
PITTSVILLE MD	600
POINT OF ROCKS MD	370
POMFRET MD	300
POOLESVILLE MD	204
POWELLVILLE MD	500
PRICE MD	126
PRINCIPIO FURNACE MD	250
QUANTICO MD	190
QUEEN ANNE MD	410
RAWLINGS MD	300
REHOBETH MD	150
RHODES POINT MD	145
RIDERWOOD MD	500
RISON MD	200
ROCK POINT MD	300
ROCKS MD	150
ROCKY RIDGE MD	103
ROHRERSVILLE MD	205
ROYAL OAK MD	500
RUMBLEY MD	120
SABILLASVILLE MD	375
SAINT GEORGE ISLAND MD	100
SAINT INIGOES MD	300
SAINT JAMES MD	100
SAINT LEONARD MD	300
SAINT MARYS CITY MD	140
SANDY SPRING MD	900
SCOTLAND MD	400
SEVERN MD	200
SHADY SIDE MD	749
SHARPSBURG MD	834
SHERWOOD MD	150
SHOWELL MD	400
SOLOMONS MD	266
SPENCERVILLE MD	300
SPRING GAP MD	100
STEVENSVILLE MD	300
STILL POND MD	205
STOCKTON MD	550

MARYLAND -CONT-

LOCATION	1950 CEN POP
STREET MD	150
SUDLERSVILLE MD	292
SUNDERLAND MD	500
SYKESVILLE MD	806
TAYLORS ISLAND MD	500
TILGHMAN MD	950
TODDVILLE MD	400
TOMPKINSVILLE MD	360
TRACYS LANDING MD	300
TYASKIN MD	300
TYLERTON MD	200
UNIONVILLE MD	150
UPPERCO MD	120
UPPER FAIRMOUNT MD	550
UPPER FALLS MD	225
UPPER HILL MD	200
VALLEY LEE MD	300
WALDORF MD	850
WARWICK MD	175
WELCOME MD	150
WENONA MD	500
WEST FRIENDSHIP MD	100
WESTOVER MD	150
WEST RIVER MD	100
WHALEYSVILLE MD	275
WHITEFORD MD	300
WHITE HALL MD	250
WHITE MARSH MD	500
WHITE PLAINS MD	150
WILLARDS MD	285
WILLIAMSBURG MD	600
WINGATE MD	500
WITTMAN MD	400
WOODBINE MD	250
WOODMOOR MD.	700
WOODSTOCK MD	580
WOOLFORD MD	200
WORTON MD	150

NORTH CAROLINA

Preceding page blank

INVENTORY OF MUNICIPAL WATER FACILITIES

STATE	DATE	PAGE
NORTH CAROLINA	Jan. 1, 1958	1 of 15

COMMUNITY	1950 Population / Estimated Population Served	Year Oper. Started: Present Supply / Present Treatment Plant	OWNERSHIP	Number of Services / Number of Meters	LAB. CONTROL	SOURCE OF SUPPLY	Safe Yield Impounded / Maximum Dependable Draft (Gr. water) MGD	Rated Plant Capacity / Average Plant Output MGD	TREATMENT	Dist. Storage: Pumps to Mains / Gravity to Mains MG	IMPROVEMENTS NEEDED	LINE NO.
1	2	3	4	5	6	7	8	9	10	11	12	
ABERDEEN	1,603	1920	M	640	N	Deep well and	-	0.550	Dc	0.125	SMTD	1
	1,500	1920	-	640	-	4 springs	0.550	0.550	-	0.200	LG	
ACTON	60	Δ	M	-	-	Asheville	-	-	Asheville	-	-	2
	(Δ)	-	-	-	-	-	-	-	-	-	-	
AHOSKIE	3,579	1954	M	1,400	N	3 wells	-	-	None	0.100	U	3
	5,000	-	-	1,400	-	-	0.475	0.375	-	0.200	-	
ALAMANCE	450	1928	P	39	C	Big Alamance Creek	Δ	0.200	P-CasMbSoFpsNcKpDc	0.000	N	4
	150	Δ	-	0	-	-	-	0.035	-	0.075	-	
ALBERMARLE	11,798	Δ	M	3,500	C	Yadkin River	Δ	6.000	P-DcCasMbSoFrsDcKcpVt	1.500	Δ	5
	15,000	Δ	-	3,500	B	Long Creek	-	2.615	-	2.200	-	
ALEXANDER MILLS	885	1926	P	250	4	12 wells	-	-	None	0.020	Δ	6
	752	-	-	0	-	-	0.144	0.122	-	0.025	-	
ANDREWS	1,397	1910	M	450	N	Beaver Creek	Δ	Δ	Dc	0.000	Δ	7
	1.800	1951	-	450	-	-	-	0.170	-	0.100	-	
ANGIER	1,182	1936	M	430	N	3 wells	-	0.100	I-AcClMbDhSoFps	Δ	T	8
	2.000	1947	-	430	-	-	0.300	0.120	-	0.100	-	
APEX	1,065	1924	M	357	C	Swift Creek	100.00	0.700	P-CalTcMbSoFrDc	0.000	N	9
	1.600	Δ	-	357	B	-	-	0.150	Kpc V 0.10	0.100	-	
ARDEN	300	Δ	Δ	-	-	Asheville	-	-	Asheville	-	-	10
	(Δ)	-	-	-	-	-	-	-	-	-	-	
* ASHEBORO	7,701	1947	M	4,032	C	Lakes	10.000	3.000	P-DcCalTcMbt	1.000	D	11
	15,000	1957	-	4,032	B	-	-	1.400	SoFr KcpDc	2.000	-	
* ASHEVILLE	53,000	1923	M	22,658	C	North Fork and	31.000	14.00	DcKcDc	Δ	T	12
	81,000	1954	-	22.658	B	Bee Tree Streams	-	10.50	-	21.00	-	
ATLANTIC BEACH	49	Δ	P	231	N	3 wells	-	-	None	0.020	UTDL	13
	20	-	-	0	-	-	0.150	0.070	-	0.000	-	
AULANDER	1,112	1945	M	375	N	1 well	-	-	None	0.225	U	14
	1,000	-	-	375	-	-	0.400	0.070	-	0.075	-	
AVONDALE	200	1940	P	134	C	2nd Broad River	244.00	0.300	P-CasMabSo	0.050	Δ	15
	500	1940	-	0	-	-	-	0.062	DcTcFrsTdKpc	0.025	-	
AYDEN	2,282	1915	M	725	N	4 wells	-	-	None	0.100	N	16
	3.000	-	-	700	-	-	0.750	0.200	-	0.360	-	
AZALEA	110	Δ	Δ	-	-	Swannanoa	-	-	Swannanoa	-	-	17
	(Δ)	-	-	-	-	Sanitary District	-	-	Sanitary District	-	-	
BADIN	2,126	1915	P	670	C	Yadkin River	Δ	2.000	P-CalDcNgMaSoFrsKpDc	1.800	Δ	18
	3,000	1941	-	670	B	-	-	1.000	-	1.840	-	
BAILEY	743	Δ	M	246	N	2 wells	-	0.160	DhKc	Δ	U	19
	850	1942	-	125	-	-	Δ	0.065	-	0.100	-	
BAKERSVILLE	428	Δ	Δ	Δ	Δ	Springs	-	-	None	Δ	Δ	20
	Δ	-	Δ	Δ	-	-	Δ	Δ	-	Δ	-	
BALFOUR	1,200	Δ	M	-	-	Hendersonville	-	-	Hendersonville	-	-	21
	(2,150)	-	-	-	-	-	-	-	-	-	-	
BANNER ELK	462	1933	P	80	N	3 drilled wells	-	-	None	0.000	Δ	22
	500	-	-	80	-	-	0.220	0.015	-	0.100	-	
BARKER HEIGHTS	1,569	Δ	M	-	-	Hendersonville	-	-	Hendersonville	-	-	23
	(372)	-	-	-	-	-	-	-	-	-	-	
BATTLEBORO	329	1939	M	134	N	1 well	-	-	None	0.000	U	24
	400	-	-	134	-	-	0.075	0.050	-	0.075	-	
BEAUFORT	3,212	1910	P	1,186	N	1 well	-	0.400	KcDc	0.000	UT	25
	4,500	1956	-	1,186	-	-	0.400	0.300	-	0.100	-	
* BEAVER DAM	-	Δ	M	-	-	Asheville	-	-	Asheville	-	-	26
Sanitary District	(1,400)	-	-	-	-	-	-	-	-	-	-	
BELHAVEN	2,528	1955	M	790	N	3 wells	-	1.000	Dc	0.000	N	27
	2,000	1955	-	770	-	-	1.000	0.200	-	0.075	-	
BELMONT	5,330	1926	M	1,400	C	Catawba River	Δ	3.000	P-CaTcMbSoFrsDcKp	0.500	L	28
	7,000	Δ	P	1,300	B	-	-	1.344	-	0.500	-	
BENSON	2,102	1919	M	1,000	N	6 wells	-	-	None	0.100	U	29
	2,600	-	-	1,000	-	-	0.750	0.400	-	0.100	-	
BESSEMER	3,961	1926	M	1,150	C	Long Creek (imp.)	2.000	1.000	P-CasMabTcSoFarKpDc	0.150	Δ	30
(Gaston County)	4.000	1926	-	1,150	B	-	-	0.400	-	0.300	-	

PHS-2226
REV. 4-59

Preceding page blank

INVENTORY OF MUNICIPAL WATER FACILITIES

STATE	DATE	PAGE
NORTH CAROLINA	Jan. 1, 1958	2 of 15

COMMUNITY	1950 Population	Year Oper. Started		Number of Services		SOURCE OF SUPPLY	Safe Yield Impounded	Rated Plant Capacity	TREATMENT	Dist. Storage	IMPROVEMENTS NEEDED	LINE NO.
	Estimated Population Served	Present Supply Present Treatment Plant	OWNERSHIP	Number of Meters	LAB. CONTROL		Maximum Dependable Draft (Gr. water) MGD	Average Plant Output MGD		Pumps to Mains Gravity to Mains MG		
1	2	3	4	5	6	7	8	9	10	11	12	
BETHEL	1,402	1948	M	540	C	2 wells	-	0.500	KpAmDh	0.200	U	1
	1,550	1950	-	540	-	-	0.500	0.130	-	0.075	-	
BEULAVILLE	724	1952	M	250	N	1 well	-	-	None	Δ	U	2
	905	1952	-	250	-	-	0.140	0.050	-	0.075	-	
BILTMORE FOREST	657	Δ	M	-	-	Asheville	-	-	Asheville	-	-	3
	(975)	-	-	-	-	-	-	-	-	-	-	
BISCOE	1,034	1955	M	350	C	Surface supply	Δ	0.500	P-Cal(MtpsSv)FarKpDc	0.000	P	4
	1,250	1955	-	350	B	-	-	0.200	-	0.075	-	
BLACK CREEK	316	1958	M	105	N	Wells	-	Δ	Dc	Δ	N	5
	300	Δ	-	105	-	-	0.250	Δ	-	0.075	-	
BLACK MOUNTAIN	1,174	1954	M	1,107	N	Rocky Brook and	Δ	0.540	DcKc	0.000	Δ	6
	4,428	1912	-	1,107	-	dam (imp.)	-	0.450	-	3[illegible].00	-	
BLADENBORO	796	1937	M	260	N	2 wells	-	0.790	Kc	0.000	T	7
	850	Δ	-	260	-	-	0.790	0.075	-	0.100	-	
BLUE RIDGE	75	1954	P	28	N	Reservoir and streams	Δ	Δ	Dh	0.000	Δ	8
	450	Δ	-	0	-	-	-	0.045	-	0.350	-	
BLOWING ROCK	661	1940	M	Δ	C	Brickhouse Creek	Δ	0.500	P-DcCalMbSoFrsNgDc	Δ	Δ	9
	3,000	1940	-	Δ	-	-	-	0.350	-	0.425	-	
BOGER CITY	1,733	Δ	P	-	-	Lincolnton	-	-	Lincolnton	-	-	10
	(2,000)	-	-	-	-	-	-	-	-	-	-	
BOILING SPRINGS	1,145	1957	M	315	N	4 wells	-	0.180	Kc- well # 3 only	Δ	N	11
	1,500	1953	-	315	-	-	Δ	0.100	-	0.075	-	
BONNIE DOONE	700	Δ	M	-	-	Fayetteville	-	-	Fayetteville	-	-	12
	(3,000)	-	-	-	-	-	-	-	-	-	-	
BOONE	2,973	1957	M	850	N	3 wells and	Δ	Δ	NgDc	Δ	Δ	13
	2.600	1924	-	808	-	Winkler Creek	0.461	0.250	-	0.700	-	
BOONVILLE	502	1941	M	270	N	2 wells	-	-	None	0.000	N	14
	1,000	-	-	270	-	-	0.175	0.045	-	0.075	-	
BREVARD	3,938	1950	M	1,450	N	Nortons and	Δ	Δ	Dc	Δ	Δ	15
	5,500	1950	-	300	-	Kings Creek	-	1.800	-	2.000	-	
BROOKFORD	768	Δ	M	-	-	Hickory	-	-	Hickory	-	-	16
	(925)	-	-	-	-	-	-	-	-	-	-	
BRUNSWICK	190	1926	P	45	N	Well	-	-	None	0.000	Δ	17
	250	-	-	0	-	-	Δ	0.012	-	0.001	-	
BRYSON CITY	1,499	1938	M	595	N	Huges Brook and Lands	2.016	Δ	Dc	0.000	Δ	18
	2,380	Δ	-	0	-	Creek. 1 well (aux.)	-	0.300	-	0.250	-	
BUIES CREEK	435	1942	P	30	N	2 wells	-	-	None	Δ	U	19
	650	-	-	Δ	-	-	0.120	0.080	-	0.020	-	
BURGAW	1,613	1936	M	500	N	3 wells	-	0.300	I-AtcClMbScFp Dh	Δ	U	20
	2,000	Δ	-	500	-	-	0.750	0.200	-	0.075	-	
* BURLINGTON	24,560	1905	M	8,300	C	Haw River and	10.000	7.400	P-CalMptTcSoFrsKcpDc	5.400	STL	21
	32,000	1949	-	8,300	B	Stony Creek	-	4.080	-	1.600	-	
BURNSVILLE	1,341	1925	M	790	N	Bowlings Creek	Δ	0.500	P-FrsDc	Δ	T	22
	2,200	1925	-	26	-	-	-	0.350	-	0.250	-	
BUSBEE	100	Δ	M	-	-	South Buncombe	-	-	South Buncombe	-	-	23
	(5,000)	-	-	-	-	Water District	-	-	Water District	-	-	
BYNUM	400	Δ	P	40	N	Haw River	Δ	0.430	P-CasMptSoDcFps	Δ	Δ	24
	350	Δ	-	0	-	-	-	0.005	-	0.050	-	
CALYPSO	688	1956	M	275	N	Well	-	-	None	Δ	N	25
	800	-	-	175	-	-	0.650	0.030	-	0.075	-	
CAMERON	284	1953	P	25	N	Well	-	-	None	Δ	UDL	26
	67	-	-	0	-	-	0.043	0.003	-	0.001	-	
CANDLER	623	Δ	P	16	N	3 springs	-	-	None	Δ	Δ	27
Source # 1	60	-	-	0	-	-	Δ	0.003	-	0.010	-	
CANDLER	-	Δ	Δ	-	-	Asheville	-	-	Asheville	-	-	28
Source # 2	(550)	-	-	-	-	-	-	-	-	-	-	
CANDOR	617	1956	M	185	C	Wells	-	0.300	P-CasMbDcSoFrsDcKp	0.100	D	29
	625	1956	-	185	B	-	1.600	0.050	-	0.075	-	
* CANEY VALLEY	-	Δ	M	-	-	Asheville	-	-	Asheville	-	-	30
Sanitary District	(1,100)	-	-	-	-	-	-	-	-	-	-	

PHS-2226
REV. 4-59

INVENTORY OF MUNICIPAL WATER FACILITIES

STATE	DATE	PAGE
NORTH CAROLINA	Jan. 1, 1958	3 of 15

COMMUNITY	1950 Population Estimated Population Served	Year Oper. Started Present Supply Present Treatment Plant	OWNERSHIP	Number of Services Number of Meters	LAB. CONTROL	SOURCE OF SUPPLY	Safe Yield Impounded Maximum Dependable Draft (Gr. water) MGD	Rated Plant Capacity Average Plant Output MGD	TREATMENT	Dist. Storage Pumps to Mains Gravity to Mains MG	IMPROVEMENTS NEEDED	LINE NO.
1	2	3	4	5	6	7	8	9	10	11	12	
* CANTON Source # 1	4,906 6,720	1936 1936	M -	4,800 4,800	C B	Pigeon River -	Δ -	2.000 0.350	P-CalDcMtpSoFrsKpDc -	0.250 0.550	Δ -	1
* CANTON Source # 2	- 12,480	1940 1940	M -	Δ Δ	Δ -	Rough Creek -	Δ -	0.700 0.650	P-FgsDc -	0.000 0.750	Δ -	2
CAROLEEN	1,900 1,200	1953 -	P -	240 240	Δ -	14 wells -	- 0.288	- 0.024	None -	0.024 0.000	Δ -	3
CAROLINA BEACH	1,080 1,600	1934 1953	M -	550 900	N -	6 wells -	- Δ	1.500 0.750	Dch -	1.000 0.100	M -	4
CARRBORO	1,795 (2,200)	1928 -	M -	- -	- -	Chapel Hill -	- -	- -	Chapel Hill -	- -	- -	5
CARTHAGE	1,194 1,600	1912 1951	M -	538 538	N -	30 springs Surface supply (aux.)	Δ Δ	0.500 0.150	(Springs-DcKp)P-DcCal Tc(MtpsSv)FrsKpDc	1.100 0.272	Δ -	6
CARY	1,446 2,812	1924 1953	M -	847 847	N -	13 wells -	- 0.700	Δ 0.300	DhKc -	Δ 0.100	DL -	7
CATAWBA	506 580	1936 -	M -	175 175	N -	4 wells -	- Δ	- 0.080	None -	0.000 0.075	N -	8
CENTRAL FALLS	200 (4,000)	1939 -	M -	- -	- -	Asheboro -	- -	- -	Asheboro -	- -	- -	9
CHADBOURN	2,103 2,700	1923 -	M -	610 400	N -	3 wells -	- 2.000	- 0.200	None -	0.000 0.060	Δ -	10
* CHAPEL HILL	9,177 17,000	1932 1950	M -	3,500 3,500	C B	University Lake -	4.000 -	3.000 2.200	P-CalMtSoFrsTcKcpDc -	1.500 1.250	N -	11
* CHARLOTTE	134,042 185,000	1911 1948	M -	52,000 52,000	C B	Catawba River -	Unl. -	25.00 19.42	P-DcCalSoTcMtaFrs NgDcsKpVt V 0.05	12.00 3.300	TDL -	12
CHEROKEE	500 1,800	1938 1938	M -	128 68	N -	Streams -	Δ -	Δ 0.250	Dc -	Δ 0.200	Δ -	13
CHERRYVILLE	3,492 5,500	1924 Δ	M -	1,150 1,150	N -	13 wells -	- 0.700	0.670 0.450	Dh -	0.100 0.289	Δ -	14
CHIMNEY ROCK	400 300	1925 1946	P -	56 0	N -	Springs -	- Δ	0.050 0.020	Dh -	0.000 0.030	Δ -	15
CHINA GROVE	1,491 2,031	1925 -	M -	952 945	N -	3 wells -	- 0.325	- 0.120	None -	0.000 0.075	N -	16
CLAREMONT	669 700	1938 -	M -	235 235	N -	3 wells -	- Δ	- 0.040	None -	0.000 0.075	N -	17
CLARKTON	589 500	1949 -	M -	204 200	N -	1 well -	- Δ	- 0.029	None -	0.000 0.075	U -	18
CLAYTON	2,229 2,500	1912 -	M -	900 900	N -	9 wells -	- 0.500	- 0.090	None -	0.350 0.100	N -	19
CLEVELAND	580 600	1941 -	M -	175 175	N -	3 wells -	- 0.200	- 0.040	None -	0.000 0.075	N -	20
CLIFFSIDE	1,388 1,000	1926 1926	P -	389 0	C B	2nd Broad River -	245.00 -	1.000 0.806	P-CasDcxMbSoFrsTdKpc -	0.240 0.075	Δ -	21
CLINTON	4,414 8,200	1911 Δ	M -	1,850 1,850	N -	3 wells -	- 1.500	Δ 0.650	Dc -	0.200 0.400	U -	22
CLYDE	598 1,300	1955 1925	M -	325 13	N -	3 wells and Conners Creek	Δ Δ	0.144 0.140	P-CasMbSoFrsDc -	0.012 0.050	D -	23
COATS	1,047 900	1922 Δ	P -	1,210 Δ	N -	Springs -	- 0.020	Δ 0.010	Dh -	0.050 0.010	MPTD L	24
COLERAIN	367 400	1939 -	M -	112 112	N -	Well -	- 0.085	- 0.035	None -	0.000 0.030	U -	25
COLUMBUS	486 750	1924 1924	M -	250 48	N -	Horse Creek -	Δ -	0.060 0.075	P-FgsDc -	Δ 0.070	T -	26
CONCORD	16,486 26,000	Δ 1950	M -	6,494 6,494	C B	Cold Water, Chambers and Lumby Creeks	11.500 -	8.000 4.000	P-NgDcCsTcMbp SoFrsVsKpcDc	3.500 1.600	Δ -	27
CONOVER	1,164 2,000	1927 Δ	M -	600 600	N -	5 drilled wells -	- Δ	0.275 0.135	Dh -	0.000 0.275	N -	28
CONWAY	618 700	1951 1951	M -	219 215	N -	2 wells -	- 0.144	0.144 0.030	HI-[Fs][AoDhFpKh] -	0.000 0.075	N -	29
COOLEEMEE	1,925 2,000	1931 1953	P -	332 15	C B	South Fork of Yadkin River	Δ -	2.167 1.680	PH-CasMtbSoFrszDcKp -	0.445 0.410	N -	30

INVENTORY OF MUNICIPAL WATER FACILITIES

STATE	DATE	PAGE
NORTH CAROLINA	Jan. 1, 1958	4 of 15

COMMUNITY	1950 Population Estimated Population Served	Year Oper. Started Present Supply Present Treatment Plant	OWNERSHIP	Number of Services Number of Meters	LAB. CONTROL	SOURCE OF SUPPLY	Safe Yield Impounded Maximum Dependable Draft (Gr. water) MGD	Rated Plant Capacity Average Plant Output MGD	TREATMENT	Dist. Storage Pumps to Mains Gravity to Mains MG	IMPROVEMENTS NEEDED	LINE NO.
1	2	3	4	5	6	7	8	9	10	11	12	
CORDOVA	900 1,080	Δ Δ	P -	240 200	N -	Ground -	- 0.070	0.070 0.050	Dc -	0.000 0.091	Δ -	1
CORNELIUS	1,548 (2,000)	Δ -	M -	- -	- -	Davidson -	- -	- -	Davidson -	- -	- -	2
CRAMERTON	3,211 3,800	Δ 1952	P -	602 0	C B	South Fork of Catawba River and Duhart Cr.	Δ -	2.500 1.805	P-CaMbTcSoFrsDcKcp -	0.323 0.260	Δ -	3
CREEDMOORE	852 1,020	1940 1942	M -	300 300	C -	Ledge Creek -	220.00 -	0.144 0.100	P-CalMbTcSoFr DcKp -	0.052 0.068	Δ -	4
* CRESCENT HILL Sanitary District	- (250)	Δ -	M -	- -	- -	South Buncombe Water District	- -	- -	South Buncombe Water District	- -	- -	5
CROSSNORE	240 700	1948 -	P -	55 0	N -	2 wells -	- 0.144	- 0.050	None -	Δ 0.012	Δ -	6
CULLOWHEE	110 1,450	1922 1956	P -	130 89	N -	Long Branch Flat Branch	Δ -	0.190 0.100	P-FpsDc -	0.000 0.200	Δ -	7
DALLAS	2,454 (3,000)	Δ -	M -	- -	- -	Gastonia -	- -	- -	Gastonia -	- -	- -	8
DALTON	64 75	Δ -	P -	25 0	N -	2 springs -	- Δ	- 0.011	None -	0.000 0.013	Δ -	9
DANBURY	250 100	1922 -	P -	40 20	N -	1 spring -	- Δ	- 0.007	None -	0.004 0.014	DL -	10
* DAVIDSON	2,423 4,000	1924 1924	M -	600 600	C -	Cathey's Creek -	5.000 -	0.500 0.300	P-CalDcMbSoFrsKpDc -	0.457 0.100	T -	11
DENTON	766 850	1940 1947	Δ -	540 532	C B	Lick Branch -	0.500 -	0.250 0.100	P-CalMbtSoFrsDc -	0.015 0.100	TDG -	12
DILLSBORO	198 300	1956 -	M -	60 10	N -	2 wells -	- 0.100	- 0.030	None -	0.000 0.050	D -	13
DOBSON	609 750	1951 -	M -	200 200	N -	2 wells -	- 0.200	- 0.037	None -	0.000 0.075	N -	14
DOVER (Cleveland County)	884 540	1956 -	P -	135 0	N -	5 deep wells -	- 0.218	- 0.120	None -	0.020 0.035	Δ -	15
DRAPER	3,629 (5,000)	1953 -	M -	- -	- -	Spray -	- -	- -	Spray -	- -	- -	16
DREXEL	988 2,000	1939 1954	M -	460 460	C B	Probst Creek -	Δ -	0.644 0.125	P-CasDcMbSoFrasKpDc -	0.250 0.060	Δ -	17
DRUID HILLS	500 (900)	Δ -	Δ -	- -	- -	Hendersonville -	- -	- -	Hendersonville -	- -	- -	18
DUDLEY SHOALS	85 Δ	1946 -	P -	21 0	N -	Well and spring -	- 0.080	- 0.009	None -	0.000 0.015	Δ -	19
DUKE POWER COMPANY VILLAGE (Cliffside)	400 150	1955 1955	P -	42 0	N -	Broad River -	100.00 -	0.220 0.148	P-CasDc(MtpsSv)FraDc -	0.000 0.075	Δ -	20
* DUNN	6,316 12,000	1910 1927	M -	2,300 2,300	C B	Cape Fear River -	Δ -	2.000 1.300	P-CalMbSoFrKpcDcVs -	1.000 1.000	T -	21
* DURHAM	71,311 85,000	1917 1917	M -	18,000 18,000	C B	Michie River -	16.000 -	16.000 8.700	P-CalTcMaptSo FraDcsKp V 0.10	4.500 4.500	N -	22
EAST FLAT ROCK	1,100 (1,292)	Δ -	M -	- -	- -	Hendersonville -	- -	- -	Hendersonville -	- -	- -	23
EAST LUMBERTON	1,106 (Δ)	Δ -	Δ -	- -	- -	Lumberton -	- -	- -	Lumberton -	- -	- -	24
EAST ROCKINGHAM	1,000 (10,000)	Δ -	P -	- -	- -	Hamlet -	- -	- -	Hamlet -	- -	- -	25
EAST SPENCER	2,444 (2,250)	Δ -	M -	- -	- -	Salisbury -	- -	- -	Salisbury -	- -	- -	26
EDENTON	4,468 5,000	1910 1954	M -	1,300 1,300	C -	3 deep wells -	- 1.250	0.800 0.350	H-AmDcSoFzKcDc V 0.80 -	0.000 0.300	L -	27
ELIZABETH CITY	12,685 15,000	1934 1926	M -	4,190 4,190	C B	225 wells -	- 2.000	2.000 1.500	HI-DcsCalMbSoFrKc -	1.000 0.500	S -	28
ELIZABETHTOWN	1,614 2,500	1935 1935	M -	700 700	N -	2 deep wells -	- Δ	0.180 0.132	I-AcScKhDh -	0.042 0.075	UTDL -	29
* ELKIN	2,842 3,100	1914 1953	M -	994 819	C B	Big Elkin Creek -	Δ -	1.500 0.800	P-CalMpSoFrsKpDc -	0.600 1.225	T -	30

PHS-2226
REV 4-59

INVENTORY OF MUNICIPAL WATER FACILITIES

STATE	DATE	PAGE
NORTH CAROLINA	Jan. 1, 1958	5 of 15

COMMUNITY	1950 Population Estimated Population Served	Year Oper. Started Present Supply Present Treatment Plant	OWNERSHIP	Number of Services Number of Meters	LAB. CONTROL	SOURCE OF SUPPLY	Safe Yield Impounded Maximum Dependable Draft (Gr. water) MGD	Rated Plant Capacity Average Plant Output MGD	TREATMENT	Dist. Storage Pumps to Mains Gravity to Mains MG	IMPROVEMENTS NEEDED	LINE NO.
1	2	3	4	5	6	7	8	9	10	11	12	
ELK PARK	543	1955	M	125	N	2 wells and	-	-	None	0.000	Δ	1
	550	-	-	99	-	4 springs	1.360	0.108	-	0.046	-	
ELLERBE	773	1924	M	315	N	4 deep wells	-	-	None	0.000	D	2
	900	-	-	307	-	-	0.180	0.066	-	0.100	-	
ELM CITY	839	1914	M	395	Δ	4 deep wells	-	-	None	Δ	U	3
	1,200	-	-	395	-	-	0.750	0.160	-	0.125	-	
ENKA	1,792	Δ	M	-	-	Asheville	-	-	Asheville	-	-	4
	(Δ)	-	-	-	-	-	-	-	-	-	-	
ERWIN	3,344	Δ	Δ	-	-	Dunn	-	-	Dunn	-	-	5
	(5,000)	-	-	-	-	-	-	-	-	-	-	
EUREKA	192	1955	M	66	N	1 well	-	Δ	Dh	Δ	U	6
	211	Δ	-	64	-	-	0.080	0.020	-	0.025	-	
FAIR BLUFF	1,056	1940	M	220	N	2 deep wells	-	-	None	Δ	Δ	7
	900	-	-	220	-	-	0.504	0.108	-	0.075	-	
FAIRMONT	2,319	1945	M	750	N	3 deep wells	-	1.400	DhKp	0.100	UP	8
	2,600	Δ	-	750	-	-	2.800	0.125	-	0.160	-	
FAISON	768	1935	M	225	N	2 deep wells	-	0.250	I-AcClSoFpDh	0.000	U	9
	800	1950	-	225	-	-	Δ	0.110	-	0.100	-	
FARMVILLE	2,942	1939	M	1,090	N	3 deep wells	-	-	None	0.100	U	10
	3,200	-	-	1,090	-	-	0.750	0.450	-	0.300	-	
* FAYETTEVILLE	34,715	1911	M	12,144	C	Glenville, Cornboro	12.000	8.000	P-CalMaptSoTc	1.500	DL	11
	55,000	1943	-	12,144	R	Wintz.Bonnie DooneLks	-	4.500	FrsKcpDcsVs	3.000	-	
FLAT ROCK	600	Δ	M	-	-	Hendersonville	-	-	Hendersonville	-	-	12
	(235)	-	-	-	-	-	-	-	-	-	-	
FONTANA DAM	375	1942	M	355	C	Little Tennessee	Δ	0.500	P-CaMpSoFrsKpDc	0.050	Δ	13
	300	1942	-	0	B	River	-	0.150	-	0.175	-	
FOREST CITY	4,971	1949	M	2,150	C	2nd Broad River	20.000	2.000	P-DoCaMbSoFrsDcKp	0.300	Δ	14
	6,500	1949	-	2,000	B	-	-	0.650	-	0.275	-	
FOUNTAIN	451	1936	M	198	N	1 deep well	-	-	None	0.000	U	15
	600	-	-	176	-	-	0.086	0.075	-	0.075	-	
FOUR OAKS	942	Δ	Δ	200	N	2 wells	-	Δ	DhKc	Δ	N	16
	950	1958	-	200	-	-	0.150	Δ	-	0.100	-	
FRANKLIN	1,975	1951	M	750	N	9 deep wells	-	-	None	Δ	T	17
	2,450	-	-	650	-	-	0.440	0.300	-	0.393	-	
FRANKLINTON	1,414	1921	M	728	C	Kearney's Creek	0.500	0.500	P-CalMbSoFr KpDc	0.240	S	18
	1,500	1921	-	728	-	-	-	0.250	-	0.100	-	
FREMONT	1,395	Δ	M	450	N	3 deep wells	-	-	None	Δ	N	19
	Δ	-	-	450	-	-	0.300	0.120	-	0.100	-	
FUQUAY	1,992	1937	M	800	N	5 deep wells	-	0.500	HI-DhCalFpszMbSoDh	0.000	T	20
	3,000	1947	-	800	-	-	0.750	0.300	-	0.300	-	
GARLAND	539	1955	M	205	N	1 well	-	Δ	Dh	Δ	U	21
	475	1955	-	180	-	-	0.750	0.050	-	0.125	-	
GARNER	1,180	Δ	Δ	650	N	9 wells	-	-	None	Δ	N	22
	2,300	-	-	650	-	-	0.450	0.135	-	0.125	-	
* GASTONIA	23,069	1900	M	11,000	C	Long Creek	35.000	12.00	P-CaMaptTcSoFrs	3.000	L	23
	42,000	1955	-	11,000	B	-	-	6.500	DcsKcpVt V 0.15	1.000	-	
GIBSON	609	Δ	M	132	N	2 shallow wells	-	Δ	Kc	0.000	D	24
	570	Δ	-	132	-	-	0.550	0.030	-	0.100	-	
GIBSONVILLE	1,866	1922	M	760	N	4 deep wells	-	0.450	DcDc	0.154	N	25
	2,500	Δ	-	760	-	-	0.600	0.190	-	0.200	-	
GLEN ALPINE	695	1947	M	250	N	2 deep wells	-	-	None	0.000	Δ	26
	900	-	-	250	-	-	Δ	0.075	-	0.075	-	
GOLDSBORO	21,454	1892	M	6,796	C	Little River	22.000	3.000	P-CalMtpSoFr KpcDc	0.600	TG	27
	27,000	1953	-	6.796	R	Neuse River (aux.)	-	2.500	-	2.000	-	
GRAHAM	5,026	1951	M	2,400	C	Black Creek (imp.)	1.000	1.000	P-CalTcMbSoFrsKcpDc	0.535	SL	28
	8,000	1951	-	2,400	B	-	-	0.625	-	0.075	-	
GRANITE FALLS	2,286	1942	M	988	C	Catawba River (imp.)	Δ	0.300	P-DcCalTcMbSoFrsKpcDc	0.235	Δ	29
	2,984	1954	-	988	B	-	-	0.225	-	0.300	-	
* GREENSBORO	74,389	1923	M	27,750	C	Reedy Fk. Cr. (imp.),	17,000	12.00	P-DcCalTcMbp	21.00	N	30
	115,000	1940	-	27,750	B	Lks. Brandt & Hamburg	-	9.856	SoFrsKgpDcVs	2.250	-	

INVENTORY OF MUNICIPAL WATER FACILITIES

STATE	DATE	PAGE
NORTH CAROLINA	Jan. 1, 1958	6 of 15

COMMUNITY	1950 Population Estimated Population Served	Year Oper. Started Present Supply Present Treatment Plant	OWNERSHIP	Number of Services Number of Meters	LAB. CONTROL	SOURCE OF SUPPLY	Safe Yield Impounded Maximum Dependable Draft (Gr. water) MGD	Rated Plant Capacity Average Plant Output MGD	TREATMENT	Dist. Storage Pumps to Mains Gravity to Mains MG	IMPROVEMENTS NEEDED	LINE NO.
1	2	3	4	5	6	7	8	9	10	11	12	
GREENVILLE	16,724 20,000	1919 1952	M -	6,712 6.712	C B	Tar River 1 well (aux.)	25.500 -	4.500 2.000	P-CalTcMtpSoFr KpNg DcVa (Dc aux. well)	0.650 1.200	N -	1
GRIFTON	510 2,000	1949 -	M -	400 Δ	N -	3 wells -	- 0.360	- 0.160	None -	0.000 0.060	N -	2
GRIMESDALE Subdiv. (Hendersonville)	90 Δ	1957 -	P -	30 0	N -	3 wells -	- 0.100	- 0.009	None -	0.015 Δ	Δ -	3
GROVER	535 495	1956 -	P -	124 0	Δ -	7 wells -	- 0.466	- 0.186	None -	0.010 0.379	Δ -	4
GUILFORD COLLEGE	1,000 (1.500)	Δ -	Δ -	- -	- -	Greensboro -	- -	- -	Greensboro -	- -	- -	5
HALIFAX	346 Δ	1939 1939	M -	140 140	N -	2 wells -	- 0.036	0.050 0.020	I-AcFp -	0.000 0.075	UT -	6
HAMILTON	514 250	1956 -	M -	65 0	N -	1 well -	- 0.550	- 0.010	None -	0.005 0.000	DL -	7
* HAMLET	5,061 15,000	1908 1908	P -	2.500 2.500	C B	Mark's Creek (imp.) -	4.000 -	1.500 1.500	P-CasMtpSoFraDc -	0.200 0.250	TLG -	8
HANES	500 (Δ)	Δ -	Δ -	- -	- -	Winston-Salem -	- -	- -	Winston-Salem -	- -	- -	9
HARRELLSVILLE	167 50	1956 -	P -	17 Δ	N -	Ground -	- 0.050	- 0.003	None -	0.001 0.000	DL -	10
HAVELOCK PARK	600 500	1949 1949	P -	133 130	N -	1 deep well -	- 0.500	0.400 0.025	Dh -	0.000 0.055	T -	11
HAW RIVER	1,175 (1,600)	Δ -	M -	- -	- -	Burlington -	- -	- -	Burlington -	- -	- -	12
HAYESVILLE	356 840	1958 1928	M -	180 180	N -	1 well and 2 springs -	- Δ	0.012 0.072	Dc -	0.029 0.055	Δ -	13
* HAZEL Sanitary District	- (1,600)	Δ -	M -	- -	- -	Asheville -	- -	- -	Asheville -	- -	- -	14
HAZLEWOOD	1,769 (2,500)	Δ -	M -	- -	- -	Waynesville -	- -	- -	Waynesville -	- -	- -	15
HENDERSON	10,996 19,000	1927 1955	M -	4,481 4,481	C B	Fox Lake and Southern Lake	10.000 -	3.000 1.650	P-CalT MbSoFr KpcDc -	0.700 0.932	Δ -	16
* HENDERSONVILLE	6,103 18.765	1955 1923	M -	4,691 4.691	N -	North Fork of Mills River & Bradley Creek	4.000 -	4.000 2.500	Dc -	0.000 10.00	Δ -	17
HENRIETTA	300 900	1953 -	P -	180 180	Δ -	6 wells -	- Δ	- 0.017	None -	0.017 0.000	Δ -	18
HERTFORD	2,096 2,000	1933 1922	M -	640 620	Δ -	70 shallow wells -	- 0.130	0.150 0.125	HI-DcClMbSoFr -	0.200 0.160	U -	19
* HICKORY	14,755 25,000	1936 1947	M -	5,567 5,567	C B	Catawba River (imp.) -	Δ -	4.000 2.080	P-CalMptTcSo FraKpDcVa V 0.10	0.500 1.547	N -	20
HIDDENITE	300 200	1957 -	P -	50 0	N -	2 wells -	- 0.080	- 0.020	None -	0.012 0.000	Δ -	21
HIGHLANDS	515 800	1925 1956	Δ -	500 450	N -	3 wells and Houston Branch	Δ Δ	Δ 0.220	Dc -	0.000 0.110	Δ -	22
HIGH POINT	39,973 50,000	1923 1951	M -	13,218 13,218	C B	Deep River (imp.) -	9.000 -	7.500 5.608	P-DcCaloTcMb SoKpFraDcNgVa	3.000 2.000	MPTD G	23
HIGH SHOALS	860 800	Δ -	P -	240 40	N -	6 deep wells -	- Δ	- 0.125	None -	0.035 0.070	N -	24
HILL PENNELL (Lenoir)	75 Δ	1957 -	P -	23 0	M -	1 well -	- 0.100	- 0.008	None -	Δ 0.000	Δ -	25
HILLSBORO	1,329 3,500	1935 1950	M -	1,100 1,100	C B	Ben Johnson Lake on Eno River	1.000 -	0.500 0.300	P-CaMtSoFraKpDc -	0.050 0.200	M -	26
HIWASSEE DAM	135 Δ	1938 1938	Δ -	Δ 0	C -	Hiwassee Lake -	Δ -	0.180 0.014	P-DcCalsMpScFraKpDc -	0.061 0.050	Δ -	27
HOLLY REDGE Source # 1	1,082 500	1942 1942	M -	140 0	N -	1 well -	- 0.175	0.175 0.030	Dh -	0.002 0.000	TL -	28
HOLLY RIDGE Source # 2	- 600	1952 1957	P -	250 0	N -	1 well -	- 0.375	0.125 0.050	KcDh -	0.006 0.000	L -	29
HOOKERTON	253 300	1944 -	M -	100 0	N -	1 deep well -	- 0.110	- 0.030	None -	0.000 0.075	N -	30

PHS-2226
REV. 4-59

INVENTORY OF MUNICIPAL WATER FACILITIES

STATE	DATE	PAGE
NORTH CAROLINA	Jan. 1, 1958	7 of 15

COMMUNITY	1950 Population Estimated Population Served	Year Oper. Started Present Supply Present Treatment Plant	OWNERSHIP	Number of Services Number of Meters	LAB. CONTROL	SOURCE OF SUPPLY	Safe Yield Impounded Maximum Dependable Draft (Gr. water) MGD	Rated Plant Capacity Average Plant Output MGD	TREATMENT	Dist. Storage Pumps to Mains Gravity to Mains MG	IMPROVEMENTS NEEDED	LINE NO.
1	2	3	4	5	6	7	8	9	10	11	12	
HOPE MILLS	1,077 1.250	1950 -	M -	350 350	N -	3 wells -	- 0.500	- 0.080	None -	Δ 0.140	N -	1
HOT SPRINGS	721 1,025	1941 Δ	M -	256 256	Δ -	Cascade Branch springs (aux.)	Δ -	Δ 0.075	Db -	0.000 0.130	Δ -	2
HUDSON	922 1.370	1950 -	M -	343 343	N -	1 well -	- 0.500	- 0.060	None -	Δ 0.075	Δ -	3
HUNTERSVILLE	916 1,300	1926 -	M -	458 400	N -	6 deep wells -	- 0.060	- 0.060	None -	0.000 0.075	UD -	4
JACKSON	843 900	1937 -	M -	220 219	N -	3 shallow wells and 1 deep well	- 0.085	- 0.050	None -	0.000 0.075	U -	5
JACKSONVILLE	3,960 15,000	1942 1953	M -	2,500 2,500	C -	5 deep wells -	- 2.500	2.250 1.200	DcAmDc -	0.550 0.400	TD -	6
JAMESTOWN	748 1,250	1948 1948	M -	340 340	C B	Deep River (imp.) -	Δ -	0.144 0.124	P-CaMtbsoFrsDcKp -	0.018 0.100	PTG -	7
JEFFERSON	359 275	1956 -	P -	100 6	N -	23 springs -	- 0.096	- 0.096	None -	Δ 0.096	Δ -	8
JOHNSON DEVELOPMENT	148 Δ	1957 -	P -	37 0	N -	3 wells -	- 0.079	- 0.015	None -	Δ 0.000	Δ -	9
JONESVILLE	1,768 (1,800)	1947 -	Δ -	- -	- -	Elkin -	- -	- -	Elkin -	- -	- -	10
JOYCETON	450 430	1952 -	P -	105 105	N -	3 wells -	- 0.480	- 0.250	None -	Δ 0.125	Δ -	11
KANNAPOLIS	28,448 33,000	1940 1938	P -	1,825 1,825	C B	Buffalo Creek (imp.) Coddle Creek (aux.)	5.700 -	7.000 5.410	P-CaDcsMabSoTcFras Kcgp	0.340 0.600	N -	12
KENANSVILLE	674 1,000	1934 -	Δ -	250 250	N -	2 deep wells -	- 0.250	- 0.075	None -	0.000 0.025	UL -	13
KENLY	1,129 1.300	1939 -	M -	400 350	N -	3 deep wells -	- 0.500	- 0.100	None -	0.000 0.100	Δ -	14
KERNERSVILLE	2,396 3,275	1953 1926	Δ -	935 935	C B	Belew's Creek (imp.) Hammond Creek (imp.)	1.500 -	1.000 0.356	P-CalMbT SoFrsKpDc -	0.300 0.100	PT -	15
KINGS MOUNTAIN	7,206 8.000	1954 1954	M -	1,800 1,800	C B	King's Creek (imp.) -	Δ -	2.000 0.500	P-CaDcMtpSoFraKpDc -	0.300 0.500	L -	16
KINSTON	18,336 24.000	1956 1956	M -	8,400 8.400	N -	7 deep wells -	- 7.500	7.500 3.000	Dc -	1.500 0.500	UL -	17
KNIGHTDALE	461 500	1953 Δ	M -	172 172	N -	2 wells -	- 0.140	Δ 0.030	Dh -	Δ 0.750	N -	18
KURE BEACH	228 350	Δ -	M -	350 340	N -	3 deep wells -	- 0.200	- 0.150	None -	Δ 0.075	N -	19
LABORATORY	200 32	1951 -	P -	9 0	N -	2 deep wells -	- 0.054	- 0.045	None -	0.000 0.001	N -	20
LA GRANGE	1,852 1.500	1926 -	M -	513 510	N -	3 deep wells -	- 0.432	- 0.100	None -	0.000 0.100	TD -	21
LAKE JUNALASKA	400 (1,040)	Δ -	Δ -	- -	- -	Waynesville -	- -	- -	Waynesville -	- -	- -	22
LAKE LURE	174 207	1956 -	M -	130 130	N -	3 wells -	- 0.255	- 0.150	None -	Δ Δ	Δ -	23
LAKE SUMMIT	260 Δ	1947 -	P -	65 65	N -	5 springs -	- 0.050	- 0.035	None -	Δ 0.080	Δ -	24
LANDIS	1,827 2.200	1953 1953	Δ -	653 650	C B	Grant Creek (imp.) -	3.000 -	1.000 0.204	P-CaMabTcSoFr KpDc -	0.290 0.100	N -	25
LANSING	274 250	Δ -	Δ -	65 0	N -	1 well and springs -	- 0.021	- 0.010	None -	0.000 0.020	Δ -	26
LAURAL HILL	400 600	1942 Δ	P -	60 58	N -	2 wells -	- Δ	0.150 0.020	DhKc -	Δ 0.075	Δ -	27
LAUREL PARK Source # 1	302 (210)	Δ -	Δ -	- -	- -	Hendersonville -	- -	- -	Hendersonville -	- -	- -	28
LAUREL PARK Source # 2	- 140	Δ -	M -	43 0	N -	5 springs -	- Δ	- 0.014	None -	0.000 0.450	MP -	29
LAURINBURG	7,134 8,400	1923 1923	M -	1,400 1,400	C B	Juniper and Jordan's Creeks, (1 well aux.)	6.000 -	1.500 1.000	P-DcCalTcMbSoFrsDc -	0.500 0.300	T -	30

PHS-2226
REV. 4-59

INVENTORY OF MUNICIPAL WATER FACILITIES

STATE	DATE	PAGE
NORTH CAROLINA	Jan. 1, 1958	8 of 15

COMMUNITY	1950 Population Estimated Population Served	Year Oper. Started Present Supply Present Treatment Plant	OWNERSHIP	Number of Services Number of Meters	LAB. CONTROL	SOURCE OF SUPPLY	Safe Yield Impounded Maximum Dependable Draft (Gr. water) MGD	Rated Plant Capacity Average Plant Output MGD	TREATMENT	Dist. Storage Pumps to Mains Gravity to Mains MG	IMPROVEMENTS NEEDED	LINE NO.
1	2	3	4	5	6	7	8	9	10	11	12	
LAWNDALE	964	1925	P	125	N	2 deep wells	-	Δ	Dh	0.000	UD	1
	500	Δ	-	0	-	-	0.086	0.068	-	0.075	-	
* LEAKSVILLE	4,045	1922	M	1,950	C	Dan River	Δ	1.000	P-CaMbSoFrsKpDc	0.500	Δ	2
	6,500	1954	-	1,950	B	-	-	0.700	-	0.650	-	
LENOIR	7,888	1957	M	3,200	C	Catawba River	Δ	3.000	P-DcCal(MtpsSv)	0.500	Δ	3
	12,800	1957	-	3,200	B	Lake (aux.)	-	0.800	SoFraKpDcVs	2.600	-	
LEXINGTON	13,571	1927	M	5,361	C	Abbotts Creek and	10.000	3.500	P-CalWptTcSoFrs	1.000	N	4
	15,000	1947	-	5,361	B	Leonards Creek (imp.)	-	2.120	KcpDcVt V 0.15	1.450	-	
LIBERTY	1,342	Δ	M	525	N	4 deep wells	-	-	None	0.000	Δ	5
	1,500	-	-	525	-	-	0.180	0.150	-	0.075	-	
LILESVILLE	605	1939	M	222	N	2 deep wells	-	-	None	0.000	Δ	6
	800	-	-	148	-	-	Δ	0.035	-	0.075	-	
LILLINGTON	1,061	1916	M	425	C	Cape Fear River	20.000	0.500	P-CalDcMptSoFrsKpTcDc	0.200	N	7
	1.425	1957	-	425	B	-	-	0.100	-	0.075	-	
* LINCOLNTON	5,423	1956	Δ	2,225	C	Walker Branch, South	Δ	1.000	P-CalTcWbSo	0.285	TDL	8
	6,000	1926	-	2,200	B	Fork River, 5 wells	0.250	0.550	FrsKpDc V 0.10	0.225	-	
LINVILLE	350	1954	P	60	N	Deep wells	-	-	None	0.000	Δ	9
	340	-	-	0	-	-	0.080	0.060	-	0.060	-	
LITTLE SWITZERLAND	163	1936	M	50	N	45 springs	-	-	None	0.000	Δ	10
	200	-	-	0	-	-	0.060	0.030	-	0.032	-	
LITTLETON	1,173	Δ	M	400	N	5 deep wells	-	-	None	0.125	N	11
	1.200	-	-	395	-	-	0.600	0.100	-	0.060	-	
LONG BEACH	800	1955	P	90	N	2 wells	-	0.120	Dh	0.000	TL	12
	500	Δ	-	0	-	well (aux.)	0.240	0.050	aux. well (no treat.)	0.001	-	
LONGHURST	1,539	Δ	Δ	-	-	Roxboro	-	-	Roxboro	-	-	13
	(1,600)	-	-	-	-	-	-	-	-	-	-	
LONGVIEW	2,291	1947	M	-	-	Hickory	-	-	Hickory	-	-	14
	(3,200)	-	-	-	-	-	-	-	-	-	-	
LOUISBURG	2,545	1906	Δ	803	C	Tar River	10.000	1.000	P-CalMbSoFr Dc	0.750	T	15
	2.800	1924	-	510	-	-	-	0.500	-	0.288	-	
* LOWELL	2,313	1933	M	-	-	Gastonia	-	-	Gastonia	-	-	16
	(3,500)	-	-	-	-	-	-	-	-	-	-	
LOWGAP	350	1956	P	46	N	Springs	-	-	None	Δ	UDL	17
	140	-	-	0	-	-	Δ	0.003	-	0.005	-	
LUCAMA	405	Δ	M	158	N	2 deep wells	-	0.350	I-AmClDhMbFp	Δ	N	18
	500	1957	-	158	-	-	0.450	0.040	-	0.100	-	
* LUMBERTON	9,186	1914	M	4,200	C	Lumber River	Δ	2.250	P-CalMtpTcSoFrKcpDcVh	0.600	LG	19
	11.580	1914	-	3,780	B	-	-	1.140	-	0.300	-	
LYNN	500	Δ	Δ	-	-	Tryon	-	-	Tryon	-	-	20
	(Δ)	-	-	-	-	-	-	-	-	-	-	
McADENVILLE	1,060	1939	Δ	150	N	2 wells	-	-	None	0.000	DL	21
	Δ	-	-	0	-	-	Δ	0.240	-	0.030	-	
MACCLESFIELD	370	1955	M	190	N	2 deep wells	-	-	None	0.000	N	22
	Δ	-	-	170	-	-	0.450	0.035	-	0.060	-	
MADISON	1,789	1927	Δ	-	-	Mayodan	-	-	Mayodan	-	-	23
	(2,500)	-	-	-	-	-	-	-	-	-	-	
MAGNOLIA	585	Δ	M	130	N	1 well	-	-	None	Δ	U	24
	445	-	-	126	-	-	0.200	0.042	-	0.065	-	
MAIDEN	1,952	1921	M	800	N	6 wells	-	-	None	0.000	N	25
	2.300	-	-	800	-	-	0.496	0.100	-	0.150	-	
MANTEO	635	1940	M	301	C	2 gravel packed wells	-	0.144	AcDhKp	0.200	N	26
	1,500	1940	-	300	-	-	0.180	0.065	-	0.075	-	
MARGRACE MILL (Kings Mountain)	250	1954	P	74	N	13 wells	-	-	None	Δ	Δ	27
	Δ	-	-	0	-	Kings Mt. (aux.)	0.900	0.350	-	0.500	-	
MARION	2,740	1925	M	2,350	N	Mackey's & Clear Crs.	Δ	2.000	Dc (P-DcCasWbSo	0.200	Δ	28
	9,100	1955	-	2,350	-	Buck Creek (aux.)	-	1.500	FraDc, aux.)	1.110	-	
MARSHALL	983	1922	M	335	N	Hunter Branch of	110.00	Δ	Dc	0.000	Δ	29
	1.340	Δ	-	335	-	Walnut Creek	-	0.075	-	1.125	-	
MARS HILL	1,404	1927	M	286	N	Laurel Creek	Δ	Δ	Dc	0.000	Δ	30
	1,600	Δ	-	283	-	-	-	0.160	-	0.350	-	

PHS-2226
REV. 4-59

INVENTORY OF MUNICIPAL WATER FACILITIES

STATE	DATE	PAGE
NORTH CAROLINA	Jan. 1, 1958	9 of 15

COMMUNITY	1950 Population	Year Oper. Started	OWNERSHIP	Number of Services	LAB. CONTROL	SOURCE OF SUPPLY	Safe Yield Impounded	Rated Plant Capacity	TREATMENT	Dist. Storage	IMPROVEMENTS NEEDED	LINE NO.
		Present Supply								Pumps to Mains		
	Estimated Population Served	Present Treatment Plant		Number of Meters			Maximum Dependable Draft (Gr. water) MGD	Average Plant Output MGD		Gravity to Mains MG		
1	2	3	4	5	6	7	8	9	10	11	12	
MARSHVILLE	1,258	Δ	M	-	-	Monroe	-	-	Monroe	-	-	1
	(2,000)	-	-	-	-	-	-	-	-	-	-	
MATTHEWS	589	1947	M	190	N	4 deep wells	-	-	None	0.000	P	2
	700	-	-	190	-	-	0.086	0.035	-	0.075	-	
MAXTON	1,974	1947	M	400	N	2 deep wells	-	0.720	AtKp	0.200	D	3
	1.800	Δ	-	400	-	-	0.720	0.200	-	0.100	-	
* MAYODAN	2,246	1927	M	750	Δ	Mayo River	Δ	0.900	P-CasMbSoFrsDc	0.200	Δ	4
	4,000	Δ	-	750	-	-	-	0.400	-	0.075	-	
MEBANE	2,068	1922	M	900	C	Mill Creek	2.000	1.000	P-CalMpSoFrsDcKc	0.250	Δ	5
	2,700	1922	-	900	-	-	-	0.280	-	0.075	-	
MIDDLESEX	446	Δ	M	215	N	2 deep wells	-	Δ	Kc	Δ	L	6
	795	1934	-	Δ	-	-	0.500	0.110	-	0.030	-	
MIDWAY PARK	3,703	Δ	Δ	-	-	Camp Lejeune	-	-	Camp Lejeune	-	-	7
	(Δ)	-	-	-	-	Marine Base	-	-	Marine Base	-	-	
MILTON	317	1939	M	80	N	2 wells	-	-	None	Δ	U	8
	400	-	-	50	-	-	0.010	0.010	-	0.025	-	
MOCKSVILLE	1,909	1947	Δ	875	C	City Lake	1.500	0.500	P-CalMbSoFrsKpDc	0.100	N	9
	2.200	1947	-	875	B	-	-	0.165	-	0.100	-	
MONCURE	500	1924	P	14	C	Cape Fear River	Δ	0.864	P-DcCasMbSoAmDcFpr	0.000	Δ	10
	80	1957	-	0	-	-	-	0.100	-	0.075	-	
* MONROE	10,140	1927	M	4,000	C	Little Richardson Cr.	Δ	3.000	P-DcCasTc(MtpsSv)	1.000	M	11
	13,000	1927	-	4,000	B	& Big Richardson Cr.	-	1.200	SoFarKpcDc	0.800	-	
MONTREAT	260	1950	Δ	440	N	Flat Creek and	Δ	Δ	Dc	Δ	Δ	12
	3.415	1906	-	0	-	Piney Branch	-	0.530	-	0.000	-	
MOORESVILLE	7,121	1923	M	2,547	C	Catawba River	Δ	1.500	P-CalMaSoFrs	0.500	N	13
	11,000	1948	-	2,547	B	-	-	0.883	KpDcVt V 0.10	0.600	-	
MOREHEAD CIT	5,144	1911	P	1,760	N	6 deep wells	-	1.500	Dc	0.000	U	14
	6,000	1942	-	1,760	-	-	1.500	0.600	-	0.180	-	
MORGANTOWN Source # 1	8,311	1951	M	3,600	Δ	Upper Creek	Δ	2.000	P-CasDcMpSoFrsKpDc	Δ	Δ	15
	13,000	1954	-	3,600	-	-	-	0.910	-	1.500	-	
MORGANTOWN Source # 2	-	1903	M	-	Δ	Henry River (imp.)	Δ	-	None	Δ	Δ	16
	8,311	-	-	-	-	-	-	0.500	-	1.500	-	
MORVEN	601	1936	M	155	N	2 deep wells	-	0.136	Dh	Δ	D	17
	625	Δ	-	155	-	-	Δ	0.050	-	0.100	-	
MOUNTAIN HOME Source # 1	250	1954	P	143	N	3 wells	-	-	None	Δ	Δ	18
	300	-	-	0	-	-	0.069	0.040	-	0.017	-	
MOUNTAIN HOME Source # 2	-	1954	P	42	N	2 wells	-	-	None	0.005	Δ	19
	100	-	-	0	-	-	0.047	0.020	-	0.000	-	
MOUNT AIRY	7,192	1926	M	2,500	C	Lovills Branch	Δ	2.500	P-CalMbSoFrsKcpDcVt	0.650	N	20
	8,500	1953	-	2,500	B	-	-	1.200	-	0.850	-	
MOUNT GILEAD	1,201	Δ	M	425	C	Pee Dee River (imp.)	Δ	0.250	P-CalMbSoFr KpDc	0.250	Δ	21
	Δ	1937	-	425	B	-	-	0.100	-	0.100	-	
MOUNT HOLLY	2,241	1925	Δ	1,650	C	Catawba River	Δ	1.000	P-CaMbSoFrsKpDc	0.350	Δ	22
	6,000	Δ	-	1,650	B	-	-	0.450	-	0.275	-	
MOUNT OLIVE	3,732	1925	M	1,225	N	4 deep wells	-	Δ	I-DhAtSoFp	0.240	N	23
	5.000	1927	-	1.225	-	-	0.830	0.350	-	0.275	-	
MOUNT PLEASANT	1,019	1957	M	343	C	Dutch Buffalo Creek	Δ	0.360	P-CasDcMtpSoFrsKpDc	0.010	T	24
	1,200	1957	-	343	B	-	-	0.050	-	0.200	-	
MURFREESBORO	2,140	1954	M	730	N	3 deep wells	-	-	None	0.000	N	25
	3,000	-	-	700	-	-	1.000	0.275	-	0.075	-	
MURPHY Source # 1	2,433	1926	M	727	N	Hiwassee River	Δ	1.000	P-CasMbSoFrsDc	0.130	Δ	26
	1.048	1957	-	475	-	-	-	0.180	-	2.300	-	
MURPHY Source # 2	-	1910	M	Δ	M	Marble Creek (imp.)	Δ	0.432	Dc	0.000	Δ	27
	1,862	1957	-	Δ	-	-	-	0.320	-	Δ	-	
NASHVILLE	1,302	Δ	M	540	N	3 deep wells	-	-	None	0.110	N	28
	1.600	-	-	540	-	-	0.800	0.100	-	0.060	-	
NEW BERN	15,812	1943	M	4,217	C	12 deep and gravel	-	3.000	HI-[AoFp][Fz]KpAmNgDc	0.300	T	29
	22,500	1951	-	4.057	-	packed wells	10.000	1.750	-	0.500	-	
NEWLAND	425	1956	M	200	N	3 deep wells	-	-	None	0.000	Δ	30
	800	-	-	0	-	-	0.446	0.092	-	0.185	-	

INVENTORY OF MUNICIPAL WATER FACILITIES

STATE	DATE	PAGE
NORTH CAROLINA	Jan. 1, 1958	10 of 15

COMMUNITY	1950 Population / Estimated Population Served	Year Oper. Started / Present Supply / Present Treatment Plant	OWNERSHIP	Number of Services / Number of Meters	LAB. CONTROL	SOURCE OF SUPPLY	Safe Yield Impounded / Maximum Dependable Draft (Gr. water) MGD	Rated Plant Capacity / Average Plant Output MGD	TREATMENT	Dist. Storage / Pumps to Mains / Gravity to Mains MG	IMPROVEMENTS NEEDED	LINE NO.
1	2	3	4	5	6	7	8	9	10	11	12	
NEW LEAKSVILLE	1,528	Δ	Δ	-	-	Leaksville	-	-	Leaksville	-	-	1
	(1.550)	-	-	-	-	-	-	-	-	-	-	
NEWPORT	676	1954	Δ	150	N	1 well	-	0.250	KcDh	0.000	MTD	2
	400	1954	-	150	-	-	0.220	0.030	-	0.100	-	
NEWTON	6,039	1927	M	2,613	C	Jacobs Fk. of Henry R	3.000	2.000	P-CasWbTcSoFrsKpDc	0.500	N	3
	7,500	1949	-	2,613	B	& Hildebran Cr. (imp)	-	0.849	-	0.500	-	
NIAGARA	120	Δ	M	31	Δ	2 deep wells	-	-	None	0.000	Δ	4
	75	-	-	0	-	-	Δ	0.002	-	0.015	-	
NORLINA	874	1947	M	225	N	3 deep wells	-	Δ	Dh	0.000	N	5
	825	1947	-	225	-	-	0.200	0.040	-	0.075	-	
NORTH WILKESBORO	4,379	1955	M	1,166	C	Reddies River (imp.)	13.000	3.000	P-CalDcMtpSoFrsKpDc	1.000	Δ	6
	5,000	1955	-	1,166	B	-	-	0.500	-	0.441	-	
NORWOOD	1,735	1947	M	600	B	Yadkin River (imp.)	Δ	0.500	P-CalMbSoFrsKpDc	0.200	Δ	7
	2,200	1947	-	600	-	-	-	0.165	-	0.600	-	
OAKBORO	631	Δ	M	255	N	3 deep wells	-	Δ	None	0.000	Δ	8
	700	-	-	255	-	-	Δ	0.070	-	0.075	-	
OAK CITY	518	1955	M	137	N	1 well	-	0.360	Dc	0.000	N	9
	625	1955	-	132	-	-	0.280	0.025	-	0.075	-	
OAKLEY	3,000	1919	P	-	-	Asheville	-	-	Asheville	-	-	10
(Buncombe County)	(4,240)	-	-	-	-	-	-	-	-	-	-	
OLD FORT	771	1954	M	375	N	Jarett Creek (imp.)	Δ	-	Dc	Δ	Δ	11
	1,500	Δ	-	0	-	-	-	0.150	-	2.000	-	
ORA MILLS	320	1957	P	81	N	5 wells and 1 spring	-	-	None	Δ	Δ	12
(Shelby)	Δ	-	-	0	-	-	0.310	0.138	-	0.025	-	
OSIPEE	693	1931	P	110	N	2 wells	-	-	None	0.002	N	13
	600	-	-	0	-	-	0.057	0.035	-	0.025	-	
OXFORD	6,685	1925	M	1,850	C	Tar River and	350.00	1.500	P-CasDcMbSoFr KpTcDc	0.500	ST	14
	8,000	Δ	-	1,850	B	Devim Lake	-	1.000	-	0.100	-	
PARKTON	527	1956	M	149	N	1 well	-	0.140	Dh	0.000	Δ	15
	607	Δ	-	149	-	-	Δ	0.015	-	0.075	-	
PAW CREEK	778	Δ	Δ	-	-	Paw Creek	-	-	None	-	-	16
	(Δ)	-	-	-	-	Sanitary District	-	-	-	-	-	
* PAW CREEK	-	1929	M	125	N	2 wells	-	-	None	Δ	Δ	17
SANITARY DISTRICT	800	-	-	125	-	-	0.050	0.050	-	0.050	-	
PEMBROKE	1,212	1932	M	350	N	2 wells	-	1.290	I-AtcClSeDh	0.075	T	18
	2,000	Δ	-	0	-	-	1.290	0.150	-	0.075	-	
PHILLIPSVILLE	1,271	Δ	Δ	-	-	Canton	-	-	Canton	-	-	19
	(Δ)	-	-	-	-	-	-	-	-	-	-	
PIKEVILLE	464	1938	M	170	Δ	3 deep wells	-	-	None	Δ	N	20
	550	-	-	170	-	-	0.250	0.030	-	0.075	-	
PILOT MOUNTAIN	1,092	1936	Δ	463	N	6 wells	-	0.648	DhKc	0.000	N	21
	1.600	Δ	-	461	-	-	0.864	0.350	-	0.300	-	
PINEBLUFF	575	Δ	M	182	N	7 springs	-	1.000	Dc	0.100	USD	22
	675	Δ	-	182	-	small lake (aux.)	0.040	0.030	-	0.050	-	
PINEHURST	1,016	1900	P	500	N	Rattlesnake Branch	Δ	0.720	P-SoFgsKcDc	0.100	MD	23
	4.000	Δ	-	500	-	Juniper Branch (aux.)	-	0.300	-	0.200	-	
PINE LEVEL	602	1958	Δ	190	C	Well	-	-	None	Δ	Δ	24
	700	-	-	190	-	-	0.250	Δ	-	0.075	-	
PINETOPS	1,031	1957	M	500	N	4 deep wells	-	-	None	0.000	N	25
	1.650	-	-	500	-	-	0.864	0.075	-	0.075	-	
PINEVILLE	1,373	1950	M	-	-	Charlotte	-	-	Charlotte	-	-	26
	(1,500)	-	-	-	-	-	-	-	-	-	-	
PINK HILL	386	1953	M	186	N	Well	-	-	None	0.000	N	27
	450	-	-	186	-	-	0.500	0.030	-	0.075	-	
PITTSBORO	1,094	1949	Δ	Δ	N	Roberson Creek (imp.)	Δ	0.250	P-DcCalWbsSoFrs TcKcgDc	0.050	L	28
	1.600	1949	-	Δ	-	-	-	0.100		0.100	-	
PLYMOUTH	4,486	1914	M	1,000	N	2 deep wells	-	0.432	H-DcFzKp	0.000	D	29
	3.500	1957	-	1,000	-	-	0.750	0.250	-	0.325	-	
POWELLSVILLE	250	1954	Δ	69	N	2 wells	-	-	None	0.001	L	30
	225	-	-	0	-	-	0.100	0.016	-	0.000	-	

PHS-2226
REV. 4-59

INVENTORY OF MUNICIPAL WATER FACILITIES

STATE	DATE	PAGE
NORTH CAROLINA	Jan. 1, 1958	11 of 15

COMMUNITY	1950 Population	Year Opr. Started	OWNERSHIP	Number of Services	LAB. CONTROL	SOURCE OF SUPPLY	Safe Yield Impounded	Rated Plant Capacity	TREATMENT	Dist. Storage	IMPROVEMENTS NEEDED	LINE NO.
		Present Supply								Pumps to Mains		
	Estimated Population Served	Present Treatment Plant		Number of Meters			Maximum Dependable Draft (Gr. water) MGD	Average Plant Output MGD		Gravity to Mains MG		
1	2	3	4	5	6	7	8	9	10	11	12	
PRINCETON	608	1939	M	298	N	2 deep wells	-	-	None	0.000	D	1
	895	-	-	200	-	-	0.250	0.050	-	0.075	-	
PROXIMITY MILLS	4,000	1937	Δ	-	-	Greensboro	-	-	Greensboro	-	-	2
(Greensboro)	(800)	-	-	-	-	-	-	-	-	-	-	
RAEFORD	2,030	1916	M	850	N	6 deep wells	-	2.000	I-AcClMbKcScDh	0.300	L	3
	3,000	Δ	-	0	-	-	2.000	0.700	-	0.160	-	
RALEIGH	65,679	1885	M	18,664	C	Raleigh, Johnson and	12.600	13.00	P-CalDcMaptSoTcFrs	8.000	SPT	4
	82,000	1940	-	18,664	B	Benson Lakes	-	8.740	KcpDcsVt V 0.10	1.350	-	
RAMSEUR	1,134	Δ	M	565	C	Sandy Creek	Δ	0.244	P-CaDcMbSoFrsKpDc	0.135	T	5
	2,500	Δ	-	565	B	-	-	0.150	-	0.375	-	
RANDLEMAN	2,066	1935	M	800	C	Polecat Creek	1.000	0.500	P-CalTcMbtpSoFr KpDc	0.125	Δ	6
	2,500	1935	-	800	B	-	-	0.237	-	0.275	-	
RANLO	2,300	Δ	Δ	-	-	Lowell	-	-	Lowell	-	-	7
	(475)	-	-	-	-	-	-	-	-	-	-	
RED SPRINGS	2,245	1913	Δ	626	N	3 wells	-	0.648	I-AcClsDchFpsKp	0.060	TDL	8
Source # 1	2,800	Δ	-	626	-	-	1.050	0.325	-	0.075	-	
RED SPRINGS	-	1940	M	169	N	Deep well	-	0.432	I-AcClMbSoFpsDh	0.030	UD	9
Source # 2	670	1940	-	84	-	-	Δ	0.275	-	0.100	-	
REIDSVILLE	11,708	Δ	Δ	4,200	C	Troublesome Creek	1.000	3.000	P-CasMptSoFrsTc	0.900	Δ	10
	13,000	1952	-	4,170	B	-	-	1.300	VsDc V 0.20	1.375	-	
RHODHISS	923	1947	M	225	N	3 wells	-	Δ	DhKc (2 wells only)	0.000	Δ	11
	1,150	Δ	-	222	-	-	0.222	0.115	-	0.100	-	
RICHLANDS	877	1950	M	325	N	Well	-	-	None	0.000	N	12
	900	-	-	325	-	-	0.350	0.060	-	0.075	-	
RICH SQUARE	971	1939	M	316	N	3 wells	-	-	None	0.000	N	13
	1,000	-	-	310	-	-	0.230	0.080	-	0.100	-	
RIDGECREST	300	1955	P	208	N	Impounding dam	Δ	Δ	Dc	0.000	L	14
	3,600	Δ	-	208	-	Black Mountain (aux.)	-	0.190	-	0.240	-	
ROANOKE RAPIDS	8,156	1933	P	3,264	C	Roanoke River and	Unl.	3.750	P-CasNgDcTcMbSoFr	1.250	N	15
	15,000	1951	-	3,264	B	Vepco Lake	-	1.750	KpDcVs	1.000	-	
ROBBINS	1,158	Δ	M	Δ	C	Bear Creek	Δ	1.000	P-CasDcMbSoFr KpcDc	0.324	TDLG	16
	2,000	1937	-	Δ	B	-	-	0.600	-	0.100	-	
ROBBINSVILLE	515	1957	M	375	N	Burgins, Panther and	Δ	Δ	Dc	0.000	Δ	17
	1,500	Δ	-	1	-	Rock Creeks (imp.)	-	0.460	-	1.420	-	
ROBERDELL	451	Δ	P	100	N	Well	-	-	None	0.000	UT	18
	450	-	-	0	-	-	Δ	0.022	-	0.056	-	
ROBERSONVILLE	1,414	1936	M	510	N	2 wells	-	-	None	0.075	N	19
	1,500	-	-	480	-	-	0.350	0.175	-	0.100	-	
ROCKINGHAM	3,356	1928	M	2,200	C	Falling Creek (imp.)	8.000	1.500	P-CalMbSoFrsDcKcpVt	0.300	Δ	20
	7,500	1928	-	2,200	B	Hitchcock Creek (aux)	-	0.575	-	0.400	-	
ROCKWELL	852	1939	M	315	N	3 wells	-	-	None	0.000	N	21
	1,000	-	-	315	-	-	0.338	0.080	-	0.100	-	
ROCKY MOUNT	27,697	1908	M	9,259	C	Tar River	20.000	11.50	P-CalMtpSo	2.700	Δ	22
	40,000	1957	-	9,259	B	-	-	4.860	FrsKcpNgDcVs	2.000	-	
ROSEBORO	1,241	1926	M	400	N	2 wells	-	-	None	0.000	N	23
	1,500	-	-	Δ	-	-	0.750	0.150	-	0.100	-	
ROSE HILL	896	1950	M	400	N	2 wells	-	-	None	0.000	U	24
	1,300	-	-	400	-	-	0.250	0.070	-	0.075	-	
ROSMAN	535	1935	P	72	N	2 wells	-	-	None	Δ	PD	25
	245	-	-	0	-	-	0.100	0.025	-	0.000	-	
ROWLAND	1,293	1944	M	Δ	Δ	Well	-	0.950	Ac	0.125	Δ	26
	1,350	Δ	-	Δ	-	-	Δ	0.125	-	0.075	-	
* ROYAL OAKS	-	1954	M	390	N	Ground	-	0.252	Dh	0.000	D	27
Sanitary District	1,600	Δ	-	390	-	-	0.320	0.052	-	0.142	-	
* ROXBORO	4,321	1924	M	1,981	C	Lake Isaac Walton	4.500	3.000	P-CalMtpSoFrsKpDc	1.500	Δ	28
	10,000	1953	-	1,981	B	(imp.) on Storage Cr.	-	1.500	-	0.500	-	
RURAL HALL	900	1939	M	380	N	2 wells	-	-	None	0.000	N	29
	1,800	-	-	380	-	-	0.200	0.069	-	0.075	-	
RUTH	324	Δ	P	-	-	Spindale	-	-	Spindale	-	-	30
	(Δ)	-	-	-	-	-	-	-	-	-	-	

PHS-2226
REV. 4-59

INVENTORY OF MUNICIPAL WATER FACILITIES

STATE	DATE	PAGE
NORTH CAROLINA	Jan. 1, 1958	12 of 15

COMMUNITY	1950 Population Estimated Population Served	Year Oper. Started: Present Supply Present Treatment Plant	OWNERSHIP	Number of Services Number of Meters	LAB. CONTROL	SOURCE OF SUPPLY	Safe Yield Impounded Maximum Dependable Draft (Gr. water) MGD	Rated Plant Capacity Average Plant Output MGD	TREATMENT	Dist. Storage: Pumps to Mains Gravity to Mains MG	IMPROVEMENTS NEEDED	LINE NO.
1	2	3	4	5	6	7	8	9	10	11	12	
RUTHERFORDTON	3,146 (Δ)	Δ -	P -	- -	- -	Spindale -	- -	- -	Spindale -	- -	- -	1
ST. PAULS	2,251 2,500	Δ Δ	M -	650 450	N -	3 wells -	- 0.790	0.790 0.100	DhKc -	0.000 0.100	TDL -	2
* SALISBURY	20,102 27,000	1916 1951	M -	6,376 6,159	C B	Yadkin River -	Unl. -	4.000 3.200	P-CalMptSoFr KpDc Vt V 0.07	1.750 1.500	N -	3
SALUDA	547 1,200	1926 1926	M -	300 300	N -	Kellys Lake on Paces Creek	Δ -	0.300 0.033	P-CasMbSoFr Dc -	Δ 0.216	F -	4
SAND HILL	300 (Δ)	Δ -	M -	- -	- -	Asheville -	- -	- -	Asheville -	- -	- -	5
SANFORD	10,013 15,000	Δ 1933	M -	4,700 4,700	C B	Leck and Potterage Creeks	0.400 -	3.000 1.250	P-CalTc(MtpsSv)Frs KcgpDc	0.760 0.825	SMPD -	6
SARATOGA	366 475	1957 Δ	M -	134 134	N -	Well -	- 0.650	Δ 0.028	Dh -	Δ 0.075	U -	7
SAXAPAHAW	600 600	1927 -	P -	120 0	N -	5 wells -	- 0.200	- 0.025	None -	0.000 0.050	N -	8
SCOTLAND NECK	2,730 3,000	1951 1949	M -	800 700	M -	5 wells -	- 0.500	0.576 0.250	DcAcKp -	0.210 0.075	S -	9
SEABOARD	745 800	1940 1946	M -	217 217	C -	2 wells -	- 0.087	0.115 0.035	I-DhAcCalMtpSoFp -	0.000 0.100	UT -	10
SELMA	2,639 4.200	1922 1953	M -	1,151 1,026	C -	3 wells -	- 0.650	1.000 0.400	I-DhAoKpFps -	Δ 0.100	U -	11
SEVERN	340 300	1956 -	M -	95 0	N -	Well -	- 0.140	- 0.021	None -	0.000 0.075	N -	12
SHALLOTTE	493 140	1951 -	P -	35 0	N -	2 wells -	- 0.022	- 0.004	None -	0.005 0.001	DL -	13
SHELBY	15,508 22,000	1953 1953	M -	5,340 5,340	C B	First Broad River -	8.100 -	3.000 1.600	P-CalDcMtSoFrsVsKpDc -	4.500 1.000	N -	14
SILER CITY	2,501 4.500	Δ Δ	M -	1,263 631	C B	Rocky River -	2.000 -	1.000 0.700	P-CalTcMbtSoFrsKcpDc -	0.050 0.400	TLG -	15
SKYLAND	400 (1,000)	Δ -	M -	- -	- -	South Buncombe Water District	- -	- -	South Buncombe Water District	- -	- -	16
SLOCUM VILLAGE (Craven County)	3,000 3.000	1952 1952	P -	815 0	C -	2 wells -	- 0.432	0.432 0.250	H-AtFzKcDc -	0.200 0.500	N -	17
SMITHFIELD	5,574 6.500	1912 1954	M -	1,850 1,850	C B	Neuse River -	11.000 -	1.000 0.650	P-CasMbtSoFr KcpDcTc -	0.100 0.400	N -	18
SMYRE	600 (125)	Δ -	Δ -	- -	- -	Lowell -	- -	- -	Lowell -	- -	- -	19
SNOW HILL	946 1,000	1922 -	P -	310 310	N -	Well -	- 0.490	- 0.080	None -	0.000 0.060	N -	20
* SOUTH BUNCOMBE WATER DISTRICT	- (6,200)	Δ -	M -	- -	- -	Asheville -	- -	- -	Asheville -	- -	- -	21
SOUTHERN PINES	4,272 6,000	1926 1926	M -	1,600 1,600	C B	Impounded reservoir -	2.000 -	2.000 0.550	P-CalMbSoTcFra KcgpDcVs	0.500 0.300	MT -	22
SOUTHPORT	1,748 2.000	Δ Δ	M -	345 345	N -	3 wells -	- Δ	1.100 0.200	Dh -	0.100 0.100	D -	23
SOUTHSIDE	100 60	1951 -	P -	13 0	N -	Well -	- 0.060	- 0.010	None -	Δ 0.001	N -	24
SOUTH WADESBORO	390 (Δ)	Δ -	Δ -	- -	- -	Wadesboro -	- -	- -	Wadesboro -	- -	- -	25
SPARTA	820 900	1957 -	M -	400 280	N -	Wells -	- 0.112	- 0.075	None -	0.000 0.315	Δ -	26
SPENCER Source # 1	3,242 (2,300)	Δ -	M -	- -	- -	Salisbury -	- -	- -	Salisbury -	- -	- -	27
SPENCER Source # 2	- 1,200	1914 Δ	M -	1,032 1,032	N -	4 wells -	- 0.240	0.180 0.280	DhKc -	0.000 0.175	N -	28
* SPINDALE	3,891 10,300	1927 1956	P -	2,596 2,596	C B	Holland and Cathey Creeks	100.0 -	3.500 1.850	P-DcCalMbpSoFraKp -	1.000 0.900	Δ -	29
* SPRAY	5,542 8,000	1937 Δ	M -	1,120 1,120	C B	Smith River -	Δ -	4.000 0.530	P-CalMpT SoFrsKpDc -	0.650 0.750	Δ -	30

INVENTORY OF MUNICIPAL WATER FACILITIES

STATE	DATE	PAGE
NORTH CAROLINA	Jan. 1, 1958	13 of 15

COMMUNITY	1950 Population	Year Oper. Started	OWNERSHIP	Number of Services	LAB. CONTROL	SOURCE OF SUPPLY	Safe Yield Impounded	Rated Plant Capacity	TREATMENT	Dist. Storage	IMPROVEMENTS NEEDED	LINE NO.
		Present Supply								Pumps to Mains		
	Estimated Population Served	Present Treatment Plant		Number of Meters			Maximum Dependable Draft (Gr. water) MGD	Average Plant Output MGD		Gravity to Mains MG		
1	2	3	4	5	6	7	8	9	10	11	12	
SPRING HOPE	1,275	1924	M	575	N	3 wells	-	-	None	0.000	N	1
	1.500	-	-	525	-	-	Δ	0.175	-	0.100	-	
SPRING LAKE	850	1943	P	1,175	N	4 wells	-	-	None	Δ	N	2
	4.000	-	-	775	-	-	0.700	0.250	-	0.540	-	
SPRUCE PINE	2,280	1950	M	800	N	Beaver Creek (imp.)	Δ	Δ	Dc	0.000	Δ	3
	3,200	Δ	-	70	-	and Crystal Falls	-	0.320	-	0.80C	-	
STANLEY	1,644	1953	M	600	C	Hoyle's Creek	Δ	0.400	P-CasMptSoFrsKcpDc	0.220	PT	4
	2,200	1953	-	600	B	-	-	0.300	-	0.100	-	
STANTONSBURG	627	1939	M	290	N	3 wells	-	0.500	Dh	0.000	L	5
	750	1956	-	290	-	-	0.500	0.160	-	0.035	-	
STAR	677	1925	M	210	N	2 wells	-	0.250	I-AtKc	0.000	S	6
	800	Δ	-	210	-	-	0.350	0.080	-	0.083	-	
STATESVILLE	16,901	1918	M	5,655	C	Fourth Cr., Spring Br	Δ	3.000	P-CalMbSoFrsKpDc	1.000	Δ	7
	21,500	1950	-	5,655	B	and South Yadkin R.	-	2.091	-	2.000	-	
STONEVILLE	786	1937	M	330	N	2 wells	-	-	None	0.000	Δ	8
	1,100	-	-	325	-	-	Δ	0.060	-	0.100	-	
STONY POINT	1,020	1951	P	62	N	Well	-	-	None	Δ	Δ	9
	250	-	-	0	-	-	0.058	0.025	-	0.010	-	
SURF CITY	500	1946	P	90	N	Well	-	Δ	Dh	0.120	U	10
	500	Δ	-	0	-	-	0.070	0.024	-	Δ	-	
SWANNANOA	1,700	Δ	Δ	-	-	Asheville	-	-	Asheville	-	-	11
	(Δ)	-	-	-	-	-	-	-	-	-	-	
*SWANNANOA	-	Δ	M	-	-	Asheville	-	-	Asheville	-	-	12
Sanitary District	(10,000)	-	-	-	-	-	-	-	-	-	-	
SWANSBORO	559	1942	M	319	N	2 wells	-	0.500	KcDc	0.070	T	13
	1.500	1953	-	319	-	-	0.850	0.065	-	0.100	-	
SWEPSONVILLE	800	1932	P	132	N	7 wells	-	-	None	0.000	N	14
	600	-	-	0	-	-	0.080	0.020	-	0.100	-	
SYLVA	1,382	1922	M	850	N	2 prongs, Fisher	1.000	0.484	DcFpsVs	0.000	Δ	15
	3.400	1952	-	850	-	and Dills Creeks	-	0.300	-	0.375	-	
TABOR CITY	2,033	Δ	M	500	N	3 wells	-	-	None	0.000	UPTD	16
	2,750	-	-	350	-	-	0.400	0.250	-	0.075	LG	
TAPOCA	250	1936	P	32	N	Yellow Hammer Creek	Δ	Δ	Dc	0.030	Δ	17
	150	1936	-	20	-	-	-	0.035	-	0.060	-	
TARAWA TERRACE	7,800	1951	P	2,128	C	7 wells	-	1.000	PH-Cl(MtpsSv)Dc	0.750	N	18
	7.800	1952	-	0	-	-	2.000	0.600	-	0.250	-	
TARBORO	8,120	1916	M	3,210	C	Tar River	20.000	3.000	P-DcCasMtpSoFr KpDcVs	1.370	N	19
	9.000	1957	-	3,210	B	-	-	0.900	-	0.300	-	
TAYLORSVILLE	1,310	1954	M	525	N	3 wells	-	-	None	0.050	Δ	20
	2,200	-	-	525	-	-	0.600	0.285	-	0.275	-	
THOMASVILLE	11,154	1923	M	4,500	C	Abbotts Creek	10.000	3.000	P-CalMptT SoFrsKp	1.502	N	21
	20,000	1955	-	4,500	B	-	-	1.400	VtDc V 0.10	1.100	-	
TROUTMAN	613	1924	M	260	N	4 deep wells	-	0.288	Dh	0.000	N	22
	1,500	Δ	-	260	-	-	0.288	0.040	-	0.126	-	
TROY	2,213	Δ	M	900	C	Denson Creek (imp.)	Δ	0.750	P-DcCalsMbSoFr KcpDc	0.350	T	23
	2,700	Δ	-	900	B	(aux.) DowningCr(aux)	-	0.350	-	0.075	-	
* TRYON	1,985	1953	M	1,137	C	Vaughns, Fork and	Δ	1.000	P-CalMbSoFrsKpDc	Δ	Δ	24
	4.800	1953	-	991	B	Colt Creeks	-	0.700	-	0.700	-	
TUXEDO	663	1907	P	65	N	Surface	Δ	Δ	Dh	0.000	Δ	25
	300	1941	-	0	-	-	-	0.050	-	1.000	-	
VALDESE Plant # 1	2,730	1945	M	917	C	House and	2.000	1.000	P-CasDcMtpSoFraKpDc	0.250	N	26
	1.100	1945	-	917	B	Micol Creeks	-	0.500	-	0.650	-	
VALDESE Plant # 2	-	1955	M	-	C	Catawba River	150.00	2.000	P-CasDcMtpSoFraKpDc	0.435	N	27
	2,100	1955	-	-	B	-	-	0.912	-	-	-	
VALLEY HILL	647	Δ	M	-	-	Hendersonville	-	-	Hendersonville	-	-	28
	(305)	-	-	-	-	-	-	-	-	-	-	
VASS	757	1946	M	200	N	Well	-	-	None	0.000	MD	29
	800	-	-	200	-	-	0.086	0.086	-	0.100	-	
* WADESBORO	3,408	1939	M	1,300	C	Jones Creek (imp.)	Δ	1.000	P-DcTcCalMaSoFrsKcp	0.400	PT	30
	5,000	1939	-	1,300	B	-	-	0.400	-	0.360	-	

INVENTORY OF MUNICIPAL WATER FACILITIES

STATE	DATE	PAGE
NORTH CAROLINA	Jan. 1, 1958	14 of 15

COMMUNITY	1950 Population	Year Oper Started	OWNERSHIP	Number of Services	LAB. CONTROL	SOURCE OF SUPPLY	Safe Yield Impounded	Rated Plant Capacity	TREATMENT	Dist. Storage	IMPROVEMENTS NEEDED	LINE NO.
		Present Supply								Pumps to Mains		
	Estimated Population Served	Present Treatment Plant		Number of Meters			Maximum Dependable Draft (Gr. water) MGD	Average Plant Output MGD		Gravity to Mains MG		
1	2	3	4	5	6	7	8	9	10	11	12	
WAGRAM	397 400	1927 -	M -	100 0	N -	2 deep wells -	- 0.240	- 0.040	None -	0.000 0.100	D -	1
WAKE FOREST	3,704 3,050	1921 1921	M -	1,400 1,400	N -	Smith Creek and lake -	1.000 -	0.500 0.250	P-CalMbSoFr Dc -	0.060 0.375	T -	2
WALKERTOWN	677 1,000	1955 -	M -	250 250	N -	2 wells -	- 0.190	- 0.060	None -	0.000 0.100	N -	3
WALLACE	1,622 2,500	1926 -	M -	748 748	N -	4 deep wells -	- 2.000	- -	None -	0.000 0.300	D -	4
WALNUT COVE	1,132 1,200	1926 -	M -	349 12	N -	2 wells -	- 0.275	- 0.250	None -	0.000 0.100	D -	5
WALSTONBURG	177 200	1938 -	M -	115 115	N -	Deep well -	- 0.060	- 0.012	None -	0.000 0.075	T -	6
WARRENTON Plant # 1	1,166 875	1916 1930	M -	650 650	C -	2 deep wells -	- 0.144	0.144 0.080	I-DhAcClMbSoFp Dh -	0.032 0.075	ST -	7
WARRENTON Plant # 2	- 875	Δ 1953	M -	- -	C -	2 deep wells -	- 0.144	0.250 0.080	I-AcClFp SoMbDh -	0.050 Δ	ST -	8
WARSAW	1,598 2,000	1919 1953	M -	575 575	N -	3 deep wells -	- 0.400	0.400 0.120	DhKcp -	Δ 0.075	L -	9
WASHINGTON	9,698 11,000	1955 1955	M -	2,700 2,700	C B	Tranters Creek and 17 wells	6.000 0.500	2.000 1.000	P-DcCalto(MtpsSv) Fr TcDc	0.900 0.300	N -	10
WAXHAW	818 900	1941 -	M -	214 200	N -	2 deep wells -	- 0.190	- 0.060	None -	0.000 0.075	D -	11
* WAYNESVILLE	5,295 9,000	1953 1953	M -	2,250 1,460	N -	Allens Creek -	20.000 -	2.000 2.000	P-CasMbSoFrsDc -	0.075 1.550	Δ -	12
WEAVERVILLE	1,111 2,240	1957 Δ	M -	560 560	N -	Creek & Wagner Branch Woodfin S. D. (aux.)	0.050 -	0.360 0.120	Dc -	Δ 0.100	Δ -	13
WEBSTER	142 105	1958 -	M -	30 30	N -	Well -	- Δ	- Δ	None -	Δ 0.016	Δ -	14
WELDON	2,295 2,800	1914 1925	M -	780 780	C B	Roanoke River and Vepco Lake	Unl. -	1.000 0.225	P-CasTcDcMbSoFr KcpDc -	0.500 0.080	N -	15
WENDELL	1,253 1,650	1920 -	M -	581 581	N -	8 deep wells -	- Δ	- 0.350	None -	0.500 0.100	U -	16
WEST JEFFERSON	871 900	1957 -	M -	300 100	Δ -	5 deep wells -	- 0.310	- 0.090	None -	0.000 0.150	Δ -	17
WHITAKERS	962 800	1957 -	M -	242 235	N -	1 deep well 26shallow wells (aux)	- 0.250	- 0.042	None -	0.000 0.075	N -	18
WHITEVILLE	4,238 6,000	1922 Δ	M -	1,600 1,600	N -	3 wells -	- 2.200	2.160 0.750	Dch -	0.200 0.300	D -	19
WHITNEL	1,405 244	1951 -	P -	61 0	N -	1 well -	- 0.345	- 0.030	None -	Δ 0.000	Δ -	20
WILKESBORO	1,370 2,200	1940 Δ	M -	523 523	N -	3 wells -	- Δ	Δ 0.200	DhKc -	Δ 0.200	Δ -	21
WILLIAMSTON	4,075 7,500	1919 -	M -	1,990 1,990	N -	4 deep wells -	- 1.790	- 0.450	None -	0.250 0.325	N -	22
WILMINGTON	45,043 57,150	1945 1954	M -	14,394 14,394	C B	Cape Fear River -	60.000 -	10.00 5.600	P-CalMtpSo FrsKpcNgDcVs	5.000 2.000	T -	23
WILMINGTON BEACH	100 Δ	1953 -	P -	182 172	N -	2 wells -	- 0.500	- 0.078	None -	Δ 0.004	L -	24
WILSON	23,010 26,000	Δ 1954	M -	7,678 7,678	C B	Contentnea and Toisnot Creeks	0.002 -	6.000 3.100	P-DcCalMbSoTcFr KcpNgVsDc V 0.05	2.000 1.000	SPLG -	25
WINDSOR	1,781 1,800	1920 -	M -	747 747	N -	2 deep wells -	- 0.450	- 0.125	None -	0.100 0.065	N -	26
WINGATE	793 (1,150)	1948 -	M -	- -	- -	Monroe -	- -	- -	Monroe -	- -	- -	27
WINSTON-SALEM *	87,811 125,000	1951 1951	M -	27,254 27,254	C B	Salem Cr.(Salem Lake) and Yadkin River	9.000 -	20.00 14.50	P-DcsTcCalMtp SoFrsKcpVs V 0.10	6.000 2.250	PL -	28
WINTERVILLE	870 1,000	1947 1954	M -	300 300	N -	2 deep wells -	- 0.450	0.288 0.080	H-FzDh -	0.000 0.075	N -	29
WINTON	834 700	1938 -	M -	226 206	N -	3 deep wells -	- 0.750	- 0.050	None -	0.000 0.300	N -	30

PHS-2226
REV. 4-59

INVENTORY OF MUNICIPAL WATER FACILITIES

STATE **NORTH CAROLINA**
DATE Jan. 1, 1958
PAGE 15 of 15

COMMUNITY	1950 Population Estimated Population Served	Year Oper. Started Present Supply Present Treatment Plant	OWNERSHIP	Number of Services Number of Meters	LAB. CONTROL	SOURCE OF SUPPLY	Safe Yield Impounded Maximum Dependable Draft (Gr. water) MGD	Rated Plant Capacity Average Plant Output MGD	TREATMENT	Dist. Storage Pumps to Mains Gravity to Mains MG	IMPROVEMENTS NEEDED	LINE NO.
1	2	3	4	5	6	7	8	9	10	11	12	
☆ WOODFIN	-	1928	M	1,560	N	Reems Creek	Δ	1.000	Dc	0.000	S	1
Sanitary District	6,240	1928	-	1,560	-	Asheville (aux.)	-	0.540	-	1.000	-	
WOODLAND	590	1941	M	220	N	2 deep wells	-	-	None	0.000	N	2
	650	-	-	210	-	-	0.105	0.040	-	0.100	-	
WRIGHTSVILLE BEACH	711	1938	M	700	N	6 deep wells	-	1.500	Dc	Δ	U	3
	1,500	1941	-	350	-	-	1.500	0.250	-	1.000	-	
YADKINVILLE	820	1941	M	450	N	5 deep wells	-	-	None	0.000	U	4
	1,200	-	-	425	-	-	0.150	0.072	-	0.100	-	
YANCEYVILLE	1,391	1937	M	325	C	Town Lake on	0.100	0.250	P-CaIMbSoFrsKpDc	0.020	S	5
	1,075	1952	-	325	B	Frillers Creek	-	0.080	-	0.075	-	
YOUNGSVILLE	619	1940	M	180	N	2 deep wells	-	0.250	Kc	Δ	N	6
	675	Δ	-	180	-	-	0.250	0.060	-	0.075	-	
ZEBULON	1,378	1920	M	560	N	4 wells and	1.250	0.200	P-CaMbSoFr Dc	0.085	Δ	7
	1,600	Δ	-	560	-	Little River	0.100	0.200	-	0.100	-	
												8
												9
												10
												11
												12
												13
												14
												15
												16
												17
												18
												19
												20
												21
												22
												23
												24
												25
												26
												27
												28
												29
												30

PHS-2226
REV. 4-59

PLACES WITH NO COMMUNITY WATER SUPPLY

NORTH CAROLINA

LOCATION	1950 CEN POP
ABBOTTSBURG N C	157
ACME N C	139
ADDOR N C	110
ADVANCE N C	216
ALEXANDER N C	500
ALEXIS N C	180
ALLIANCE N C	500
ALMA N C	100
ALMOND N C	150
ALTAMAHAW N C	400
ANSONVILLE N C	545
AQUONE N C	250
ARAPAHOE N C	273
ARCHDALE N C	1,218
ASH N C	125
ASHFORD N C	200
ATKINSON N C	294
ATLANTIC N C	844
AURORA N C	525
AUTRYVILLE N C	151
AVON N C	500
AYDLETT N C	100
BAHAMA N C	250
BALSAM N C	600
BALSAM GROVE N C	150
BANDANA N C	237
BARBER N C	200
BARCO N C	450
BARIUM SPRINGS N C	400
BARNARDSVILLE N C	500
BARNESVILLE N C	100
BAT CAVE N C	175
BATH N C	381
BAYBORO N C	453
BEAR POPLAR N C	150
BEECH CREEK N C	150
BEE LOG N C	250
BELCROSS N C	200
BELEW CREEK N C	100
BELLARTHUR N C	190
BELVIDERE N C	150
BENNETT N C	236
BETHANIA N C	100
BOLIVIA N C	215
BOLTON N C	606
BONLEE N C	275
BOSTIC N C	227
BOWDENS N C	239
BRASSTOWN N C	150
BRIDGETON N C	805
BROADWAY N C	469
BROWNS SUMMIT N C	140
BULLOCK N C	100
BUNN N C	255
BUNNLEVEL N C	177
BUTTERS N C	200
BUXTON N C	500
CAMDEN N C	200
CANE RIVER N C	100
CASAR N C	310
CASHIERS N C	305
CASTALIA N C	421
CASTLE HAYNE N C	513
CA VEL N C	700
CEDAR FALLS N C	500
CEDAR GROVE N C	100
CEDAR ISLAND N C	203
CERRO GORDO N C	265
CHALYBEATE SPRINGS N C	200
CHICOD N C	278
CHINQUAPIN N C	400
CHOCOWINITY N C	500
CLARENDON N C	150
CLARK N C	150
CLEMMONS N C	200
COFIELD N C	400
COINJOCK N C	216
COLERIDGE N C	500
COLFAX N C	250
COLLETTSVILLE N C	150
COLON N C	300
COLUMBIA N C	1,161
COMFORT N C	400

NORTH CAROLINA -CONT-

LOCATION	1950 CEN POP
COMO N C	150
CONETOE N C	172
CONNELLYS SPRINGS N C	500
COVE CITY N C	465
CRANBERRY N C	268
CRESTON N C	200
CRESWELL N C	425
CROUSE N C	303
CRUMPLER N C	372
CULBERSON N C	150
CUMBERLAND N C	500
CUMNOCK N C	200
CURRIE N C	100
CURRITUCK N C	200
CYCLE N C	100
DANA N C	300
DAVIS N C	525
DEEP GAP N C	350
DEEP RUN N C	142
DELCO N C	257
DENVER N C	415
DERITA N C	500
DOVER N C	638
DUBLIN N C	243
DUDLEY N C	133
DURANTS NECK N C	300
EAGLE ROCK N C	100
EAGLE SPRINGS N C	250
EARL N C	250
EAST BEND N C	475
EAST LAKE N C	150
EAST MONBO N. C.	100
EDGEMONT N C	100
EDNEYVILLE N C	100
EDWARD N C	155
EFLAND N C	525
ELLENBORO N C	537
ENGELHARD N C	600
ERNUL N C	131
ETHER N C	300
ETOWAH N C	400
EURE N C	250
EVERETTS N C	244
EVERGREEN N C	245
FAIRFIELD N C	500
FAIRVIEW N C	500
FAITH N C	490
FALCON N C	245
FALKLAND N C	174
FALLSTON N C	387
FERGUSON N C	175
FLEETWOOD N C	150
FLETCHER N C	800
FLORENCE N C	325
FORT MILL N. C.	150
FRANKLINVILLE N C	778
FREELAND N C	750
FRISCO N C	100
GARYSBURG N C	344
GASTON N C	1,218
GATES N C	225
GATESVILLE N C	323
GEORGE N C	275
GERMANTON N C	118
GERTON N C	200
GLADE VALLEY N C	100
GLENDALE SPRINGS N C	150
GLENDON N C	150
GLENVILLE N C	500
GLENWOOD N C	176
GLOUCESTER N C	100
GODWIN N C	145
GOLD HILL N C	249
GOLDSTON N C	372
GRANDY N C	600
GRANITE QUARRY N C	591
GRANTSBORO N C	150
GRASSY CREEK N C	350
GREENMOUNTAIN N C	600
GRIMESLAND N C	414
GUILFORD N C	500
GULF N C	250
GUMBERRY N C	190

PLACES WITH NO COMMUNITY WATER SUPPLY

NORTH CAROLINA -CONT-

LOCATION	1950 CEN POP
HALLSBORO N C	500
HAMPSTEAD N C	350
HAMRICK N C	100
HARBINGER N C	200
HARKERS ISLAND N C	1,244
HARMONY N C	374
HARRELLS N C	147
HARRISBURG N C	250
HASSELL N C	137
HATTERAS N C	700
HAYS N C	200
HENRY RIVER N C	200
HIGHFALLS N C	250
HILDEBRAN N C	529
HOBBSVILLE N C	100
HOBGOOD N C	603
HOBUCKEN N C	500
HOFFMAN N C	398
HOLLISTER N C	450
HOLLY SPRINGS N C	406
HOMESTEAD N. C.	300
HOPE VALLEY N. C.	200
HORSE SHOE N C	150
HUBERT N C	200
HURDLE MILLS N C	150
ICARD N C	750
INDIAN TRAIL N C	308
INGOLD N C	250
IRON STATION N C	232
IVANHOE N C	200
JACKSON HILL N C	100
JACKSON SPRINGS N C	246
JAMES CITY N C	950
JAMESVILLE N C	529
JARVISBURG N C	550
JULIAN N C	215
KELFORD N C	405
KELLY N C	200
KILL DEVIL HILLS N C	125
KING N C	950
KIPLING N C	130
KITTRELL N C	189
KITTY HAWK N C	300
KNOTTS ISLAND N C	300
LAKE TOXAWAY N C	700
LAKEVIEW N C	200
LAKE WACCAMAW N C	575
LASKER N C	177
LATTIMORE N C	286
LAWSONVILLE N C	600
LEASBURG N C	250
LEICESTER N C	600
LELAND N C	566
LEMON SPRINGS N C	150
LEWISTON N C	339
LEWISVILLE N C	850
LINDEN N C	194
LINVILLE FALLS N C	130
LINWOOD N C	300
LOCUST N C	216
LONGISLAND N C	192
LONGWOOD N C	150
LOWLAND N C	300
LUMBER BRIDGE N C	150
MCCAIN N C	200
MCFARLAN N C	136
MCGRADY N C	250
MCLEANSVILLE N C	300
MACKEYS N C	250
MACON N C	238
MAGGIE N C	100
MAMERS N C	300
MAMIE N C	300
MANLY N C	280
MANNS HARBOR N C	280
MAPLE N C	213
MAPLE HILL N C	900
MARBLE N C	356
MARGARETTSVILLE N C	113
MARIBEL N C	150
MARSHALLBERG N C	572
MARSTON N C	400
MAURY N C	251

NORTH CAROLINA -CONT-

LOCATION	1950 CEN POP
MAYSVILLE N C	818
MERRITT N C	350
MERRY HILL N C	100
MESIC N C	550
MICAVILLE N C	250
MICRO N C	310
MIDDLEBURG N C	217
MIDLAND N C	750
MILLERS CREEK N C	200
MILL SPRING N C	175
MILWAUKEE N C	302
MINERAL SPRINGS N C	135
MINNEAPOLIS N C	700
MISENHEIMER N C	140
MONTEZUMA N C	200
MOORESBORO N C	296
MORAVIAN FALLS N C	500
MORRISVILLE N C	221
MOUNTAIN PARK N C	110
MOUNT MOURNE N C	200
MOUNT ULLA N C	160
MOYOCK N C	500
NAKINA N C	250
NANTAHALA N C	100
NAPLES N C	151
NEBO N C	235
NEUSE N C	175
NEWELL N C	400
NEWHILL N C	200
NEW HOLLAND N C	111
NEW LONDON N C	285
NEWTON GROVE N C	374
NORMAN N C	300
NORTH BELMONT N. C.	3,948
OAK RIDGE N C	250
OCRACOKE N C	800
OLD TRAP N C	300
OLIVIA N C	350
ORIENTAL N C	590
ORRUM N C	162
OTTO N C	150
PACTOLUS N C	265
PAINT ROCK N C	150
PANTEGO N C	275
PARMELE N C	406
PATTERSON N C	195
PATTERSON SPRINGS N C	125
PEACHLAND N C	485
PELHAM N C	500
PENLAND N C	200
PENROSE N C	150
PENSACOLA N C	190
PFAFFTOWN N C	150
PINE HALL N C	400
PINEOLA N C	250
PINETOWN N C	301
PINNACLE N C	400
PISGAH FOREST N C	597
PLEASANT GARDEN N C	650
PLEASANT HILL N C	200
PLUMTREE N C	300
POLKTON N C	459
POLKVILLE N C	350
POLLOCKSVILLE N C	420
POPLAR N C	550
POPLAR BRANCH N C	325
POTECASI N C	300
PROCTORVILLE N C	232
PROSPECT HILL N C	125
PROVIDENCE N C	300
PURLEAR N C	600
RED OAK N C	250
REX N C	100
RICHFIELD N C	237
RIDGEWAY N C	250
ROARING RIVER N C	250
ROCKFORD N C	150
ROCKY POINT N C	416
ROLESVILLE N C	288
ROMINGER N C	300
RONDA N C	545
ROPER N C	793
ROUGEMONT N C	500

PLACES WITH NO COMMUNITY WATER SUPPLY

NORTH CAROLINA -CONT-

LOCATION	1950 CEN POP
ROXOBEL N C	394
RUFFIN N C	250
RUTHERFORD COLLEGE N C	616
SALEMBURG N C	435
SALTER PATH N C	350
SANDY RIDGE N C	150
SCALY N C	300
SCOTTVILLE N C	200
SCRANTON N C	110
SEAGROVE N C	319
SEALEVEL N C	466
SEDALIA N C	300
SEMORA N C	350
SEVEN SPRINGS N C	197
SHANNON N C	225
SHARPSBURG N C	415
SHAWBORO N C	135
SHERWOOD N C	300
SHILOH N C	500
SILOAM N C	150
SIMS N C	207
SMYRNA N C	200
SNEADS FERRY N C	500
SNOW CAMP N C	300
SOPHIA N C	250
SOUTH MILLS N C	479
SOUTHMONT N C	500
SPEED N C	103
SPENCER MOUNTAIN N. C.	300
STACY N C	280
STALEY N C	236
STANFIELD N C	450
STATE ROAD N C	300
STEDMAN N C	424
STEM N C	217
STOKES N C	217
STOKESDALE N C	500
STONEWALL N C	272
STOVALL N C	410
STUMPY POINT N C	300
SUGAR GROVE N C	350
SUMMERFIELD N C	700
SUNBURY N C	250
SWANQUARTER N C	212
TAMARACK N C	400
TEACHEYS N C	226
TERRELL N C	125
THURMOND N C	100
TIMBERLAKE N C	155
TOAST N C	1,401
TOBACCOVILLE N C	100
TOPTON N C	225
TOWNSVILLE N C	219
TRAPHILL N C	250
TRENTON N C	469
TRINITY N C	764
TUCKERDALE N C	200
TUNGSTEN N C	150
TURKEY N C	223
TYNER N C	200
UNION GROVE N C	150
UNION MILLS N C	400
VALLE CRUCIS N C	150
VANCEBORO N C	753
VANDEMERE N C	475
VANNOY N C	200
VARINA N C	600
VAUGHAN N C	181
VERONA N C	100
WACO N C	310
WADE N C	380
WALLBURG N C	300
WALNUT N C	550
WANANISH N C	300
WANCHESE N C	624
WARNE N C	150
WARRENSVILLE N C	120
WATHA N C	222
WAVES N C	100
WEEKSVILLE N. C.	200
WELCOME N C	250
WENTWORTH N C	100
WEST END N C	950

NORTH CAROLINA -CONT-

LOCATION	1950 CEN POP
WESTFIELD N C	250
WHITE OAK N C	108
WHITE PLAINS N C	550
WHITSETT N C	160
WHITTIER N C	287
WHORTONSVILLE N C	175
WILDWOOD N C	100
WILLARD N C	100
WILLISTON N C	300
WILLOW SPRING N C	125
WILSONS MILLS N C	349
WINFALL N C	421
WINNABOW N C	700
WISE N C	502
WOODLEAF N C	300
WOODSDALE N C	100
WOODVILLE N C	387
WORTHVILLE N C	600
ZIONVILLE N C	300
ZIRCONIA N C	125

VIRGINIA

61

INVENTORY OF MUNICIPAL WATER FACILITIES

STATE	DATE	PAGE
VIRGINIA	Jan. 1, 1958	1 of 19

COMMUNITY	1950 Population	Year Oper. Started Present Supply	OWNERSHIP	Number of Services	LAB. CONTROL	SOURCE OF SUPPLY	Safe Yield Impounded	Rated Plant Capacity	TREATMENT	Dist. Storage Pumps to Mains	IMPROVEMENTS NEEDED	LINE NO.
	Estimated Population Served	Present Treatment Plant		Number of Meters			Maximum Dependable Draft (Gr. water) MGD	Average Plant Output MGD		Gravity to Mains MG		
1	2	3	4	5	6	7	8	9	10	11	12	
ABBS VALLEY-	200	1950	P	125	N	2 wells	-	Δ	Dh	0.000	N	1
Porter Farm	500	1951	-	0	-	-	Δ	0.035	-	0.020	-	
ABINGDON	4,709	Δ	M	-	-	Washington County	-	-	Washington County	-	-	2
	(5,000)	-	-	-	-	S. D. # 1	-	-	S. D. # 1	-	-	
ACCOTINK	100	Δ	Δ	-	-	Military Supply	-	-	Military Supply	-	-	3
	(100)	-	-	-	-	-	-	-	-	-	-	
ALBERTA	430	1951	M	121	N	Well	-	-	None	0.052	U	4
	430	-	-	121	-	-	0.026	0.043	-	0.075	-	
ALDIE	150	1954	P	125	Δ	Springs	-	-	None	Δ	UL	5
	130	-	-	0	-	-	Δ	0.013	-	0.003	-	
* ALEXANDRIA	61,787	1950	P	27,714	C	Occaquan Creek	18.000	26.40	P-TcDcCalMbSvFrsDd	17.10	N	6
	151,100	1950	-	24,131	B	and wells	Δ	14.60	[CsKpVsTd]-DcAt(well)	7.800	-	
ALLISONS GAP	1,015	Δ	Δ	-	-	Saltville	-	-	Saltville	-	-	7
	(1,015)	-	-	-	-	-	-	-	-	-	-	
ALTAVISTA	3,332	1954	M	850	N	2 springs	-	0.600	Dc	0.050	N	8
	3,400	1954	-	850	-	-	0.600	0.325	-	0.400	-	
AMHERST	1,038	1949	M	416	N	Buffalo River	Δ	0.500	P-CasMtSoFrsDc	0.036	L	9
	1,750	1953	-	0	-	Tributary Creek imp.	-	0.300	-	0.075	-	
AMONATE	875	1951	P	100	N	Wells	-	0.072	Dc	0.000	N	10
	470	1951	-	0	-	-	Δ	0.050	-	0.040	-	
ANDOVER	350	Δ	Δ	-	-	Appalachia	-	-	Appalachia	-	-	11
	(350)	-	-	-	-	-	-	-	-	-	-	
ANDREW LEWIS	175	1954	P	57	N	Well	-	-	None	Δ	L	12
	180	-	-	57	-	-	0.056	0.020	-	0.004	-	
ANNANDALE	400	Δ	P	-	-	Alexandria	-	-	Alexandria	-	-	13
	(16,040)	-	-	-	-	well (aux.)	-	-		-	-	
* APPALACHIA	2,915	Δ	P	1,800	N	Stone Mtn. watershed	Δ	0.800	P-AcsCasSoFrsDc	0.000	N	14
	7,000	1923	-	920	-	2 drilled wells-(aux)	-	0.700	-	0.300	-	
APPOMATTOX	1,094	1938	M	275	N	3 wells	-	0.115	DcKc-one well only	0.274	N	15
	1,100	1955	-	Δ	-	-	0.115	0.100	-	0.150	-	
ARAGONA VILLAGE	2,800	Δ	M	-	-	Norfolk	-	-	Norfolk	-	-	16
(Princess Anne Co.)	(2,800)	-	-	-	-	-	-	-	-	-	-	
* ARLINGTON COUNTY	135,449	1927	M	-	-	Washington, D. C.	-	-	Washington, D.C.	-	-	17
	(166,000)	-	-	-	-	Dalecarlia Plant	-	-	Dalecarlia Plant	-	-	
ARLINGTON HEIGHTS	200	1948	M	50	N	Well	-	-	None	0.028	U	18
	200	-	-	Δ	-	-	0.014	0.020	-	0.000	-	
ARNO	518	Δ	Δ	-	-	Appalachia	-	-	Appalachia	-	-	19
	(550)	-	-	-	-	-	-	-	-	-	-	
ASHLAND	2,610	1922	M	655	C	South Anna River	Δ	0.800	P-CasMbSoFrsKpDc	0.528	T	20
	3,200	1922	-	Δ	-	-	-	0.225	-	0.250	-	
ATKINS	400	Δ	P	110	N	Springs	-	-	None	0.000	L	21
	390	-	-	0	-	-	Δ	0.046	-	0.006	-	
AUGUSTA SPRINGS	300	1946	P	20	N	Spring and	-	0.014	DhFpsDc	0.001	Δ	22
	150	1946	-	Δ	-	2 wells	0.058	0.005	-	0.005	-	
AUSTINVILLE	750	1949	P	150	N	New River	Unl.	0.216	P-CasDcMbSoFrsDc	0.017	N	23
	500	1949	-	0	-	-	-	0.030	-	0.110	-	
BACOVA	175	1942	P	39	Δ	Spring	-	-	None	0.000	T	24
	130	-	-	0	-	-	0.100	Δ	-	0.060	-	
BARRETT HEIGHTS	160	1953	P	40	Δ	Well	-	-	None	0.036	N	25
	160	-	-	40	-	-	0.018	0.016	-	Δ	-	
BASSETT	3,421	Δ	P	Δ	Δ	15 wells	-	-	None	0.940	SMPT	26
	3,000	-	-	Δ	-	-	0.470	0.300	-	0.040	DLG	
BASTIAN	600	Δ	P	110	N	Spring	-	Δ	Dh	Δ	N	27
	500	1950	-	0	-	-	Δ	0.025	-	0.012	-	
BATTERY PARK	150	1947	P	39	N	Well	-	-	None	0.002	U	28
	150	-	-	0	-	-	0.029	0.016	-	0.000	-	
BEAUMONT	150	Δ	Δ	-	-	Goochland	-	-	Goochland	-	-	29
	(150)	-	-	-	-	-	-	-	-	-	-	
BECKS' SUBDIVISION	100	1956	P	25	N	Well	-	-	None	0.001	P	30
	100	-	-	0	-	-	0.010	0.010	-	0.000	-	

PHS-2226
REV. 4-59

Preceding page blank

INVENTORY OF MUNICIPAL WATER FACILITIES

STATE	DATE	PAGE
VIRGINIA	Jan. 1, 1958	2 of 19

COMMUNITY	1950 Population Estimated Population Served	Year Oper. Started Present Supply Present Treatment Plant	OWNERSHIP	Number of Services Number of Meters	LAB. CONTROL	SOURCE OF SUPPLY	Safe Yield Impounded Maximum Dependable Draft (Gr. water) MGD	Rated Plant Capacity Average Plant Output MGD	TREATMENT	Dist. Storage Pumps to Mains Gravity to Mains MG	IMPROVEMENTS NEEDED	LINE NO.
1	2	3	4	5	6	7	8	9	10	11	12	
BEDFORD	4,061 5,000	1955 1955	M -	1,250 Δ	C -	Impounding Reservoir -	Δ -	2.000 1.250	P-CalDcMsSoFrsKcpDcVs -	0.000 2.400	MD -	1
BEL HAVEN (Princess Anne Co.)	160 (160)	Δ -	M -	- -	- -	Norfolk -	- -	- -	Norfolk -	- -	- -	2
BELLWOOD MANOR Subdivision	75 (75)	Δ -	M -	- -	- -	Falling Creek and Colonial Heights	- -	- -	Falling Creek and Colonial Heights	- -	- -	3
BENEDICT	400 500	Δ -	P -	100 0	N -	Abandoned Mine -	- Δ	- 0.018	None -	0.000 0.200	T -	4
BENSLEY VILLAGE	100 120	1938 -	P -	31 31	N -	2 wells -	- 0.014	- 0.012	None -	0.028 0.000	N -	5
BERRYVILLE	1,401 2,100	1900 1954	M -	600 300	N -	Impounded reservoir and 2 wells; spring	0.20 Δ	0.850 0.350	P-Cals(MtpsSv)FrsDc -	0.012 12.00	Δ -	6
BIG ISLAND	551 550	1912 -	P -	Δ Δ	N -	2 drilled wells -	- 0.014	- 0.013	None -	0.023 0.005	N -	7
BIG ROCK	500 300	Δ Δ	P -	25 0	N -	4 well systems -	- Δ	Δ 0.010	Dh- 1 well only -	Δ 0.001	N -	8
* BIG STONE GAP	5,173 7,000	Δ 1931	M -	1,800 100	N -	Watershed South Fork of Powell River	3.000 -	2.000 1.100	Dc -	0.000 0.410	Δ -	9
BILTMORE	250 370	1949 1949	P -	92 92	N -	Well -	- 0.047	0.094 0.037	I-AmFa -	0.094 Δ	N -	10
BIRCHWOOD GARDENS	500 (500)	Δ -	M -	- -	- -	Norfolk -	- -	- -	Norfolk -	- -	- -	11
BISHOP	900 900	Δ 1950	P -	225 0	N -	Crocketts Cave Spring -	- Δ	0.144 0.100	P-CalDcMbSoFrs -	0.000 0.055	N -	12
BLACKSBURG	3,358 (4,400)	Δ -	M -	- -	- -	Blacksburg-Christ- iansburg-VPI Wat.Auth	- -	- -	Blacksburg-Christ- iansburg-VPI Wat.Auth	- -	- -	13
* BLACKSBURG-CHRIST- IANSBURG-VPI Wat.Auth	- 12,000	1957 1957	M -	3 3	C B	New River -	Δ -	3.000 1.000	P-CasTcDcMpSoFrsKcp VsDc V 0.10	0.265 1.680	N -	14
BLACKSTONE	3,536 3,600	1942 1942	Δ -	1,200 1,200	N -	Ground -	- Δ	2.000 0.225	DcVt -	1.000 0.060	DL -	15
BLACKWOOD	95 80	Δ Δ	M -	18 0	N -	Mountain streams impounded	Δ -	Δ 0.010	Dh -	0.000 0.000	N -	16
BLAND	500 500	Δ 1940	M -	100 0	N -	Spring -	- Δ	0.500 0.050	Dh -	Δ 0.040	N -	17
BLUEFIELD	4,212 5,500	1931 1931	M -	1,200 Δ	N -	Bluestone R., Dill and Harman Springs	Δ Δ	0.500 0.480	P-CaDcMbSoFrs -	0.100 0.200	T -	18
BLUFF CITY	500 150	Δ 1946	P -	36 0	N -	Spring -	- Δ	Δ 0.150	Dh -	0.000 0.010	N -	19
BLUFF POINT	200 200	1954 Δ	M -	98 97	Δ -	Well -	- 0.108	Δ 0.020	Dh -	0.216 0.000	N -	20
BOISSEVAIN	1,107 1,500	1954 Δ	P -	400 0	N -	Abandoned mine -	- Δ	Δ 0.050	H-DhFpz -	0.002 0.050	N -	21
BON AIR	350 (350)	Δ -	M -	- -	- -	Falling Creek -	- -	- -	Falling Creek -	- -	- -	22
BONDTOWN	240 (300)	Δ -	Δ -	- -	- -	Coeburn -	- -	- -	Coeburn -	- -	- -	23
BONNIE BRAE	220 220	Δ -	P -	55 55	N -	Well -	- 0.013	- 0.022	None -	0.026 Δ	Δ -	24
BONNY BLUE	504 500	Δ 1933	P -	100 0	N -	Well -	- Δ	Δ 0.025	Dh -	0.010 0.036	N -	25
BOONES MILL	335 340	1949 -	M P	84 Δ	N -	Spring -	- 0.043	- Δ	None -	0.000 0.025	N -	26
BOULEVARD MANOR	160 (160)	Δ -	M -	- -	- -	Norfolk -	- -	- -	Norfolk -	- -	- -	27
BOWLERS WHARF	15 110	1950 -	P -	28 0	N -	Well -	- 0.007	- 0.011	None -	0.000 0.004	N -	28
BOWLING GREEN	616 900	1957 -	M P	175 175	N -	3 wells -	- 0.135	- 0.090	None -	0.000 0.050	N -	29
BOYDTON	501 570	1949 1949	M -	142 142	N -	2 wells -	- 0.080	0.150 0.057	Dh -	Δ 0.075	N -	30

PHS-2226
REV. 4-59

INVENTORY OF MUNICIPAL WATER FACILITIES

STATE	DATE	PAGE
VIRGINIA	Jan. 1, 1958	3 of 19

COMMUNITY	1950 Population Estimated Population Served	Year Oper. Started Present Supply Present Treatment Plant	OWNERSHIP	Number of Services Number of Meters	LAB. CONTROL	SOURCE OF SUPPLY	Safe Yield Impounded Maximum Dependable Draft (Gr. water) MGD	Rated Plant Capacity Average Plant Output MGD	TREATMENT	Dist. Storage Pumps to Mains Gravity to Mains MG	IMPROVEMENTS NEEDED	LINE NO.
1	2	3	4	5	6	7	8	9	10	11	12	
BOYKINS	811	1954	M	275	N	2 wells	-	-	None	Δ	N	1
	800	-	-	0	-	-	0.300	0.100	-	0.075	-	
BRIDGEWATER	1,537	1913	M	316	N	Spring	-	0.150	H-DhFpz	Δ	Δ	2
	1,100	1937	-	240	-	-	0.150	0.095	-	0.050	-	
* BRISTOL	15,954	1954	M	6,000	C	South Holston River &	Unl.	5.000	P-CalDcMpSoFarDcVtKp	1.000	N	3
	22,000	1954	-	6,000	-	South Holston Lake	-	2.700	-	3.000	-	
BRITTON HILL FARM	150	1936	M	40	N	Well	-	-	None	0.036	N	4
	150	-	-	40	-	-	0.018	0.015	-	0.000	-	
BROADWAY	561	1936	M	259	N	Shenandoah River,	Δ	0.160	P-CaMpSoFrsDc	0.065	Δ	5
	650	1936	-	259	-	North Fork	-	0.070	-	0.060	-	
BRODNAX	499	1947	M	140	N	3 wells	-	-	None	0.130	N	6
	560	-	-	Δ	-	-	0.065	0.056	-	0.100	-	
BROOKNEAL	883	1933	P	221	N	Falling River	Δ	Δ	P-CastDcMbSoFraDc	Δ	N	7
	880	1948	-	221	-	Wells (aux.)	-	0.090	-	0.075	-	
BROWNSBURG	300	1926	P	56	N	Spring	-	0.100	Dh	Δ	Δ	8
	170	1951	-	0	-	-	0.040	0.017	-	Δ	-	
BUCHANAN	1,300	1957	M	417	N	Spring and	-	0.500	Dh	Δ	Δ	9
	1,500	1920	-	Δ	-	2 wells	0.300	0.170	-	0.365	-	
BUCKROE BEACH	1,977	Δ	Δ	-	-	Newport News	-	-	Newport News	-	-	10
	(Δ)	-	-	-	-	-	-	-	-	-	-	
BUENA VISTA	5,214	1957	M	1,462	N	3 mountain streams,	Δ	1.250	Dc	Δ	Δ	11
	5,500	1957	-	1,250	-	Hall Spring and well	0.290	0.400	-	0.500	-	
BURKEVILLE	695	1935	M	174	N	4 wells	-	-	None	0.002	ST	12
	700	-	-	Δ	-	-	0.079	0.070	-	0.075	-	
CALLAO	400	Δ	P	70	Δ	Well	-	-	None (V 0.80)	0.056	N	13
	280	-	-	70	-	-	0.028	0.028	-	Δ	-	
CAMBRIA	853	1949	M	200	N	Spring	-	0.100	Dc	0.005	N	14
	900	1948	-	Δ	-	-	Δ	0.075	-	0.250	-	
CAPE CHARLES	2,427	1943	M	750	N	39 wells	-	0.600	HI-Fpz	0.000	T	15
	3,000	1946	-	750	-	deep well (aux.)	0.600	0.200	-	0.200	-	
CAPRON	281	1952	M	70	N	Well	-	-	None	0.086	UP	16
	280	-	-	Δ	-	-	0.043	0.028	-	Δ	-	
CARRSVILLE	500	1954	P	40	N	2 wells	-	-	None	0.144	N	17
	160	-	-	0	-	-	0.072	0.016	-	0.000	-	
CARVER GARDENS	336	1954	P	84	N	Well	-	-	None	0.216	Δ	18
	340	-	-	84	-	-	0.108	0.034	-	0.000	-	
CASTLEWOOD	500	Δ	P	100	N	Spring	-	Δ	Dh	0.000	N	19
	350	Δ	-	0	-	-	Δ	0.035	-	0.012	-	
CATAWBA	100	1923	M	Δ	N	Well and spring	-	0.180	H-ClaMsSoRFrsDc	0.001	Δ	20
	500	1923	-	Δ	-	-	0.100	0.115	-	0.300	-	
CAVE SPRING	500	1954	P	180	N	Spring	-	0.100	Dh	0.000	Δ	21
(Roanoke County)	500	1942	-	162	-	-	0.144	0.065	-	0.066	-	
CECIL SUPPLY-	150	Δ	Δ	40	N	Ground	-	0.030	Dh	0.000	N	22
EAST TAZEWELL	150	1957	-	0	-	-	Δ	0.015	-	0.015	-	
* CEDAR BLUFF	1,083	1938	M	250	N	Clay Pool Mill and	-	-	Dh	0.000	U	23
	1,100	1957	-	225	-	Indian Springs	0.086	0.110	-	0.090	-	
CHAMBERLAYNE FARMS	860	1957	P	215	N	2 wells	-	-	None	0.374	N	24
	860	-	-	215	-	-	0.187	0.086	-	0.000	-	
CHAMBERLAYNE HEIGHTS	700	1957	P	172	N	2 wells	-	-	None	0.200	N	25
	700	-	-	172	-	-	0.100	0.069	-	Δ	-	
CHARLOTTE COURTHOUSE	397	1953	M	110	N	Tanyard Spring	-	0.054	Dh	0.024	N	26
	700	1942	-	110	-	and well	0.053	0.070	-	0.030	-	
CHARLOTTESVILLE	25,969	1887	M	8,300	C	Ragged Mtn.water shed	13.000	8.500	P-AtCaltDcKcMtpSo	Δ	SMG	27
	38,000	1954	-	8,300	-	and Moorman's River	-	4.000	FgrsTcVs	3.000	-	
CHASE CITY	2,519	Δ	M	750	N	9 wells	-	-	None	0.100	ST	28
	3,000	-	-	Δ	-	-	0.306	0.300	-	0.100	-	
CHATHAM	1,456	1924	M	475	C	Cherrystone Creek	Δ	0.720	P-CasDcTcMp	0.166	N	29
	1,900	1953	-	475	-	-	-	0.200	SoFrsKpVtDc	0.300	-	
CHESTER	1,168	Δ	M	-	-	Falling Creek	-	-	Falling Creek	-	-	30
	(1,170)	-	-	-	-	and Colonial Heights	-	-	and Colonial Heights	-	-	

INVENTORY OF MUNICIPAL WATER FACILITIES

STATE	DATE	PAGE
VIRGINIA	Jan. 1, 1958	4 of 19

COMMUNITY	1950 Population Estimated Population Served	Year Oper. Started Present Supply Present Treatment Plant	OWNERSHIP	Number of Services Number of Meters	LAB. CONTROL	SOURCE OF SUPPLY	Safe Yield Impounded Maximum Dependable Draft (Gr. water) MGD	Rated Plant Capacity Average Plant Output MGD	TREATMENT	Dist. Storage Pumps to Mains Gravity to Mains MG	IMPROVEMENTS NEEDED	LINE NO.
1	2	3	4	5	6	7	8	9	10	11	12	
CHESTERFIELD	150	1939	M	15	Δ	Well	-	-	None	0.036	N	1
	170	-	-	15	-	-	0.018	0.008	-	Δ	-	
CHESTERFIELD COURT	175	1941	P	45	N	Ground	-	-	None	0.001	Δ	2
	180	-	-	45	-	-	0.015	0.020	-	0.001	-	
CHILHOWIE	1,022	1955	M	250	N	Gross and Jones	-	1.200	Dc	0.000	N	3
	1,100	1955	-	200	-	Springs	Δ	0.300	-	0.200	-	
CHINCOTEAGUE	2,724	1957	M	1,800	N	39 wells	-	2.000	Kp	Δ	L	4
	2,720	1948	-	1,800	-	-	1.000	0.300	-	0.050	-	
CHRIST CHURCH	150	1940	P	Δ	N	Well	-	-	None	0.013	Δ	5
	150	-	-	Δ	-	-	0.029	0.015	-	0.000	-	
CHRISTIANSBURG	2,967	Δ	M	-	-	Blacksburg-Christ-	-	-	Blacksburg-Christ-	-	-	6
	(3,000)	-	-	-	-	iansburg-VPI Wat.Auth	-	-	iansburg-VPI Wat.Auth	-	-	
CHUCKATUCK	225	Δ	P	60	N	2 wells	-	-	None	0.005	Δ	7
	240	-	-	0	-	-	0.144	0.024	-	0.000	-	
CLAREMONT	374	1893	M	126	Δ	3 wells	-	-	None	0.003	N	8
	500	-	-	126	-	-	0.115	0.050	-	0.025	-	
CLARKSVILLE	1,035	Δ	M	300	C	Roanoke River Basin	Δ	1.000	P-CasTcDcMpSoFrsKcDc	0.100	N	9
	1,200	1953	-	300	-	-	-	0.120	-	0.100	-	
CLEARWATER PARK	100	1937	M	53	N	Mountain stream	0.100	0.100	Dh	0.000	Δ	10
	150	1957	-	Δ	-	-	-	0.025	-	Δ	-	
CLEVELAND	388	Δ	P	100	N	Elm Spring	-	0.022	Dh	0.000	U	11
	350	1936	-	0	-	-	Δ	0.015	-	0.023	-	
CLIFTON FORGE	5,795	1899	M	2,971	N	Smith Creek	3.000	3.000	Dc	Δ	MTD	12
	8,000	1924	-	Δ	-	-	-	3.000	-	0.100	LG	
CLINCHCO	1,390	Δ	P	250	N	Wells	-	-	None	0.001	N	13
	1,000	-	-	0	-	-	Δ	0.080	-	0.100	-	
CLINCHPORT	359	1948	P	100	N	Springs	-	0.020	Dh	0.000	U	14
	350	1951	-	0	-	-	Δ	0.020	-	0.020	-	
CLINTWOOD	1,366	1950	M	450	N	4 wells	-	0.250	PI-A CalSvFrsDc	Δ	U	15
	2,000	1950	-	450	-	-	Δ	0.150	-	0.255	-	
* COEBURN	760	1955	M	400	N	3 wells	-	0.144	I-AsDhSoFrs	0.002	STL	16
	1,500	1927	-	Δ	-	-	Δ	0.150	-	0.105	-	
COLLINSVILLE	900	1948	P	500	N	4 wells	-	-	None	0.375	U	17
Supply # 1	2,000	-	-	400	-	-	0.188	0.200	-	0.064	-	
COLLINSVILLE	-	1956	P	30	N	Well	-	-	None	0.036	Δ	18
Supply # 2	120	-	-	Δ	-	-	0.018	0.012	-	0.000	-	
COLONIAL BEACH	1,464	Δ	M	1,258	Δ	Wells	-	Δ	Dc	0.368	Δ	19
	1,800	-	-	800	-	-	1.440	0.588	-	0.060	-	
COLONIAL COURT	175	1946	P	52	N	Well	-	-	None	0.017	N	20
Subdivision	210	-	-	52	-	-	0.009	0.021	-	0.000	-	
* COLONIAL HEIGHTS	6,077	1948	M	2,550	C	Swift Creek	10.000	1.000	P-DcCalMpSoTcFrsKpDc	0.090	T	21
	9,000	1948	-	2,550	-	-	-	1.000	-	1.250	-	
COLUMBIA	119	1951	P	29	N	Well	-	-	None	0.022	N	22
	120	-	-	29	-	-	0.011	0.012	-	0.000	-	
CONEHURST	225	1941	P	70	Δ	Well	-	0.015	Dh	Δ	U	23
	230	1941	-	Δ	-	-	0.001	0.002	-	0.015	-	
COTTAGE GREEN	240	1949	P	60	N	2 wells	-	-	None	0.050	T	24
	240	-	-	Δ	-	-	0.025	0.024	-	Δ	-	
COURTLAND	443	1956	M	205	N	Well	-	-	None (V 2.47)	Δ	N	25
	800	-	-	205	-	-	0.126	0.075	-	0.075	-	
COVINGTON	5,860	1901	M	2,912	C	Mountain Creek	0.850	1.000	Dc	Δ	TD	26
Supply # 1	4,000	1929	-	Δ	-	-	-	1.200	-	6.000	-	
COVINGTON	-	Δ	M	Δ	Δ	Jackson River	Δ	2.000	P-CaSoFrsDc	0.030	TD	27
Supply # 2	4,000	Δ	-	Δ	-	-	-	Δ	-	Δ	-	
CRADOCK	6,000	Δ	M	-	-	Portsmouth	-	-	Portsmouth	-	-	28
	(6,000)	-	-	-	-	-	-	-	-	-	-	
CRAIGHEAD	150	1943	P	116	N	Spring	-	0.200	Dh	Δ	Δ	29
	400	1943	-	Δ	-	-	Δ	0.050	-	0.015	-	
CRAIGSVILLE	703	1957	M	320	N	Black Run Spring	-	0.500	Dc	Δ	UL	30
	820	1936	-	Δ	-	and well	0.244	0.100	-	0.080	-	

INVENTORY OF MUNICIPAL WATER FACILITIES

STATE	DATE	PAGE
VIRGINIA	Jan. 1, 1960	5 of 19

COMMUNITY	1950 Population Estimated Population Served	Year Oper. Started Present Supply Present Treatment Plant	OWNERSHIP	Number of Services Number of Meters	LAB. CONTROL	SOURCE OF SUPPLY	Safe Yield Impounded Maximum Dependable Draft (Gr. water) MGD	Rated Plant Capacity Average Plant Output MGD	TREATMENT	Dist. Storage Pumps to Mains Gravity to Mains MG	IMPROVEMENTS NEEDED	LINE NO.
1	2	3	4	5	6	7	8	9	10	11	12	
CRANES NEST	200 200	Δ -	P -	50 0	N -	Drilled well -	- Δ	- 0.015	None -	0.000 0.025	N -	1
CRESCENT HEIGHTS Subdivision	120 200	Δ -	P -	76 76	N -	Well -	- 0.036	- 0.025	None -	Δ 0.016	UL -	2
CRESTHILL	125 130	1957 -	P -	36 36	N -	Well -	- 0.036	- 0.015	None -	Δ 0.029	Δ -	3
CRESTVIEW APARTMENTS (Henrico County)	2,000 (2,000)	1950 -	P -	- -	- -	Richmond -	- -	- -	Richmond -	- -	- -	4
CRESTWOOD Source # 1	1,500 1,500	1939 Δ	P -	374 0	N -	7 wells -	- 0.090	0.045 0.045	Dh -	0.002 0.000	N -	5
CRESTWOOD Source # 2	- 100	1956 -	P -	34 34	N -	8 wells -	- 0.021	- 0.010	None -	Δ 0.020	Δ -	6
CREWE	2,030 2,500	1928 1928	M -	625 625	C -	Little Nottoway River -	Δ -	0.500 0.250	P-SoCasTcDcMbSo FrsKpDc	0.200 0.100	T -	7
CRITTENDEN	350 160	1955 -	P -	40 0	N -	2 wells -	- 0.040	- 0.016	None -	0.001 0.000	N -	8
CROZET	706 900	Δ 1953	M -	225 Δ	N -	Mtn. watershed, wells, springs & inf. gals.	22.264 0.100	0.250 0.100	P-CasMpSoFrsDc -	Δ 0.200	N -	9
CROZIER	200 80	1952 -	P -	21 21	N -	2 wells -	- 0.014	- 0.008	None -	0.029 0.000	N -	10
CRYSTAL	600 1,300	1952 1952	P -	150 0	N -	Springs -	- Δ	0.080 0.075	Dc -	0.000 0.000	UL -	11
CULPEPPER	2,527 4,350	Δ 1946	M -	1,325 1,325	C -	Mountain River and 2 wells	Δ Δ	1.000 0.435	P-CsaMpSoFrsDcKp -	0.050 0.820	N -	12
DAHLGREN	950 320	1951 -	P -	80 80	Δ -	Well -	- 0.037	- 0.032	None -	0.074 Δ	N -	13
DAMASCUS Supply # 1	1,726 (800)	1922 -	P -	- -	- -	Cedar Bluff Water Company	- -	- -	Cedar Bluff Water Company	- -	- -	14
DAMASCUS Supply # 2	- (930)	Δ -	M -	- -	- -	Washington County Sanitary Dist. # 1	- -	- -	Washington County Sanitary Dist. # 1	- -	- -	15
DANTE Supply # 1	2,405 1,394	1947 1919	P -	600 0	N -	Well -	- Δ	0.225 0.200	P-AcClMhSoFrcDc -	0.040 0.120	Δ -	16
DANTE Supply # 2	- 1,005	Δ Δ	P -	- -	N -	Abandoned mine -	- Δ	0.144 0.144	P-AtClMbSoFrsDc -	0.005 0.080	T -	17
DANVILLE	35,066 46,000	1876 1948	M -	11,477 11,477	C B	Dan River -	100.00 -	9.000 4.310	P-CasDcTcMpSoFrs DcsNgVsKp V 0.10	0.250 10.30	D -	18
DAYTON	788 850	1916 1957	M -	250 250	N -	Spring Surface (imp.)	46.000 0.500	0.500 0.090	Dc -	Δ 0.080	Δ -	19
DENBIGH	300 (Δ)	Δ -	Δ -	- -	- -	Newport News -	- -	- -	Newport News -	- -	- -	20
DERBY	758 (800)	Δ -	Δ -	- -	- -	Appalachia -	- -	- -	Appalachia -	- -	- -	21
DILLWYN	556 520	1953 1953	M -	130 130	N -	Spring -	- 0.072	0.086 0.052	AcDhKp -	0.004 0.150	N -	22
DORCHESTER	1,129 (1,100)	Δ -	Δ -	- -	- -	Norton -	- -	- -	Norton -	- -	- -	23
DRAKES BRANCH	410 300	1952 -	M -	75 75	N -	2 wells -	- 0.029	- 0.030	None -	0.000 0.100	N -	24
DRYDEN	400 200	1950 1950	P -	50 0	C -	Ground -	- 0.200	Δ 0.020	Dh -	0.000 0.000	N -	25
DUBLIN	1,313 1,200	Δ 1953	M -	300 Δ	N -	2 wells -	- Δ	0.453 0.100	H-DcFzp -	0.000 0.060	N -	26
DUMFRIES	500 (500)	Δ -	Δ -	- -	- -	Triangle -	- -	- -	Triangle -	- -	- -	27
DUNBAR	425 780	Δ 1948	P -	200 0	N -	Drilled well -	- Δ	0.110 0.025	Dh -	0.000 0.110	N -	28
DUNGANNON	150 1,000	Δ -	M -	100 0	N -	2 wells -	- Δ	Δ 0.072	Dh -	0.000 0.065	U -	29
EAGLE EYRIE	1,000 1,000	1956 1956	P -	Δ Δ	N -	Springs -	- Δ	0.300 0.100	Dh -	0.003 0.300	S -	30

PHS-2226
REV. 4-59

INVENTORY OF MUNICIPAL WATER FACILITIES

STATE	DATE	PAGE
VIRGINIA	Jan. 1, 1958	6 of 19

COMMUNITY	1950 Population	Year Oper. Started Present Supply	OWNERSHIP	Number of Services	LAB. CONTROL	SOURCE OF SUPPLY	Safe Yield Impounded	Rated Plant Capacity	TREATMENT	Dist. Storage Pumps to Mains	IMPROVEMENTS NEEDED	LINE NO.
	Estimated Population Served	Present Treatment Plant		Number of Meters			Maximum Dependable Draft (Gr. water) MGD	Average Plant Output MGD		Gravity to Mains MG		
1	2	3	4	5	6	7	8	9	10	11	12	
EASTERN PARK	400	Δ	M	-	-	Norfolk	-	-	Norfolk	-	-	1
	(400)	-	-	-	-	-	-	-	-	-	-	
EASTOVER GARDENS	420	1947	P	105	N	2 wells	-	-	None	0.151	N	2
	420	-	-	105	-	-	0.076	0.042	-	0.000	-	
EAST STONE GAP	522	Δ	Δ	-	-	Big Stone Gap	-	-	Big Stone Gap	-	-	3
	(600)	-	-	-	-	-	-	-	-	-	-	
EASTVILLE	311	1941	M	75	N	2 wells	-	-	None	0.000	N	4
	300	-	-	75	-	-	0.130	0.030	-	0.075	-	
EDGEWOOD	120	1954	P	394	N	4 wells	-	0.045	Dh	Δ	Δ	5
	1,000	1943	-	394	-	-	0.200	0.120	-	0.016	-	
EDINBURG	533	1907	M	600	N	Springs and	Δ	Δ	Dh	0.000	TD	6
	1,300	1938	-	450	-	mountain streams	0.300	0.180	-	0.500	-	
ELKTON	1,361	1935	M	368	N	Kite Spring	-	0.172	Dh	Δ	Δ	7
	1,200	1937	-	240	-	-	0.300	0.100	-	1.000	-	
ELLISTON	600	1939	P	150	N	Spring	-	Δ	Dh	0.000	N	8
	600	1944	-	0	-	-	Δ	0.500	-	0.000	-	
EMORY	325	Δ	Δ	-	-	Washington County	-	-	Washington County	-	-	9
	(920)	-	-	-	-	Sanitary Dist. # 1	-	-	Sanitary Dist. # 1	-	-	
EMPORIA	5,664	1907	M	1,620	N	Meherrin River	3.200	2.000	P-CasDc(MtpsSv)KpFrs	0.226	Δ	10
	5,500	1954	-	1,550	-	-	-	0.500	-	0.400	-	
ENGLISH VILLAGE	140	1948	P	35	N	Well	-	0.028	Dh	0.028	U	11
	140	1952	-	Δ	-	-	0.014	0.014	-	0.010	-	
ETTRICK	3,030	Δ	M	-	-	Petersburg	-	-	Petersburg	-	-	12
	(3,030)	-	-	-	-	-	-	-	-	-	-	
EWING	780	Δ	P	125	N	Spring	-	Δ	Dh	0.000	N	13
	500	1937	-	0	-	-	Δ	0.050	-	0.025	-	
EXETER	674	1948	P	152	N	Abandoned mine	-	0.144	Dc	0.003	N	14
	700	1931	-	152	-	well (aux.)	Δ	0.070	-	0.120	-	
EXMORE	1,362	1950	M	325	N	Well	-	-	None	0.360	U	15
	1,300	-	-	325	-	-	0.180	0.075	-	0.200	-	
FAIR AKERS Subdivision	100	1949	P	25	N	Well	-	0.040	Dh	Δ	N	16
	100	1949	-	25	-	-	Δ	0.001	-	0.090	-	
FAIRFAX	1,946	1955	M	2,095	N	12 wells	-	Δ	Dh	Δ	S	17
	8,380	-	-	2,095	-	-	0.416	0.838	-	1.000	-	
FAIRFAX ACRES	390	Δ	P	98	Δ	2 wells	-	-	None	0.820	N	18
	390	-	-	98	-	-	0.410	0.039	-	Δ	-	
FAIRLAWN-WALLOW	1,621	1941	P	400	N	2 wells	-	Δ	Dh	0.000	N	19
	1,500	1942	-	Δ	-	-	Δ	0.075	-	0.010	-	
FAIRVIEW BEACH	100	1955	P	91	Δ	2 wells	-	-	None	0.130	N	20
	410	-	-	91	-	-	0.065	0.041	-	Δ	-	
* FALLING CREEK	200	1953	M	7,900	C	Falling Creek	4.600	1.000	P-CasDcTcMpSoFrsKpDc	0.093	STD	21
	30,020	1953	-	7,900	-	-	-	1.000	-	1.050	LG	
* FALLS CHURCH	8,797	Δ	Δ	-	-	Washington D. C.	-	-	Washington D. C.	-	-	22
	(8,800)	-	-	-	-	Dalecarlia Plant	-	-	Dalecarlia Plant	-	-	
FALMOUTH	1,176	Δ	Δ	-	-	Fredericksburg	-	-	Fredericksburg	-	-	23
	(1,180)	-	-	-	-	-	-	-	-	-	-	
FARMVILLE	4,375	1905	M	Δ	C	Buffalo River	Δ	1.000	P-CasDcTcMp	0.010	N	24
	5,260	1933	-	Δ	-	-	-	0.550	SoFrsKcDcVs	0.700	-	
FENWICK PARK Subdivision	400	Δ	P	200	Δ	2 wells	-	-	None	Δ	U	25
	800	-	-	200	-	-	0.058	0.080	-	0.030	-	
FERGUSON PARK	5,203	Δ	Δ	-	-	Newport News	-	-	Newport News	-	-	26
	(Δ)	-	-	-	-	-	-	-	-	-	-	
FERRUM	300	1941	P	Δ	N	2 wells and spring	-	-	None	0.005	DL	27
	300	-	-	Δ	-	-	0.084	0.030	-	0.025	-	
FERRY FARMS	880	1955	Δ	Δ	N	Wells	-	0.143	I-AmFpz	0.252	Δ	28
	880	Δ	-	Δ	-	-	0.126	0.088	-	0.005	-	
FIELDALE	1,295	1949	M	-	-	Fieldcrest Mills	-	-	Fieldcrest Mills	-	-	29
	(1,300)	-	-	-	-	-	-	-	-	-	-	
* FIELDCREST MILLS	300	1919	P	Δ	C	Smith River	Δ	2.000	P-CasDcMbSoFrsDcKp	0.012	N	30
	1,600	1919	-	Δ	B	-	-	0.600	-	1.000	-	

INVENTORY OF MUNICIPAL WATER FACILITIES

STATE	DATE	PAGE
VIRGINIA	Jan. 1, 1958	7 of 19

COMMUNITY	1950 Population	Year Oper. Started	OWNERSHIP	Number of Services	LAB. CONTROL	SOURCE OF SUPPLY	Safe Yield Impounded	Rated Plant Capacity	TREATMENT	Dist. Storage	IMPROVEMENTS NEEDED	LINE NO.
	Estimated Population Served	Present Supply		Number of Meters			Maximum Dependable Draft (Gr. water) MGD	Average Plant Output MGD		Pumps to Mains		
		Present Treatment Plant								Gravity to Mains MG		
1	2	3	4	5	6	7	8	9	10	11	12	
FLOYD	493	1948	M	Δ	C	Dodd Creek	Δ	0.144	P-CasMpSoFrsKcDc	0.005	N	1
	490	1948	-	Δ	-	-	-	0.042	-	0.075	-	
FOREST LAWNS	475	1955	P	134	N	4 wells	-	-	None	Δ	TG	2
	480	-	-	134	-	-	0.100	0.050	-	0.001	-	
FORK UNION	300	1955	P	76	N	3 wells	-	0.022	Dh	0.000	N	3
	900	1936	-	76	-	-	0.097	0.090	-	0.050	-	
FT. LEWIS TERRACE	130	1940	P	40	N	Well	-	0.050	Dh	Δ	Δ	4
	150	Δ	-	0	-	-	0.015	0.013	-	0.001	-	
FOXWELLS	300	1956	P	35	N	Ground	-	-	None	0.029	N	5
	140	-	-	35	-	-	0.014	0.140	-	Δ	-	
FRANKLIN	4,670	1957	M	2,100	N	4 wells	-	-	None (V 2.20)	Δ	N	6
Supply # 1	6,000	-	-	1,900	-	-	3.000	0.800	-	0.285	-	
FRANKLIN	-	1950	P	60	N	Well	-	-	None (V 7.20)	0.003	UPG	7
Supply # 2	240	-	-	0	-	-	0.028	0.024	-	0.000	-	
* FREDERICKSBURG	12,158	Δ	M	3,500	C	Rappahannock River	3.240	6.000	P-SoCaDcT MpSo	0.330	N	8
	14,000	Δ	-	2,275	-	-	-	3.000	FrsKpVaDc	2.350	-	
FRIES	1,442	1937	P	330	C	Eagle Bottom Creek	Δ	0.288	P-CaTcMbSoFrsKpVtDc	0.080	N	9
	2,400	1937	-	0	-	-	-	0.084	-	0.275	-	
* FRONT ROYAL	8,115	Δ	M	2,350	C	Happy Creek and	Δ	2.000	P-CasDcMpSoTcFrsKg	Δ	S	10
	9,500	Δ	-	2,350	-	Shenandoah River	-	0.822	-	1.204	-	
GALAX	5,248	1923	M	1,200	C	Chestnut Creek	Δ	1.000	P-DcCasMpSoFrsDc	0.165	N	11
	5,500	1946	-	1,200	-	-	-	0.600	-	0.400	-	
GARDEN CITY	450	1936	P	185	Δ	2 springs and	-	-	None	0.000	Δ	12
	500	-	-	175	-	2 wells	0.050	0.070	-	0.001	-	
GATE CITY	2,126	1951	M	500	C	Big Moccasin Creek	Δ	0.500	P-CalDcMpSoFrsDc	0.070	N	13
Supply # 1	1,964	1951	-	100	-	-	-	0.175	-	0.200	-	
GATE CITY	-	1938	M	-	N	Gilmer Spring	-	0.030	Dc	-	N	14
Supply # 2	336	1956	-	-	-	-	Δ	0.030	-	-	-	
GILBERT GARDENS	400	1949	P	100	N	2 wells	-	-	None	0.404	N	15
	400	-	-	100	-	-	0.202	0.040	-	0.000	-	
GINTER GARDEN	200	Δ	P	50	Δ	Well	-	0.020	Dh	0.020	Δ	16
Subdivision	200	1957	-	50	-	-	0.022	0.020	-	0.000	-	
GLADE SPRING	827	Δ	Δ	-	-	Washington County	-	-	Washington County	-	-	17
	(830)	-	-	-	-	Sanitary District # 1	-	-	Sanitary District # 1	-	-	
GLADSTONE	250	1912	P	48	N	Spring	-	-	None	0.000	Δ	18
	150	-	-	0	-	-	0.100	Δ	-	0.030	-	
GLASGOW	810	1947	M	347	N	4 wells and spring	-	0.500	Dh	0.000	Δ	19
	1,000	1938	-	8	-	-	0.086	0.054	-	0.033	-	
GLEN LYN	240	Δ	P	25	N	Spring	-	0.072	Dh-spring	0.000	N	20
Supply # 1	100	1942	-	0	-	New River (aux.)	Δ	Δ	P-CaSoFpszDh(aux.)	0.020	-	
GLEN LYN	-	Δ	P	50	N	Ground	-	0.100	Dh	0.000	N	21
Supply # 2	200	1951	-	Δ	-	-	Δ	0.020	-	0.010	-	
GLEN WILTON	300	1934	P	42	N	Stream	0.090	0.100	Dh	Δ	Δ	22
	140	1949	-	Δ	-	-	-	0.020	-	0.025	-	
GLENWOOD GARDENS	336	1948	P	84	N	Well	-	-	None	0.072	N	23
	340	-	-	Δ	-	-	0.036	0.034	-	0.000	-	
GLOUCESTER BANKS	100	1957	P	25	N	3 wells	-	-	None	Δ	U	24
	100	-	-	25	-	-	0.009	0.010	-	0.010	-	
GLOUCESTER	-	1936	Δ	214	N	Well	-	-	None	Δ	UDL	25
Sanitary District	860	-	-	214	-	-	0.040	0.086	-	0.075	-	
GOOCHLAND COURT HOUSE	100	1956	P	50	N	Well	-	0.043	I-AmFa	0.043	N	26
	200	1956	-	50	-	well (aux.)	0.022	0.020	-	0.000	-	
GOODSON-Kinder Hook	-	1957	M	-	-	Bristol	-	-	Bristol	-	-	27
Water Authority	(6,000)	-	-	-	-	-	-	-	-	-	-	
GORDONSVILLE	1,118	Δ	M	350	N	Springs, quarry	-	Δ	Dc	Δ	U	28
	1,400	Δ	-	350	-	and well (aux.)	3.020	1.100	-	1.500	-	
GOSHEN	124	1947	M	89	N	Spring	-	-	None	0.000	Δ	29
	350	-	-	Δ	-	-	0.100	Δ	-	0.035	-	
GREENDALE	50	1947	P	13	N	Well	-	0.010	Dh	0.010	U	30
Subdivision	50	1948	-	13	-	-	0.005	0.005	-	0.000	-	

INVENTORY OF MUNICIPAL WATER FACILITIES

STATE	DATE	PAGE
VIRGINIA	Jan. 1, 1958	8 of 19

COMMUNITY	1950 Population Estimated Population Served	Year Oper. Started Present Supply Present Treatment Plant	OWNERSHIP	Number of Services Number of Meters	LAB. CONTROL	SOURCE OF SUPPLY	Safe Yield Impounded Maximum Dependable Draft (Gr. water) MGD	Rated Plant Capacity Average Plant Output MGD	TREATMENT	Dist. Storage Pumps to Mains Gravity to Mains MG	IMPROVEMENTS NEEDED	LINE NO.
1	2	3	4	5	6	7	8	9	10	11	12	
GREENFIELD VILLAGE	160	1952	P	40	N	Well	-	0.026	I-AmFap	0.026	N	1
	160	1956	-	40	-	-	0.029	0.016	-	Δ	-	
GRETNA	803	1935	M	175	C	George's Creek	Δ	0.144	P-CasDcMbSoFrsKpDc	0.050	TLG	2
	700	1935	-	Δ	-	-	-	0.070	-	0.075	-	
GROTTOES	908	1950	M	236	N	Well	-	-	None	Δ	Δ	3
	900	-	-	100	-	-	0.120	0.070	-	0.100	-	
GRUNDY	1,947	1948	M	500	N	2 wells	-	0.500	AcDc	0.020	N	4
	1,900	1948	-	500	-	-	Δ	0.125	-	0.100	-	
HALIFAX	791	Δ	M	350	N	3 wells	-	0.317	Dh	Δ	T	5
	1,200	1957	-	350	-	-	0.227	0.120	-	0.060	-	
HALLOWING POINT	100	1949	P	25	Δ	Well	-	-	None	0.086	N	6
RIVER ESTATES	100	-	-	25	-	-	0.043	0.040	-	Δ	-	
HALLS HILL	973	Δ	Δ	-	-	Alexandria	-	-	Alexandria	-	-	7
	Δ	-	-	-	-	-	-	-	-	-	-	
HAMILTON	351	1956	M	130	Δ	2 wells	-	0.031	I-AcCsFpzKh	Δ	U	8
	520	Δ	-	130	-	-	0.032	0.026	-	0.060	-	
HAMPDEN SYDNEY	570	Δ	P	Δ	C	Well	-	0.108	I-AcClSoFp	0.010	N	9
	650	1954	-	Δ	-	-	0.054	0.650	-	0.100	-	
HAMPTON	60,994	Δ	Δ	-	-	Newport News	-	-	Newport News	-	-	10
	(61,000)	-	-	-	-	-	-	-	-	-	-	
HARMAN	655	Δ	P	125	N	5 well systems	-	-	None	Δ	T	11
	500	-	-	0	-	-	Δ	0.025	-	0.007	-	
HARRISONBURG	10,810	1925	M	3,540	C	Happy Creek and	4.000	3.500	DcVt	0.000	Δ	12
	13,500	1954	-	3,500	-	Silver Lake	-	1.750	-	22.50	-	
HEATHSVILLE	275	Δ	P	64	Δ	Well	-	-	None	Δ	N	13
	260	-	-	64	-	-	0.072	0.025	-	Δ	-	
★ HENRICO COUNTY	-	1956	M	-	-	Richmond	-	-	Richmond	-	-	14
Sanitary District A	(26,800)	-	-	-	-	-	-	-	-	-	-	
★ HENRICO COUNTY	-	1934	M	1,000	N	3 wells	-	-	None	0.000	T	15
Sanitary District # 2	3,500	-	-	1,000	-	-	0.360	0.350	-	0.200	-	
★ HENRICO COUNTY	-	1936	M	1,000	N	3 wells	-	-	None	Δ	T	16
Sanitary District # 3	3,500	-	-	1,000	-	-	0.303	0.350	-	0.200	-	
★ HENRICO COUNTY	-	1952	M	-	-	Richmond	-	-	Richmond	-	-	17
Sanitary District # 5	(15,000)	-	-	-	-	-	-	-	-	-	-	
★ HENRICO COUNTY	-	1948	M	1,600	N	3 wells	-	-	None	Δ	S	18
Sanitary District # 7	6,000	-	-	1,600	-	-	0.177	0.353	-	0.100	-	
HENRYTOWN	500	Δ	Δ	-	-	Saltville	-	-	Saltville	-	-	19
	(Δ)	-	-	-	-	-	-	-	-	-	-	
HERNDON	1,461	1953	M	450	Δ	2 wells	-	-	None	Δ	N	20
	1,800	-	-	450	-	-	0.124	0.180	-	0.574	-	
HIGHLAND-BILTMORE	1,200	Δ	M	-	-	Portsmouth	-	-	Portsmouth	-	-	21
	(1,200)	-	-	-	-	-	-	-	-	-	-	
HIGHLAND PARK	400	Δ	Δ	-	-	Portsmouth	-	-	Portsmouth	-	-	22
	(2,000)	-	-	-	-	-	-	-	-	-	-	
HIGHLAND SPRINGS	3,171	Δ	Δ	-	-	Henrico County	-	-	None	-	-	23
	(Δ)	-	-	-	-	Sanitary District # 3	-	-	-	-	-	
HILLSBORO	129	Δ	M	30	Δ	Spring	-	-	None	Δ	UG	24
	120	-	-	0	-	-	Δ	0.012	-	0.000	-	
HILLSVILLE	764	Δ	P	485	N	2 springs	-	0.106	Dh	0.059	N	25
Source # 1	500	1940	-	485	-	-	Δ	0.030	-	Δ	-	
HILLSVILLE	-	Δ	P	-	C	Reed Island Creek	Δ	0.250	P-CasMpSoFrsKpDc	0.005	N	26
Source # 2	1,000	-	-	-	-	-	-	0.060	-	0.075	-	
HILL TOP	280	Δ	M	-	-	Norfolk	-	-	Norfolk	-	-	27
	(280)	-	-	-	-	-	-	-	-	-	-	
HILTONS	300	1951	P	20	N	Mountain stream	Δ	-	None	0.000	T	28
Source # 1	80	-	-	0	-	-	-	0.005	-	0.010	-	
HILTONS	-	1957	P	50	N	Mountain stream	Δ	-	None	0.000	T	29
Source # 2	200	-	-	0	-	-	-	0.015	-	0.014	-	
HOLLAND	289	1947	P	50	Δ	2 wells	-	-	None	0.006	N	30
	200	-	-	0	-	-	0.110	0.020	-	0.000	-	

INVENTORY OF MUNICIPAL WATER FACILITIES

STATE	DATE	PAGE
VIRGINIA	Jan. 1, 1958	9 of 19

COMMUNITY	1950 Population	Year Oper. Started	OWNERSHIP	Number of Services	LAB. CONTROL	SOURCE OF SUPPLY	Safe Yield Impounded	Rated Plant Capacity	TREATMENT	Dist. Storage	IMPROVEMENTS NEEDED	LINE NO.
	Estimated Population Served	Present Supply Present Treatment Plant		Number of Meters			Maximum Dependable Draft (Gr. water) MGD	Average Plant Output MGD		Pumps to Mains Gravity to Mains MG		
1	2	3	4	5	6	7	8	9	10	11	12	
HOLLINDALE	116	1947	P	29	Δ	Well	-	-	None	0.043	N	1
	120	-	-	29	-	-	0.022	0.016	-	Δ	-	
HOLLIN HALL VILLAGE	200	1956	P	565	Δ	5 wells	-	-	None	0.520	N	2
Subdivision	2,260	-	-	565	-	-	0.260	0.226	-	Δ	-	
HONAKER	847	1949	M	200	N	Well and spring	-	0.050	Dh	0.010	U	3
	900	Δ	-	Δ	-	-	Δ	0.045	-	0.200	-	
HOPEWELL	10,219	1915	P	Δ	C	Appomatox River	Δ	31.00	P-DcCalTcMbSoFrsDcVs	3.000	T	4
	20,000	1918	-	Δ	B	-	-	28.00	-	0.625	-	
HORNERS BEACH	100	1953	P	25	Δ	Ground	-	-	None	0.022	N	5
	100	-	-	Δ	-	-	0.011	0.010	-	Δ	-	
HOT SPRINGS	385	1895	P	203	N	17 springs	-	0.500	Dc	0.060	Δ	6
	1,250	1929	-	Δ	-	-	0.250	0.125	-	1.420	-	
HUNTERDALE HOMES	400	1946	P	94	N	2 wells	-	-	None	0.069	N	7
	400	-	-	94	-	-	0.035	0.040	-	0.000	-	
HURLEY	500	Δ	P	100	N	Well	-	-	None	0.000	N	8
	400	-	-	0	-	-	Δ	0.015	-	0.014	-	
IDA VALLEY	100	1937	M	35	N	Hawksbill Creek	1.000	0.100	Dh	0.000	TL	9
	130	1938	-	Δ	-	-	-	0.002	-	0.003	-	
IMBODEN	800	Δ	P	125	N	Well	-	0.072	Dh	0.015	N	10
	500	Δ	-	0	-	creek (aux.)	Δ	0.300	-	0.110	-	
INDEPENDENCE	486	Δ	M	100	N	4 wells	-	-	None	0.000	N	11
	500	-	-	100	-	-	Δ	0.040	-	0.110	-	
INDIGO PARK	80	1956	P	20	N	Well	-	-	None	0.144	N	12
	80	-	-	20	-	-	0.072	0.008	-	0.000	-	
INMAN	665	1957	P	50	N	4 drilled wells	-	-	None	0.000	Δ	13
	500	-	-	0	-	and spring	Δ	0.020	-	0.012	-	
IRON GATE	725	1947	M	190	N	Spring and 3 wells	-	0.100	Dh	0.000	Δ	14
	850	1946	-	150	-	-	0.050	0.090	-	0.125	-	
IRVINGTON	575	1957	P	167	N	3 wells	-	-	None	0.438	L	15
	670	-	-	167	-	-	0.219	0.069	-	0.015	-	
IVANHOE	871	1957	P	85	N	Drilled well	-	0.050	Dh	0.000	N	16
	300	1957	-	0	-	-	Δ	0.002	-	0.015	-	
IVOR	377	1957	M	125	N	2 wells	-	-	None	0.005	L	17
	500	-	-	125	-	-	0.144	0.050	-	Δ	-	
JAMES TERRACE	860	1950	P	215	N	2 wells	-	-	None	0.240	Δ	18
	860	-	-	215	-	-	0.120	0.086	-	0.000	-	
JARRATT	574	1940	M	180	N	2 wells	-	0.065	Dc	0.000	UT	19
	700	1957	-	180	-	-	0.030	0.030	-	0.075	-	
JEFFERSON HILLS	120	1954	P	42	N	Spring	-	-	None	Δ	UG	20
	120	-	-	Δ	-	-	0.024	0.016	-	0.003	-	
JEWELL RIDGE	860	Δ	P	200	N	Mountain water shed	Δ	0.080	P-AcDhMbSoFrs	0.010	N	21
	1,000	1933	-	0	-	drilled well (aux.)	-	0.075	-	0.025	-	
JEWELL VALLEY	300	Δ	P	75	N	Well	-	0.065	I-AcSoFrsFpz	0.010	N	22
	300	1943	-	0	-	-	Δ	0.025	-	0.100	-	
JOHNSON	200	1936	P	1	N	Well	-	0.022	Dh	Δ	Δ	23
	200	1936	-	Δ	-	Roanoke River (aux.)	0.022	0.008	-	0.001	-	
JONESVILLE	597	1934	M	150	N	Springs	-	0.090	Dc	0.027	S	24
	600	1934	-	0	-	-	Δ	0.050	-	0.090	-	
KEEN MOUNTAIN	700	Δ	P	100	N	Well	-	Δ	DhKc	0.000	N	25
Plant # 1	400	1956	-	0	-	-	Δ	0.020	-	0.064	-	
KEEN MOUNTAIN	-	Δ	P	15	N	Well	-	Δ	DhKc	0.000	T	26
Plant # 2	60	1948	-	0	-	-	Δ	0.001	-	0.010	-	
KENBRIDGE	1,176	Δ	M	300	N	4 wells	-	-	None	0.400	ST	27
	1,200	-	-	Δ	-	-	0.100	0.100	-	0.100	-	
KEOKEE	778	Δ	P	119	N	Mountain stream	Δ	0.144	Dh	0.000	N	28
	780	Δ	-	119	-	(imp.) & drilled well	Δ	0.070	-	0.600	-	
KEYSVILLE	690	1956	M	172	N	3 wells	-	-	None	Δ	UG	29
	690	-	-	172	-	-	Δ	0.069	-	0.060	-	
KILDARE	180	1946	P	46	N	Well	-	-	None	0.036	N	30
	180	-	-	46	-	-	0.018	0.018	-	0.000	-	

PHS-2236
REV. 4-59

INVENTORY OF MUNICIPAL WATER FACILITIES

STATE	DATE	PAGE
VIRGINIA	Jan. 1, 1958	10 of 19

COMMUNITY	1950 Population Estimated Population Served	Year Oper. Started: Present Supply Present Treatment Plant	OWNERSHIP	Number of Services Number of Meters	LAB. CONTROL	SOURCE OF SUPPLY	Safe Yield Impounded Maximum Dependable Draft (Gr. water) MGD	Rated Plant Capacity Average Plant Output MGD	TREATMENT	Dist. Storage: Pumps to Mains Gravity to Mains MG	IMPROVEMENTS NEEDED	LINE NO.
1	2	3	4	5	6	7	8	9	10	11	12	
KILMARNOCK	639	1935	M	365	Δ	2 wells	-	-	None (V 3.60)	0.007	N	1
	1,000	-	-	365	-	-	0.306	0.010	-	0.060	-	
KIMBALLTON	250	1917	P	20	N	Ground	-	Δ	Dch	0.000	N	2
	100	1947	-	0	-	-	Δ	0.010	-	0.019	-	
KINGSDALE	160	1955	P	40	N	Well	-	-	None	0.039	N	3
	160	-	-	Δ	-	-	0.144	0.160	-	0.000	-	
KINSALE	175	1947	P	53	Δ	Well	-	-	None	0.058	N	4
	210	-	-	53	-	-	0.029	0.021	-	Δ	-	
LABURNUM MANOR	2,400	1949	P	-	-	Richmond	-	-	Richmond	-	-	5
	(2,400)	-	-	-	-	-	-	-	-	-	-	
LA CROSSE	675	1939	M	140	N	2 wells	-	0.118	Kp	Δ	N	6
	550	1939	-	140	-	-	0.059	0.055	-	0.075	-	
LANCASTER	133	1948	P	30	Δ	Well	-	Δ	P-Fps	0.052	N	7
	120	1957	-	30	-	-	0.026	0.012	-	Δ	-	
LANGLEY VIEW	1,176	Δ	Δ	-	-	Newport News	-	-	Newport News	-	-	8
	(Δ)	-	-	-	-	-	-	-	-	-	-	
LANSDALE	100	1957	M	25	N	Well	-	-	None	0.101	N	9
	100	-	-	25	-	-	0.050	0.010	-	0.000	-	
LAWRENCEVILLE	2,039	Δ	M	672	N	Great Creek	Δ	0.500	P-SoCasDcMbSoTcFrs	0.090	Δ	10
	2,690	1918	-	672	-	Meherrin River (aux.)	-	0.275	KpDc	0.100	-	
LEBANON	672	1936	M	250	N	Springs	-	0.500	Dc	0.000	ML	11
	1,200	1936	-	250	-	-	Δ	0.150	-	0.100	-	
LEESBURG	1,703	1955	M	700	N	3 wells and	-	Δ	Dc	Δ	N	12
	2,800	1935	-	700	-	2 springs	0.224	0.200	-	1.560	-	
LEONA MINES	550	Δ	P	75	N	Abandoned mine	-	Δ	Dh	0.000	N	13
	300	1948	-	0	-	-	Δ	0.020	-	0.010	-	
LESTER GATE	150	1948	P	35	N	Springs	-	Δ	Dh	0.000	N	14
	150	1948	-	0	-	-	Δ	0.020	-	0.020	-	
LEWIS GARDENS	2,096	1949	P	524	N	3 wells	-	-	None	0.360	T	15
	3,000	-	-	524	-	well (aux.)	0.180	0.210	-	0.000	-	
LEXINGTON	5,976	1911	M	2,100	C	Moores Creek & spring	1.500	0.850	P-CasT MpSoFrsDc	0.000	Δ	16
	8,000	1936	-	2,100	-	North River (aux.)	Δ	0.650	Dc-spring	2.000	-	
LINDENWOOD	600	1956	P	125	Δ	2 wells	-	-	None	Δ	UL	17
	350	-	-	125	-	-	0.100	0.065	-	0.020	-	
LITTLE SALEM	100	1939	P	9	N	Well	-	-	None	0.014	Δ	18
	40	-	-	9	-	-	0.007	0.004	-	0.000	-	
LIVELY	350	Δ	P	55	Δ	Well	-	-	None (V 1.60)	0.028	Δ	19
	220	-	-	55	-	-	0.014	0.022	-	Δ	-	
LOCK LANE APARTMENTS	470	Δ	P	118	Δ	Well	-	-	None	0.079	N	20
	470	-	-	118	-	-	0.040	0.047	-	0.000	-	
LONDON BRIDGE	593	Δ	M	-	-	Norfolk	-	-	Norfolk	-	-	21
	(650)	-	-	-	-	-	-	-	-	-	-	
LOTTSBURG	400	1951	P	23	Δ	Well	-	-	None (V 0.60)	0.046	N	22
	90	-	-	23	-	-	0.023	0.009	-	Δ	-	
LOUISA	314	Δ	M	150	N	2 wells and spring	-	0.115	Dh-(Spring only)	0.030	N	23
	600	Δ	-	Δ	-	-	0.115	0.053	-	0.075	-	
LOVINGSTON	350	1957	P	35	Δ	Well	-	-	None	Δ	Δ	24
	100	-	-	0	-	-	0.009	Δ	-	0.000	-	
LOWMOOR	900	1949	P	80	N	Spring	-	1.000	Dc	Δ	Δ	25
	250	1949	-	Δ	-	-	0.155	0.004	-	0.030	-	
LURAY	2,731	1903	M	936	N	2 creeks (imp.)	0.250	1.000	Dc	0.000	UST	26
	3,250	1956	-	850	-	springs (aux.)	-	0.350	-	10.00	-	
LYNCHBURG	47,727	1907	M	13,476	C	Pedlar Lake	37.000	15.000	P-CasDcMapSoFpsKcDcVs	Δ	S	27
	58,000	1957	-	13.476	-	-	-	6.320	-	8.000	-	
McCLURE	500	Δ	P	150	N	Well	-	-	None	0.050	N	28
	640	-	-	0	-	-	Δ	0.024	-	0.025	-	
McDOWELL	107	1937	P	69	N	Spring	-	0.100	Dh	0.000	Δ	29
	230	1952	-	Δ	-	-	0.200	0.020	-	0.000	-	
McKENNEY	476	1953	M	119	N	Well	-	-	None	0.000	N	30
	480	-	-	119	-	-	0.043	0.048	-	0.075	-	

INVENTORY OF MUNICIPAL WATER FACILITIES

STATE	DATE	PAGE
VIRGINIA	Jan. 1, 1958	11 of 19

COMMUNITY	1950 Population Estimated Population Served	Year Oper. Started: Present Supply Present Treatment Plant	OWNERSHIP	Number of Services Number of Meters	LAB. CONTROL	SOURCE OF SUPPLY	Safe Yield Impounded Maximum Dependable Draft (Gr. water) MGD	Rated Plant Capacity Average Plant Output MGD	TREATMENT	Dist. Storage: Pumps to Mains Gravity to Mains MG	IMPROVEMENTS NEEDED	LINE NO.
1	2	3	4	5	6	7	8	9	10	11	12	
McLEAN	1,094 (1,095)	Δ -	P -	- -	- -	Falls Church -	- -	- -	Falls Church -	- -	- -	1
MADISON	398 560	1957 -	M -	141 130	Δ -	3 wells -	- 0.028	- 0.056	None -	Δ 0.075	N -	2
MADISON HEIGHTS	2,830 3,000	1955 1955	M -	694 694	C -	Graham Creek -	Δ -	1.000 0.300	P-CalsMtSoTcFrsDc -	0.025 1.250	Δ -	3
MAGRUDER HEIGHTS	200 200	1938 -	P -	50 Δ	N -	Well -	- 0.036	- 0.020	None -	0.072 Δ	U -	4
MANASSAS	1,804 2,500	1954 Δ	M -	625 625	N -	3 wells -	- 0.181	Δ 0.250	Dh -	Δ 0.080	U -	5
MANASSAS PARK	3,045 3,050	1955 -	P -	870 870	N -	Wells -	- 0.317	- 0.304	None -	Δ 0.250	N -	6
MARION	6,932 8,500	1912 Δ	M -	2,150 2,100	N -	Springs -	- 1.750	2.000 1.750	Dc -	0.000 1.600	S -	7
MARION HILLS	180 180	1955 -	P -	45 Δ	N -	Well -	- 0.029	- 0.018	None -	0.058 Δ	N -	8
MARROWBONE HEIGHTS	140 140	1955 -	P -	35 Δ	N -	Well -	- 0.013	- 0.014	None -	0.026 0.000	U -	9
MARSHALL	500 960	Δ -	P -	194 194	Δ -	Well -	- 0.037	- 0.096	None -	Δ 0.025	UT -	10
MARTINSVILLE	17,251 20,000	1948 1948	M -	5,000 5,000	C -	Impounding dam on Beaver Creek	5.000 -	5.000 1.850	P-DcCalMpSoFrsDcKcp -	0.450 2.035	N -	11
MASSANETTA SPRINGS	1,000 1,000	1923 -	P -	37 Δ	N -	Spring -	- 0.100	- Δ	None -	Δ 0.028	TL -	12
MAYFIELD	240 310	1941 -	P -	77 77	N -	2 wells -	- 0.019	- 0.031	None -	0.037 0.000	N -	13
MEADOW VIEW	722 (720)	Δ -	Δ -	- -	- -	Washington County Sanitary District # 1	- -	- -	Washington County Sanitary District # 1	- -	- -	14
MECHANICSVILLE	500 1,200	1956 -	P -	300 300	N -	3 wells -	- 0.122	- 0.120	None -	0.245 Δ	N -	15
MECHANICSVILLE GARDENS	112 110	1952 -	P -	28 28	N -	Well -	- 0.020	- 0.011	None -	0.040 Δ	Δ -	16
MELROSE GARDENS	1,220 1,220	1955 1957	P -	305 305	N -	Wells -	- 0.156	0.169 0.122	I-AmFapKcp -	Δ 0.100	N -	17
MENDOTA	173 100	Δ -	P -	20 0	N -	2 spring supplies -	- Δ	- 0.005	None -	0.000 0.013	N -	18
MESSICK-JEFFS	2,211 (Δ)	Δ -	M -	- -	- -	Newport News -	- -	- -	Newport News -	- -	- -	19
MIDDLEBROOK	300 130	1941 -	P -	Δ Δ	Δ -	2 springs -	- 0.050	- 0.013	None -	0.000 0.000	TL -	20
MIDDLEBURG	663 860	1955 Δ	M -	215 215	C -	Well -	- 0.052	0.100 0.086	P-CasMpSoFrsDcKp -	0.010 0.060	T -	21
MIDDLETOWN	325 (Δ)	Δ -	Δ -	- -	- -	Winchester -	- -	- -	Winchester -	- -	- -	22
MIDWAY ISLAND	600 (Δ)	Δ -	Δ -	- -	- -	U.S. Government -	- -	- -	U.S. Government -	- -	- -	23
MILLBORO	350 200	1903 -	P -	56 Δ	N -	Spring -	- 0.100	- Δ	None -	0.000 0.000	T -	24
MIMOSA PARK	168 170	1954 -	P -	42 42	N -	Well -	- 0.018	- 0.017	None -	0.010 0.000	N -	25
MINERAL	414 410	1937 -	M -	105 Δ	Δ -	2 drilled wells and springs	- 0.156	- 0.041	None -	0.025 0.060	Δ -	26
MONROE	850 200	Δ 1917	P -	23 Δ	N -	Harris Creek -	Δ -	0.046 0.015	P-CasMbSoDcFps -	Δ 0.060	T -	27
MONTEREY	262 500	1910 1956	P -	152 Δ	N -	Spring -	- 0.050	Δ 0.045	Dc -	0.000 0.000	MLG -	28
MONTEZUMA FARMS	190 190	1939 -	P -	47 47	N -	Well -	- 0.022	- 0.019	None -	0.043 Δ	N -	29
MONTROSS	331 560	1918 -	M -	141 141	Δ -	Well -	- 0.033	- 0.033	None -	0.056 0.075	N -	30

PHS-2226
REV. 4-59

INVENTORY OF MUNICIPAL WATER FACILITIES

STATE: VIRGINIA

DATE: Jan. 1, 1958

PAGE: 12 of 19

COMMUNITY	1950 Population Estimated Population Served	Year Oper. Started Present Supply Present Treatment Plant	OWNERSHIP	Number of Services Number of Meters	LAB. CONTROL	SOURCE OF SUPPLY	Safe Yield Impounded Maximum Dependable Draft (Gr. water) MGD	Rated Plant Capacity Average Plant Output MGD	TREATMENT	Dist. Storage Pumps to Mains Gravity to Mains MG	IMPROVEMENTS NEEDED	LINE NO.
1	2	3	4	5	6	7	8	9	10	11	12	
MORELAND FARMS	380 380	1949 -	P -	95 95	N -	3 wells -	- 0.086	- 0.038	None -	0.173 0.000	N -	1
MORRISDALE	400 400	1949 1953	M -	100 100	N -	Well -	- 0.043	0.086 0.040	I-AmFps -	0.086 0.000	N -	2
MORSANDA PARK	400 150	1957 -	P -	41 41	N -	Well -	- 0.057	- 0.020	None -	0.016 0.002	U -	3
MOUNTAIN LAKE	30 50	Δ 1947	P -	Δ Δ	N -	Spring -	- Δ	Δ Δ	Dh -	0.002 0.100	N -	4
MOUNT JACKSON	732 750	1951 1951	M -	200 Δ	N -	Mountain stream and well	0.075 0.036	0.150 0.085	Dh -	0.000 2.175	Δ -	5
MOUNT SYDNEY	500 200	1956 1954	P -	52 25	N -	3 wells -	- 0.046	0.100 0.033	Dh -	Δ 0.061	Δ -	6
MOUNT ZEPHYR Subdivision	100 180	Δ -	P -	45 45	Δ -	Well -	- 0.054	- 0.018	None -	0.108 Δ	N -	7
NARROWS	2,520 2,520	Δ 1939	M -	600 600	N -	Mill Creek (imp.) 2 wells (aux.)	Δ -	Δ 0.200	Dc -	0.000 0.350	N -	8
NATIONAL HEIGHTS	200 490	1957 -	P -	123 123	N -	Well -	- 0.050	- 0.049	None -	0.101 0.000	N -	9
NATURAL BRIDGE	600 1,000	1952 1931	Δ -	38 Δ	N -	4 springs and well	- 0.100	0.100 0.060	Dc -	Δ 0.198	T -	10
NELSON PARK	490 490	1953 -	P -	123 123	N -	Well -	- 0.072	- 0.049	None -	0.144 0.000	N -	11
NEWBERN	300 100	Δ -	P -	25 0	N -	Well -	- Δ	- 0.005	None -	0.000 0.001	Δ -	12
NEWCASTLE	239 430	1921 1952	P -	107 103	N -	3 springs -	- 0.040	0.100 0.035	Dh -	Δ 0.090	USD -	13
NEW MARKET	701 850	1927 1946	M -	228 190	V -	Impounded reservoir Smith Creek (aux.)	0.100 -	0.144 0.155	P-CaMbSoFrsDc -	0.007 Δ	TDL -	14
NEWPORT	200 50	Δ -	P -	10 0	N -	Spring -	- Δ	- 0.005	None -	Δ 0.002	T -	15
* NEWPORT NEWS Lee Hall # 1	42,358 80,000	1917 1943	M -	40,718 40,718	C B	Chickahominy River & 3 impounded lakes	26.000 -	8.000 6.400	P-AcCaDcTcdMpFrs KcpClVaDc	6.500 2.200	USMP TDL	16
* NEWPORT NEWS Lee Hall # 2	- 60,000	Δ 1943	M -	Δ Δ	- -	Chickahominy River & 3 impounded lakes	Δ -	6.000 4.750	P-AcCaDcTcMpFrsKcp ClVaDc	- -	- -	17
* NEWPORT NEWS Harwoods Mill Plant	- 60,000	Δ 1942	M -	Δ Δ	- -	Chickahominy River & 3 impounded lakes	Δ -	6.000 4.750	P-AcCaDcTcMpFrsKcp ClVaDc	- -	- -	18
NEWSOMS	392 300	1956 -	M -	70 70	N -	Well -	- 0.090	- 0.030	None -	0.180 0.000	N -	19
NICKELSVILLE	263 250	1949 1951	M -	70 0	N -	Well -	- Δ	Δ 0.015	Dh -	0.000 0.025	N -	20
* NORFOLK Plant # 1	213,513 185,000	1946 1952	M -	63,950 62,203	C B	Nottoway and Black Water Rivers	51.000 -	48.000 20.65	P-CaDcTcdMtpSo FrsDcKpVt	18.000 2.000	SPT -	21
* NORFOLK Plant # 2	- 185,000	1923 1923	M -	Δ Δ	- -	Lakes Prince, Smith, and Burnt Mills	Δ -	Δ 20.65	P-CaDcTcdMtpSo FrsDcKpVt	- -	- -	22
NORGE	130 110	1955 -	P -	28 Δ	N -	2 wells -	- 0.028	- 0.012	None -	0.056 0.000	Δ -	23
NORTH HOLSTON-McCRADY	624 200	Δ -	M -	50 0	N -	2 wells -	- Δ	- 0.010	None -	0.000 0.500	T -	24
NORTH PULASKI	1,557 (Δ)	Δ -	Δ -	- -	- -	Pulaski -	- -	- -	Pulaski -	- -	- -	25
NORTH ROANOKE	4,141 (Δ)	Δ -	Δ -	- -	- -	Roanoke -	- -	- -	Roanoke -	- -	- -	26
NORTH TAZEWELL	816 800	1906 Δ	M -	200 Δ	N -	Springs -	- Δ	Δ 0.075	Dh -	0.000 0.060	L -	27
NORTH VIRGINIA BEACH	1,593 (Δ)	Δ -	M -	- -	- -	Virginia Beach -	- -	- -	Virginia Beach -	- -	- -	28
* NORTON	4,315 6,000	Δ 1949	M -	1,375 1,275	V -	Mountain creek (imp.) -	0.700 -	0.720 0.500	P-CaMpSoFrsDcKp -	0.000 1.070	N -	29
OAK FORREST	120 120	1955 -	M -	30 30	N -	Well -	- 0.014	- 0.012	None -	0.029 0.000	Δ -	30

INVENTORY OF MUNICIPAL WATER FACILITIES

STATE **VIRGINIA** | DATE Jan. 1, 1958 | PAGE 13 of 19

COMMUNITY	1950 Population Estimated Population Served	Year Oper. Started Present Supply Present Treatment Plant	OWNERSHIP	Number of Services Number of Meters	LAB. CONTROL	SOURCE OF SUPPLY	Safe Yield Impounded Maximum Dependable Draft (Gr. water) MGD	Rated Plant Capacity Average Plant Output MGD	TREATMENT	Dist. Storage Pumps to Mains Gravity to Mains MG	IMPROVEMENTS NEEDED	LINE NO.
1	2	3	4	5	6	7	8	9	10	11	12	
OAK HILL	1,000 1,000	1949 -	M -	250 250	N -	3 wells -	- 0.216	- 0.100	None -	0.432 0.000	Δ -	1
OAK RIDGE	136 140	1956 -	P -	34 34	N -	2 wells -	- 0.180	- 0.014	None -	0.005 0.000	N -	2
OAKTON	400 260	1919 -	P -	66 66	Δ -	2 wells -	- 0.029	- 0.026	None -	0.058 Δ	N -	3
OCCOQUAN	317 (Δ)	Δ -	Δ -	- -	- -	Alexandria -	- -	- -	Alexandria -	- -	- -	4
OCEANA	743 (1,200)	Δ -	M -	- -	- -	Norfolk -	- -	- -	Norfolk -	- -	- -	5
OGDEN HILLS	135 140	1954 -	P -	34 Δ	N -	Well -	- 0.036	- 0.020	None -	Δ 0.001	L -	6
ONANCOCK	1,353 1,350	1953 -	M -	350 350	N -	10 wells -	- 0.132	- 0.093	None -	0.000 0.150	U -	7
ORANGE	2,571 2,570	Δ Δ	M -	642 642	C -	Rapidan River -	Δ -	1.000 0.360	P-CaaDcXpSoFraDc -	0.283 2.000	T -	8
ORCHARD HEIGHTS	140 300	1939 -	P -	91 91	N -	Well -	- 0.050	- 0.032	None -	Δ 0.015	Δ -	9
ORKNEY SPRINGS	75 100	1921 -	P -	19 Δ	N -	Springs -	- 0.035	- Δ	None -	Δ 0.060	Δ -	10
OSAKA	700 (700)	Δ -	P -	- -	- -	Appalachia -	- -	- -	Appalachia -	- -	- -	11
PAGAN PINES	400 400	1955 -	P -	100 Δ	Δ -	2 well systems -	- 0.195	- 0.040	None (V 3.40) -	0.006 0.000	N -	12
PALMYRA	400 100	1955 -	P -	25 25	N -	Well well (aux.)	- 0.014	- 0.010	None -	0.029 0.000	N -	13
PAMPLIN CITY	370 250	1938 -	P -	63 0	N -	2 drilled wells -	- 0.023	- 0.046	None -	0.046 0.000	N -	14
PARDEE	300 100	Δ -	P -	25 0	N -	Ground -	- Δ	- 0.010	None -	0.000 0.025	N -	15
PARIS	110 150	Δ -	M -	38 Δ	Δ -	5 springs -	- Δ	- 0.015	None -	Δ 0.035	U -	16
PARKSLEY	833 885	1950 1957	M -	220 0	N -	3 wells -	- 0.190	0.360 0.090	Kc -	0.360 0.075	N -	17
PATTERSON	400 200	Δ Δ	P -	50 0	N -	Well -	- Δ	Δ 0.020	1-Fpzrs -	0.000 0.008	Δ -	18
PEARISBURG Source # 1	2,005 2,000	1949 1949	M -	450 450	N -	2 wells Well (aux.)	- Δ	Δ 0.200	Dc -	0.000 0.750	N -	19
PEARISBURG Source # 2	 300	Δ -	P -	60 0	N -	Springs -	- Δ	- 0.015	None -	0.000 0.005	T -	20
PEMBROKE	1,010 900	Δ -	P -	200 0	N -	Springs -	- 1.000	- 0.090	None -	0.000 0.420	N -	21
PENNINGTON GAP	2,090 2.400	1923 1952	M -	600 Δ	N -	Springs -	- Δ	Δ 0.250	Dc -	0.000 0.350	N -	22
* PETERSBURG	35,054 55,000	1912 1956	M -	9,618 9,618	C -	Appomattox River -	12.200 -	8.000 3.600	P-SoCalDcTcXtpSo FraKpDc	0.040 5.000	PTDG -	23
PHOEBUS	3,694 (Δ)	Δ -	Δ -	- -	- -	Newport News -	- -	- -	Newport News -	- -	- -	24
PIMMIT HILLS	5,000 5,200	1954 -	P -	1,300 1,300	Δ -	7 wells -	- 0.42	- 0.520	None -	Δ 0.825	N -	25
PINEY RIVER	300 150	1936 1924	P -	32 Δ	N -	Piney River and spring	Δ Δ	0.850 0.750	P-Cas cXp(XtpsSv) SoFaDh	0.002 0.060	Δ -	26
PLASTERCO	200 300	Δ Δ	P -	50 Δ	N -	Spring -	- Δ	0.072 0.020	Dc -	0.000 0.020	N -	27
POCAHONTAS	2,410 3,000	Δ 1923	P -	600 600	N -	Big Spring Branch (imp.)	Δ -	1.000 0.300	P-CaXhSoFraDc -	0.160 0.250	T -	28
PORTLOCK	3,300 (Δ)	Δ -	Δ -	- -	- -	Norfolk -	- -	- -	Norfolk -	- -	- -	29
PORT ROYAL	130 140	1912 -	M -	35 35	N -	Well -	- 0.055	- 0.014	None -	0.000 0.020	N -	30

PHS-2226
REV 4-59

INVENTORY OF MUNICIPAL WATER FACILITIES

STATE	DATE	PAGE
VIRGINIA	Jan. 1, 1958	14 of 19

COMMUNITY	1950 Population Estimated Population Served	Year Oper. Started: Present Supply Present Treatment Plant	OWNERSHIP	Number of Services Number of Meters	LAB. CONTROL	SOURCE OF SUPPLY	Safe Yield Impounded Maximum Dependable Draft (Gr. water) MGD	Rated Plant Capacity Average Plant Output MGD	TREATMENT	Dist. Storage: Pumps to Mains Gravity to Mains MG	IMPROVEMENTS NEEDED	LINE NO.
1	2	3	4	5	6	7	8	9	10	11	12	
* PORTSMOUTH	80,039 155,000	1939 1950	M -	32,300 32,300	C B	Lakes Kilby and Cahoon	15.000 -	21.22 14.00	P-AtClaDcTcMpSoFras KcpDcVt (V 0.20)	9.250 1.500	USMP IDLG	1
POTOMAC SHORES	160 160	1953 -	P -	40 Δ	Δ -	2 wells -	- 0.026	- 0.016	None -	0.052 Δ	N -	2
POUND	1,193 1,200	1956 1956	M -	400 Δ	N -	Mountain water shed and 3 wells	Δ Δ	Δ 0.100	SoDh -	0.000 1.025	N -	3
POUNDING MILL	850 900	1930 1957	P -	285 Δ	N -	Mountain stream and well	Δ 0.100	0.500 0.090	Dch -	Δ 0.030	TL -	4
POWHATAN	275 260	1956 1956	P -	64 64	N -	Well 2 wells (aux.)	- 0.036	0.026 0.026	I-AmFa -	0.072 0.020	N -	5
* PULASKI	9,202 10,000	Δ 1951	M -	2,800 1,100	C B	Mtn. water shed & cr. Warden Spring (aux.)	2.000 -	2.250 1.000	P-CasTcDc(MtpsSv)So FrsKpcVsDc (V 0.10)	0.220 2.100	N -	6
PURCELLVILLE	915 850	1955 Δ	M -	440 440	Δ -	Impounding reservoir (springs impounded)	0.720 -	Δ 1.210	Dc -	0.360 1.060	N -	7
QUANTICO	1,240 (Δ)	Δ -	Δ -	- -	- -	U.S. Government -	- -	- -	U.S. Government -	- -	- -	8
QUEENS LAKE	140 140	1953 -	P -	35 35	N -	Well -	- 0.036	- 0.014	None -	0.072 0.000	N -	9
* RADFORD	9,026 13,000	Δ 1943	M -	2,500 Δ	C -	New River -	Δ -	2.000 1.750	P-DcCalTcMpSoFrsKpDc -	0.271 1.250	TL -	10
RANDOLPH RIDGE	200 200	1954 -	M -	50 50	N -	Well -	- 0.072	- 0.020	None -	0.144 0.000	N -	11
RAPIDAN	300 120	1947 -	P -	30 30	Δ -	Springs -	- Δ	- 0.012	None -	Δ 0.012	UL -	12
RAVEN	500 200	Δ -	P -	50 0	N -	Drilled well -	- Δ	- 0.010	None -	0.000 0.001	L -	13
RAYON TERRACE	803 1,250	1929 1929	P -	7 Δ	N -	Potts Creek -	7.000 -	3.000 2.600	P-CasMtSoFrsDc -	0.035 0.200	Δ -	14
REEDVILLE	600 500	Δ -	P -	125 125	Δ -	Well -	- 0.036	- 0.050	None -	Δ 0.075	N -	15
REMINGTON	300 340	1955 -	M -	85 85	Δ -	Well -	- 0.037	- 0.034	None -	Δ 0.150	N -	16
RESCUE	350 140	1953 -	P -	35 35	N -	Well -	- 0.001	- 0.001	None -	0.002 Δ	U -	17
RICH ACRES Subdivision	120 120	1957 -	P -	30 Δ	N -	Well -	- 0.020	- 0.012	None -	0.039 0.000	N -	18
RICH CREEK	740 740	Δ 1953	P -	175 Δ	N -	Spring -	- Δ	Δ 0.050	Dc -	0.000 0.116	N -	19
RICHLANDS	4,613 4,600	1939 1939	M -	1,200 1,100	N -	Clinch River Spring (aux.)	Δ -	0.500 0.150	P-CaDcMhSoFrsDcKp Dc- spring	0.016 0.098	N -	20
* RICHMOND	230,310 271,000	1832 1950	M -	68,200 68,400	C B	James River -	297.30 -	66.00 29.10	P-ToS CaClVsMbpSobTcs FrsToNgDcAsKp	45.00 9.000	D -	21
RIDGECREST	280 280	1951 -	P -	70 71	N -	Well -	- 0.005	- 0.010	None -	0.010 Δ	U -	22
RIDGEWAY	440 440	1937 -	M -	110 Δ	N -	4 wells -	- 0.100	- 0.200	None -	0.206 0.035	U -	23
RIPPLEMEAD	300 250	1942 -	P -	60 0	N -	Well -	- Δ	- 0.012	None -	0.000 0.010	N -	24
RIVERDALE MANOR Subdivision	6,400 (Δ)	Δ -	Δ -	- -	- -	Norfolk -	- -	- -	Norfolk -	- -	- -	25
RIVERTON	500 (Δ)	Δ -	Δ -	- -	- -	Front Royal -	- -	- -	Front Royal -	- -	- -	26
* ROANOKE Plant # 1	91,921 60,300	1947 1956	M -	26,045 26,045	C B	Carvins Cove -	16.000 -	18.00 6.500	PI-AsClMpSbFrsDc NgKpVt	0.000 11.35	N -	27
* ROANOKE Plant # 2	- 14,800	1910 1926	M -	- -	C B	Falling Creek and Beaver Dam	3.000 -	2.000 1.600	P-CalKcFpDcVt -	Δ Δ	N -	28
* ROANOKE Plant # 3	- 38,100	1837 1837	M -	- -	C B	Crystal Springs -	- 3.200	4.000 4.100	DcVt -	Δ Δ	N -	29
ROANOKE MILLS	100 100	1917 1954	P -	1 0	Δ -	Well -	- 0.017	0.017 0.009	Dh -	Δ 0.001	Δ -	30

PHS-2226
REV. 4-59

INVENTORY OF MUNICIPAL WATER FACILITIES

STATE	DATE	PAGE
VIRGINIA	Jan. 1, 1958	15 of 19

COMMUNITY	1950 Population Estimated Population Served	Year Oper. Started Present Supply Present Treatment Plant	OWNERSHIP	Number of Services Number of Meters	LAB. CONTROL	SOURCE OF SUPPLY	Safe Yield Impounded Maximum Dependable Draft (Gr. water) MGD	Rated Plant Capacity Average Plant Output MGD	TREATMENT	Dist. Storage Pumps to Mains Gravity to Mains MG	IMPROVEMENTS NEEDED	LINE NO.
1	2	3	4	5	6	7	8	9	10	11	12	
ROBIN GREY	48 50	1949 -	P -	12 12	N -	Well -	- 0.025	- 0.005	None -	0.050 0.000	N -	1
ROBINWOOD	332 330	1941 1951	P -	83 83	N -	Well -	- 0.009	0.017 0.017	I-AmFa -	0.017 Δ	U -	2
ROCKY GAP Supply # 1	250 80	Δ -	P -	20 0	N -	Spring -	- Δ	- 0.005	None -	0.000 0.000	U -	3
ROCKY GAP Supply # 2	- 20	Δ -	P -	5 0	N -	Mountain streams -	Δ -	- 0.001	None -	0.000 0.000	Δ -	4
ROCKY GAP Supply # 3	- 130	1957 -	P -	30 0	N -	Surface -	Δ -	- 0.010	None -	0.000 0.006	Δ -	5
ROCKY MOUNT	1,432 2,000	1916 1922	M -	500 500	C -	Pigg River -	Δ -	0.720 0.200	P-CasDcMpSoFrsDcKpVt -	Δ 0.300	MTL -	6
RODA	1,100 1,100	Δ Δ	P -	300 0	N -	Mountain stream (imp) drilled well (aux.)	Δ -	Δ 0.040	Dh -	0.000 0.035	Δ -	7
ROSEANN	305 200	Δ 1948	P -	50 0	N -	Well -	- Δ	Δ 0.010	Dh -	0.000 0.060	N -	8
ROSE HILL	564 500	1950 1950	P -	100 0	N -	Spring -	- Δ	0.100 0.050	Dh -	0.000 0.000	N -	9
ROSLYN HILLS	320 320	1955 -	P -	80 80	N -	2 wells -	- 0.043	- 0.032	None -	0.086 Δ	Δ -	10
ROUND HILL	403 560	Δ Δ	M -	140 140	Δ -	2 springs -	- Δ	Δ 0.056	Dc -	Δ 0.230	UG -	11
RURAL RETREAT	478 600	1925 1937	M -	150 Δ	N -	Spring -	- Δ	0.250 0.050	Dh -	0.000 0.300	N -	12
RUSHMER	100 200	1939 -	P -	50 0	N -	Well -	- 0.029	- 0.020	None -	0.001 0.000	UG -	13
ST. PAUL	1,014 1,000	1922 1922	M -	250 250	N -	Clinch River -	Δ -	0.144 0.060	P-CaDcMbSoFrsDh -	0.005 0.216	T -	14
* SALEM	6,823 12,500	1930 Δ	M -	2,078 2,078	C B	Roanoke R.& Lake spg. well (aux.)	Δ Δ	2.000 1.700	PH-CaltDcFrsKcMpR So(MtpsSv)Dc	0.400 1.550	Δ -	15
* SALTVILLE	2,678 4,000	Δ 1923	P -	1,000 0	N -	6 drilled wells and 3 springs	- Δ	Δ Δ	Dc -	0.000 0.385	N -	16
SALUDA	300 270	1912 -	P -	67 67	N -	Well -	- 0.025	- 0.027	None -	0.050 0.000	N -	17
SANBURNE PARK	320 320	1955 -	M -	80 80	N -	Well -	- 0.043	- 0.032	None -	0.086 0.000	N -	18
SANDSTON	3,000 (Δ)	Δ -	Δ -	- -	- -	Henrico County Sanitary District # 2	- -	- -	None -	- -	- -	19
SAN RAFAEL	220 220	1912 -	P -	55 55	N -	Well -	- 0.007	- 0.020	None -	0.009 0.000	N -	20
SCHOOLFIELD-JAFFA	4,872 2,000	1905 1934	P -	500 Δ	C -	Dan River (imp.) -	Δ -	12.000 9.000	P-CasDcMbScFrsKcpDc -	1.650 0.600	N -	21
SCHUYLER	650 450	1926 1956	P -	82 Δ	N -	Surface branch -	0.500 -	0.250 0.050	Dc -	0.030 0.200	Δ -	22
SCOTTSVILLE	396 900	1916 1916	M -	230 Δ	N -	James River -	Δ -	0.250 0.125	P-CaDhMpScFrsDh -	Δ 0.100	TL -	23
SEATACK	812 (400)	Δ -	M -	- -	- -	Norfolk -	- -	- -	Norfolk -	- -	- -	24
SELMA	835 750	1956 -	Δ -	240 Δ	N -	Well -	- 0.043	- 0.075	None -	Δ 0.100	U -	25
SHAWSVILLE	500 500	Δ Δ	P -	125 Δ	N -	Spring well (aux.)	- Δ	Δ 0.040	Dh -	0.025 0.001	L -	26
SHENANDOAH	1,903 2,200	1936 1919	P -	482 312	N -	S.Fork Shenandoah R. -	Δ -	0.500 0.350	P-CalsDcKpMbSoFrsTcDh -	0.001 0.500	T -	27
SHERBOURNE HEIGHTS	400 (400)	1948 -	M -	- -	- -	Falling Creek and Colonial Heights	- -	- -	Falling Creek and Colonial Heights	- -	- -	28
SHERWOOD FORREST	120 120	1956 -	P -	30 Δ	N -	2 wells -	- 0.018	- 0.012	None -	0.036 0.000	Δ -	29
SMITHFIELD	1,180 1,600	1956 -	P -	500 250	N -	2 wells 4 flowing wells (aux)	- 0.360	- 0.200	None (V 3.50) -	0.000 0.065	Δ -	30

PHS-2226
REV. 4-59

INVENTORY OF MUNICIPAL WATER FACILITIES

STATE VIRGINIA | DATE Jan. 1, 1958 | PAGE 16 of 19

COMMUNITY	1950 Population / Estimated Population Served	Year Oper Started: Present Supply / Present Treatment Plant	OWNERSHIP	Number of Services / Number of Meters	LAB. CONTROL	SOURCE OF SUPPLY	Safe Yield Impounded / Maximum Dependable Draft (Gr. water) MGD	Rated Plant Capacity / Average Plant Output MGD	TREATMENT	Dist. Storage: Pumps to Mains / Gravity to Mains MG	IMPROVEMENTS NEEDED	LINE NO.
1	2	3	4	5	6	7	8	9	10	11	12	
SOUTHAMPTON	150	Δ	P	-	-	Falling Creek	-	-	Falling Creek	-	-	1
	(Δ)	-	-	-	-	-	-	-	-	-	-	
SOUTH BOSTON	6,057	1888	M	1,600	C	Dan River	Δ	3.000	P-CasDcMtpSoFrs	0.160	N	2
	6.400	1954	-	1.600	-	-	-	0.640	KpcVsDc	2.850	-	
SOUTH EDGEWOOD	110	1941	P	46	N	3 wells	-	-	None	Δ	Δ	3
	130	-	-	30	-	-	0.030	0.015	-	0.002	-	
SOUTH HILL	2,153	1949	M	550	C	Meherrin River	Δ	0.750	P-CasMpSoFrsKpDc	0.057	N	4
	2,200	1953	-	550	-	flowing wells (aux.)	-	0.200	wells- untreated	0.060	-	
SOUTH NORFOLK	10,434	Δ	M	-	-	Norfolk	-	-	Norfolk	-	-	5
	(15,000)	-	-	-	-	-	-	-	-	-	-	
SOUTH RIVER	2,000	1934	M	327	N	Cole Run Creek	0.100	0.100	Dc	Δ	Δ	6
	900	1955	-	Δ	-	-	-	0.015	-	0.880	-	
SOUTH SALEM Supply # 1	350	1957	M	100	N	2 springs	-	0.100	Dc	Δ	Δ	7
	150	1957	-	100	-	-	0.096	0.096	-	Δ	-	
SOUTH SALEM Supply # 2	-	Δ	Δ	-	-	Salem	-	-	Salem	-	-	8
	(150)	-	-	-	-	-	-	-	-	-	-	
SPEEDWELL	500	Δ	P	40	N	Spring	-	-	None	0.000	T	9
	150	-	-	0	-	-	Δ	0.010	-	0.000	-	
SPRINGDALE	400	1954	M	100	N	Well	-	-	None	0.360	N	10
	400	-	-	100	-	-	0.180	0.040	-	0.000	-	
STANARDSVILLE	182	Δ	P	135	N	Spring	-	-	None	Δ	N	11
	540	-	-	135	-	-	0.460	0.054	-	0.030	-	
STANLEY	300	1935	M	85	N	Well	-	0.100	Dh	Δ	Δ	12
	350	1948	-	Δ	-	-	0.065	0.045	-	0.060	-	
STANLEYTOWN	900	Δ	P	Δ	N	10 wells	-	-	None	0.230	SMPT	13
	900	-	-	Δ	-	-	0.115	0.100	-	0.000	DLG	
STAUNTON	19,927	1839	M	Δ	N	North River	2.000	4.000	P-DcKpAsCals(MtpsSv)	0.076	Δ	14
	21,000	1951	-	Λ	-	-	-	2.400	FrsIcDc	7.000	-	
STEPHENS CITY	676	Δ	M	-	-	Winchester	-	-	Winchester	-	-	15
	(Δ)	-	-	-	-	-	-	-	-	-	-	
STONEGA	1,439	Δ	Δ	-	-	Appalachia	-	-	Appalachia	-	-	16
	(1,500)	-	-	-	-	-	-	-	-	-	-	
STONY CREEK	482	1957	M	110	N	2 wells	-	0.077	I-AcDhFps	Δ	T	17
	480	1952	-	110	-	-	0.043	0.022	-	0.050	-	
STRASSBURG Supply # 1	2,022	Δ	M	790	Δ	Mountain Creek	0.150	Δ	Dh	Δ	Δ	18
	1,425	1923	-	200	-	and springs	Δ	0.300	-	14.05	-	
STRASSBURG Supply # 2	-	Δ	M	Δ	N	Shenandoah River	Δ	0.316	P-CasMpSoFrsDc	Δ	Δ	19
	1,425	1936	-	Δ	-	-	-	0.300	-	0.250	-	
STRATFORD VILLAGE	436	1947	P	109	N	Well	-	-	None	0.058	N	20
	440	-	-	109	-	-	0.029	0.044	-	0.000	-	
STUART	819	1956	M	336	N	Spring fed streams	Δ	-	Dh	0.000	N	21
	1,000	1948	-	Λ	-	and drilled well	Δ	0.085	-	1.240	-	
STUARTS DRAFT	600	1931	P	185	N	Springs	-	0.100	Dc	Δ	Δ	22
	600	1954	-	Δ	-	-	0.300	0.075	-	0.001	-	
SUFFOLK	12,339	Δ	M	-	-	Portsmouth	-	-	Portsmouth	-	-	23
	(12,340)	-	-	-	-	-	-	-	-	-	-	
SUGAR GROVE	700	1936	M	150	N	Springs	-	-	None	0.000	N	24
	650	-	-	0	-	-	Δ	0.050	-	0.000	-	
SUNNYSIDE HILLS	400	1951	M	100	N	Well	-	-	None	0.087	N	25
	400	-	-	100	-	-	0.043	0.040	-	0.000	-	
SURRY	248	1946	P	75	N	Well	-	-	None	0.072	N	26
	300	-	-	75	-	-	0.036	Δ	-	0.000	-	
SWEETBRIAR	500	1925	P	56	N	Lake, 4 springs	0.050	0.200	P-CasKp(MtpsSv)So	0.040	Δ	27
	630	1954	-	Δ	-	and well	0.050	0.060	FrsDc	0.120	-	
TANGIER	915	1957	Δ	Δ	Δ	3 wells	-	-	None	Δ	Δ	28
	Δ	-	-	Δ	-	-	Δ	Δ	-	Δ	-	
TAPPAHANNOCK	1,011	1950	M	400	N	3 wells	-	-	None	0.010	N	29
	1,600	-	-	400	-	-	0.187	0.160	-	0.075	-	
TAUXEMONT	428	1955	P	107	Δ	Wells	-	-	None	0.632	Δ	30
	430	-	-	107	-	-	0.315	0.043	-	Δ	-	

PHS-2226
REV. 4-59

INVENTORY OF MUNICIPAL WATER FACILITIES

STATE: VIRGINIA
DATE: Jan. 1, 1958
PAGE: 17 of 19

COMMUNITY	1950 Population Estimated Population Served	Year Oper. Started Present Supply Present Treatment Plant	OWNERSHIP	Number of Services Number of Meters	LAB. CONTROL	SOURCE OF SUPPLY	Safe Yield Impounded Maximum Dependable Draft (Gr. water) MGD	Rated Plant Capacity Average Plant Output MGD	TREATMENT	Dist. Storage Pumps to Mains Gravity to Mains MG	IMPROVEMENTS NEEDED	LINE NO.
1	2	3	4	5	6	7	8	9	10	11	12	
TAZEWELL	1,347	1934	M	600	N	Cox's Branch	Δ	Δ	Dc	0.000	ST	1
	2,000	1934	-	0	-	pond and springs(aux)	-	0.350	-	1.240	-	
THALIA MANOR	200	Δ	M	-	-	Norfolk	-	-	Norfolk	-	-	2
	(200)	-	-	-	-	-	-	-	-	-	-	
THE COLONY	100	1955	P	25	N	Well	-	-	None	0.032	N	3
	100	-	-	Δ	-	-	0.016	0.010	-	0.000	-	
THE PLAINS	405	1906	P	45	Δ	Well	-	-	None	Δ	UL	4
	60	-	-	Δ	-	-	0.014	0.005	-	0.005	-	
TIMBER LAKE	300	1930	P	75	Δ	Drilled well and	-	-	None	0.008	U	5
	300	-	-	Δ	-	springs	0.038	0.030	-	0.030	-	
TIMBERVILLE	271	1925	P	107	N	Spring	-	Δ	Dc	Δ	Δ	6
	350	1957	-	107	-	-	0.144	0.045	-	0.188	-	
TINKER KNOLL	125	1947	P	41	N	Well	-	-	None	Δ	G	7
	130	-	-	Δ	-	-	0.018	0.013	-	0.001	-	
TOANO	500	1925	P	75	N	Well	-	-	None	0.001	SPL	8
	Δ	-	-	0	-	-	0.027	0.030	-	Δ	-	
TOMS CREEK	500	Δ	P	100	N	Toms Creek	Δ	0.072	P-SoFrsDh	0.000	T	9
	400	1931	-	0	-	drilled well (aux.)	-	0.040	-	0.004	-	
TRAMMEL	950	1956	P	100	N	Well	-	-	None	0.000	N	10
	300	-	-	0	-	water shed (aux.)	Δ	0.020	-	0.015	-	
TRAVIS	100	1952	P	36	Δ	Well	-	-	None	Δ	G	11
Subdivision	100	-	-	Δ	-	-	0.026	0.015	-	0.001	-	
TREMONT GARDENS	500	1940	P	131	Δ	Well	-	-	None	0.191	N	12
	520	-	-	131	-	-	0.096	0.052	-	Δ	-	
☆ TRIANGLE	1,050	Δ	P	478	Δ	6 wells	-	0.180	I-AmFap	0.342	Δ	13
	1,910	Δ	-	478	-	-	0.171	0.191	-	0.150	-	
TRIANGLE APARTMENTS	160	1949	P	40	N	Well	-	0.021	I-Fs	Δ	UL	14
	160	1954	-	40	-	-	0.009	0.016	-	0.010	-	
TROUTVILLE	600	1936	P	136	N	5 springs	-	0.100	Dh	Δ	Δ	15
	450	1949	-	Δ	-	-	0.100	0.055	-	0.125	-	
TUCKAHOE	200	1938	P	35	N	Well	-	-	None	0.048	Δ	16
	100	-	-	35	-	-	0.029	0.010	-	0.000	-	
TUSCON HEIGHTS	252	1956	P	63	N	Well	-	-	None	0.022	U	17
	250	-	-	63	-	-	0.010	0.022	-	0.000	-	
TYLERTON	148	Δ	P	37	N	3 wells	-	0.020	I-FapDh	0.026	U	18
	150	Δ	-	37	-	-	0.013	0.015	-	Δ	-	
TYSONS CORNER	1,674	Δ	Δ	-	-	Falls Church	-	-	Falls Church	-	-	19
	(Δ)	-	-	-	-	-	-	-	-	-	-	
URBANNA	505	1954	P	251	N	2 wells	-	-	None	0.173	N	20
	1,000	-	-	251	-	-	0.086	0.100	-	0.000	-	
VALLEY LAKE, NORTON	100	1946	P	25	N	Spring	-	0.500	Dh	0.000	N	21
and POWELL VALLEY	100	1952	-	0	-	-	Δ	0.010	-	0.015	-	
VALLEY RIDGE	125	1956	P	35	N	Spring	-	-	None	Δ	Δ	22
	130	-	-	Δ	-	-	0.150	0.030	-	0.050	-	
VERONA	500	1951	P	175	Δ	3 wells and spring	-	0.100	Dh	Δ	Δ	23
	400	1935	-	Δ	-	-	0.080	0.060	-	0.060	-	
VICTORIA	1,607	1954	M	425	C	Modest Creek (imp.)	Δ	0.288	P-CalDc(Ztps3v)	0.028	N	24
	1,700	1954	-	Δ	-	6 wells (aux.)	-	0.100	FrsKpDc	0.500	-	
VIENNA	2,029	1956	M	1,436	Δ	Wells	-	-	None	Δ	U	25
	5,440	-	-	1,436	-	-	0.288	0.574	-	0.450	-	
VILLA HEIGHTS	1,000	1948	P	250	N	2 wells	-	-	None	0.144	N	26
	1,000	-	-	250	-	-	0.072	0.100	-	0.044	-	
VINTON	3,629	Δ	Δ	-	-	Roanoke	-	-	Roanoke	-	-	27
	(Δ)	-	-	-	-	-	-	-	-	-	-	
☆ VIRGINIA BEACH	5,390	Δ	M	-	-	Norfolk	-	-	Norfolk	-	-	28
	(12,500)	-	-	-	-	-	-	-	-	-	-	
VIRGINIA HEIGHTS	160	1956	P	40	N	Well	-	-	None	0.065	N	29
	160	-	-	40	-	-	0.032	0.016	-	Δ	-	
VISTA ACRES	120	1957	P	30	N	Well	-	-	None	0.028	U	30
	120	-	-	30	-	-	0.028	0.020	-	0.020	-	

PHS-2226
REV. 4-59

INVENTORY OF MUNICIPAL WATER FACILITIES

STATE	DATE	PAGE
VIRGINIA	Jan. 1, 1958	18 of 19

COMMUNITY	1950 Population / Estimated Population Served	Year Oper. Started: Present Supply / Present Treatment Plant	OWNERSHIP	Number of Services / Number of Meters	LAB. CONTROL	SOURCE OF SUPPLY	Safe Yield Impounded / Maximum Dependable Draft (Gr. water) MGD	Rated Plant Capacity / Average Plant Output MGD	TREATMENT	Dist. Storage: Pumps to Mains / Gravity to Mains MG	IMPROVEMENTS NEEDED	LINE NO.
1	2	3	4	5	6	7	8	9	10	11	12	
WAGSTAFF	180	Δ	M	45	Δ	Well	-	-	None	0.036	N	1
	180	-	-	45	-	-	0.018	0.018	-	Δ	-	
WAKEFIELD	947	1928	M	325	N	2 wells	-	-	None	0.432	N	2
	1,300	-	-	300	-	-	0.216	0.060	-	0.060	-	
WALKERTON	150	1949	P	24	N	2 wells	-	-	None	0.010	N	3
	200	-	-	24	-	-	0.234	0.020	-	0.000	-	
WARM SPRINGS	300	1956	M	36	N	Spring	-	-	None	0.000	TG	4
	100	-	-	Δ	-	-	0.005	Δ	-	0.000	-	
WARRENTON Supply # 1	1,797	Δ	M	835	N	Cedar Run	Δ	0.576	P-CaDcMpSoFrs	0.023	Δ	5
	1,670	Δ	-	835	-	-	-	0.125	-	1.750	-	
WARRENTON Supply # 2	-	1955	Δ	-	Δ	3 wells	-	-	None	-	Δ	6
	1,670	-	-	-	-	-	0.259	0.125	-	-	-	
WARSAW	435	1949	Δ	250	Δ	Well	-	-	None	Δ	N	7
	500	-	-	235	-	-	0.180	0.050	-	0.075	-	
WARWICK	39,875	Δ	M	-	-	Newport News	-	-	Newport News	-	-	8
	(Δ)	-	-	-	-	-	-	-	-	-	-	
WASHINGTON	240	Δ	M	85	Δ	Infiltration gallery	-	-	None	Δ	U	9
	340	-	-	85	-	well (aux.)	Δ	0.034	-	0.100	-	
* WASHINGTON COUNTY Sanitary District # 1	-	1937	M	3,000	N	2 springs	-	1.600	Dc	0.000	L	10
	10,000	1937	-	3,000	-	Cummings Spg. (aux.)	Δ	1.500	-	0.500	-	
WAVERLY	1,502	1932	M	375	N	2 wells	-	-	None	0.331	N	11
	1,500	-	-	371	-	-	0.170	0.100	-	0.100	-	
WAYNESBORO	12,357	1932	M	3,960	C	Spring	-	2.500	DcVs	2.500	U	12
	17,000	1956	-	3,900	-	-	2.500	2.100	-	2.600	-	
* WEBER CITY Sanitary District	-	1951	M	800	C	Big Moccasin Creek	Δ	0.250	P-CalDcMhSoFrsDc	0.020	N	13
	3,300	1951	-	800	-	-	-	0.150	-	0.200	-	
WEEMS	550	Δ	P	40	Δ	Well	-	-	None	0.028	Δ	14
	40	-	-	0	-	-	0.014	0.004	-	Δ	-	
WELLINGTON PARK ESTATES	460	1947	P	115	Δ	Well	-	-	None	0.108	Δ	15
	460	-	-	115	-	-	0.054	0.046	-	Δ	-	
WEST POINT	1,910	Δ	M	525	N	Well	-	-	None	0.000	N	16
	2,100	-	-	525	-	-	0.360	0.210	-	0.100	-	
WEST WISTAR	252	1954	P	63	N	Well	-	-	None	0.144	N	17
	250	-	-	63	-	-	0.072	0.025	-	0.000	-	
WESTWOOD ANNEX	125	1946	P	150	Δ	2 wells	-	-	None	Δ	Δ	18
	400	-	-	135	-	-	0.030	0.045	-	0.020	-	
WESTWOOD MANOR	248	1953	P	62	N	Well	-	-	None	0.063	N	19
	250	-	-	62	-	-	0.032	0.025	-	0.000	-	
WESTWOOD Subdivision	160	1947	M	Δ	N	Drilled well	-	-	None	0.022	S	20
	Δ	-	-	Δ	-	-	0.011	Δ	-	0.000	-	
WHALEYVILLE	500	1947	P	78	N	Well	-	-	None	0.144	N	21
	310	-	-	78	-	-	0.072	0.031	-	0.000	-	
WHITESIDE PARK	400	1949	M	100	N	Well	-	-	None	0.086	N	22
	400	-	-	100	-	-	0.043	0.040	-	0.000	-	
WHITESTONE	700	Δ	P	92	Δ	Well	-	-	None	0.108	N	23
	370	-	-	92	-	-	0.054	0.037	-	Δ	-	
WILEY Subdivision	104	Δ	Δ	26	N	Well	-	0.029	I-AmFap	0.029	N	24
	100	1949	-	26	-	-	0.014	0.010	-	Δ	-	
WILLIAMSBURG	6,735	Δ	M	1,345	C	Waller Mill Creek	3.500	1.500	PH-DcClITcMpSoFrsDc	0.500	MPT	25
	9,000	Δ	-	1,345	-	-	-	1.610	-	0.750	-	
WILTON WOOD	45	1955	P	50	Δ	2 wells	-	-	None	Δ	T	26
	200	-	-	50	-	-	0.050	0.020	-	0.023	-	
* WINCHESTER	13,941	1957	M	4,600	C	North Fork of	Δ	9.500	P-CalDcMtSmTcFrsVsDc	Δ	Δ	27
	19,500	1957	-	4,600	B	Shenandoah River	-	2.400	-	Δ	-	
WINDSOR	451	1936	P	90	N	2 wells	-	-	None	0.002	P	28
	360	-	-	0	-	-	0.023	0.023	-	0.000	-	
WINDSOR HILLS	750	1949	P	256	N	3 wells	-	-	None	Δ	Δ	29
	750	-	-	256	-	-	0.300	0.120	-	0.260	-	
* WINDSOR PLACE Sanitary District	-	1956	M	50	N	Well	-	-	None	0.144	N	30
	200	-	-	50	-	-	0.108	0.020	-	0.000	-	

PHS-2226
REV. 4-59

INVENTORY OF MUNICIPAL WATER FACILITIES

STATE	DATE	PAGE
VIRGINIA	Jan. 1, 1958	19 of 19

COMMUNITY	1950 Populat. Estimated Population Served	Year Oper. Started Present Supply Present Treatment Plant	OWNERSHIP	Number of Services Number of Meters	LAB. CONTROL	SOURCE OF SUPPLY	Safe Yield Impounded Maximum Dependable Draft (Gr. water) MGD	Rated Plant Capacity Average Plant Output MGD	TREATMENT	Dist. Storage Pumps to Mains Gravity to Mains MG	IMPROVEMENTS NEEDED	LINE NO.
1	2	3	4	5	6	7	8	9	10	11	12	
WINEBARGER Subdivision	168 170	1953 -	P -	42 Δ	N -	2 springs -	- 0.060	- 0.060	None -	0.060 0.000	N -	1
WISE	1,574 2,000	1957 1926	M -	450 450	N -	3 wells, abandoned mine	- Δ	0.250 0.125	P-AcClDcMbSoFrs -	0.100 0.400	T -	2
WISTAR FARMS	156 160	1958 -	P -	39 39	N -	2 wells -	- 0.018	- 0.016	None -	0.036 0.000	N -	3
WOODLAWN ACRES	4,000 4,000	1955 -	P -	1,000 1,000	Δ -	7 wells -	- 0.687	- 0.400	None -	1.270 Δ	Δ -	4
WOODLAWN FARM	260 260	1955 -	P -	65 65	N -	2 wells -	- 0.029	- 0.026	None -	0.052 Δ	N -	5
WOODSTOCK	1,816 3,250	1957 1957	M -	950 890	N -	Stoney Creek (imp.) -	1.000 -	2.000 0.400	Dc -	Δ 16.41	Δ -	6
WOODWAY	250 250	Δ 1939	P -	65 0	N -	Spring -	- Δ	Δ 0.025	Dh -	0.000 0.028	N -	7
WYTHEVILLE	5,513 7,000	1949 1949	M -	1,882 1,882	C -	Vendrick Run, Reed Creek & Crvstal Spe.	Δ Δ	1.000 Δ	P-CaDcMpSmoIcFrs -	0.020 1.620	N -	8
YORKSH	1,600 1,600	Δ -	P -	400 400	Δ -	5 wells -	- 0.148	- 0.160	None -	0.295 Δ	Δ -	9
YORKSHIRE ACRES	1,600 1,600	1953 -	P -	400 400	Δ -	4 wells -	- 0.049	- 0.160	None -	0.098 Δ	U -	10
YORK TERRACE	1,056 1,060	1953 -	P -	264 264	N -	Well -	- 0.206	- 0.106	None -	0.432 0.000	N -	11
YORKTOWN	384 (600)	Δ -	M -	- -	- -	Newport News -	- -	- -	Newport News -	- -	- -	12
ZUNI	175 120	1930 -	P -	30 0	N -	Well -	- 0.009	- 0.009	None -	0.000 0.001	UPL -	13
												14
												15
												16
												17
												18
												19
												20
												21
												22
												23
												24
												25
												26
												27
												28
												29
												30

PHS-2226
REV. 4-59

PLACES WITH NO COMMUNITY WATER SUPPLY

VIRGINIA

LOCATION	1950 CEN POP
ACCOMAC VA	500
ACHILLES VA	350
AFTON VA	400
AGRICOLA VA	150
AILY VA	150
ALBERENE VA	450
ALCOMA VA	150
ALFONSO VA	125
ALLEGHANY VA	150
ALLISONIA VA	400
ALTON VA	100
AMBURG VA	125
AMELIA C H VA	800
AMISSVILLE VA	200
AMSTERDAM VA	125
ANTE VA	250
ARARAT VA	100
ARK VA	100
ARODA VA	150
ARRINGTON VA	250
ARTRIP VA	185
ARVONIA VA	500
ASHBURN VA	360
ASHWOOD VA.	150
ATLANTIC VA	350
AXTON VA	180
AYLOR VA	125
BACKBAY VA	900
BAGLEYS MILLS VA	150
BALTY VA	100
BANDY VA	800
BANNER VA	500
BARBOURSVILLE VA	350
BARHAMSVILLE VA	100
BARLOW PLACE VA.	2,000
BARNETTS VA	200
BARREN SPRINGS VA	100
BARTLICK VA	150
BATESVILLE VA	200
BAYNESVILLE VA	100
BAYWOOD VA	150
BEALETON VA	200
BEAVERDAM VA	100
BEAVERLETT VA	100
BELLAMY VA	225
BELLE HAVEN VA	453
BELLE HAVEN VA.	400
BELSPRING VA	350
BELVOIR VA	150
BENA VA	100
BENHAMS VA	250
BEN HUR VA	350
BENTONVILLE VA	400
BEULAHVILLE VA	150
BIRCHLEAF VA	200
BIRDSNEST VA	150
BLACKWATER VA	100
BLAIRS VA	100
BLOWING ROCK VA	150
BLOXOM VA	500
BLUE GRASS VA	125
BLUEMONT VA	300
BLUE RIDGE VA	600
BOHANNON VA	250
BOSTON VA	250
BOWERS HILL VA	600
BOYCE VA	372
BOYD TAVERN VA	125
BRANCHVILLE VA	169
BRANDY STATION VA	250
BREAKS VA	100
BREMO BLUFF VA	300
BRIGHTWOOD VA	225
BROADFORD VA	600
BROKENBURG VA	250
BROOKE VA	200
BROWNS STORE VA	108
BROWNTOWN VA	100
BRUCETOWN VA	175
BUCKINGHAM VA	264
BUFFALO JUNCTION VA	200
BURGESS VA	600
BURKE VA	200

VIRGINIA -CONT-

LOCATION	1950 CEN POP
BURKES GARDEN VA	200
BURNSVILLE VA	224
BURR HILL VA	106
CALLANDS VA	125
CALVERTON VA	200
CALVIN VA.	800
CAPEVILLE VA	250
CARDINAL VA	100
CARDWELL VA	150
CARSON VA	125
CARTERTON VA	200
CASANOVA VA	191
CASCADE VA	500
CASTLETON VA	100
CAUTHORNVILLE VA	250
CENTER CROSS VA	250
CENTRAL POINT VA	229
CENTREVILLE VA	100
CHANTILLY VA	200
CHARLES CITY VA	998
CHERITON VA	800
CHESTERFIELD COURT VA	175
CHESTER GAP VA	250
CHURCH ROAD VA	100
CHURCH VIEW VA	100
CHURCHVILLE VA	325
CLEAR BROOK VA	200
CLELL VA	200
CLIFFIELD VA	125
CLIFFORD VA	135
CLIFTON VA	262
CLINCHBURG VA	300
CLOVER VA	274
CLOVERDALE VA	300
CLUSTER SPRINGS VA	125
COBHAM VA	174
COKE VA	165
COLEMANS FALLS VA	225
COLES POINT VA	200
COLOGNE VA	100
COLONY VA	200
COLUMBIA FURNACE VA	120
CONAWAY VA	300
CONCORD VA	350
CONICVILLE VA	106
COPPER HILL VA	400
COULWOOD VA	250
COUNCIL VA	300
COVESVILLE VA	228
COWART VA	150
CRADDOCKVILLE VA	500
CRAIG SPRINGS VA	100
CRESCENT HILL VA.	1,119
CRIGLERSVILLE VA	100
CRIMORA VA	100
CRIPPLE CREEK VA	300
CROCKETT VA	150
CROUCH VA	150
CRYSTAL HILL VA	150
CULLEN VA	150
CUMBERLAND VA	250
DARE VA	200
DARWIN VA	200
DAVIS WHARF VA	160
DEERFIELD VA	300
DELTAVILLE VA	426
DENDRON VA	476
DENNISTON VA	200
DEWITT VA	100
DIGGS VA	150
DINWIDDIE VA	300
DISPUTANTA VA	250
DITCHLEY VA	192
DOGUE VA	150
DORAN VA	350
DOWNINGS VA	150
DRAGONVILLE VA	200
DRAPER VA	258
DREWRYS BLUFF VA	175
DREWRYVILLE VA	200
DRILL VA	250
DRIVER VA	215
DRY FORK VA	300

PLACES WITH NO COMMUNITY WATER SUPPLY

VIRGINIA -CONT-

LOCATION	1950 CEN POP
DUFFIELD VA	176
DUMFRIES-TRIANGLE VA.	1,585
DUNDAS VA	110
DUNN LORING VA	350
DUNNSVILLE VA	300
DUTTON VA	210
EAGLE ROCK VA	600
EAST ESTABROOK VA.	400
EASTHAM VA	185
EAST LEXINGTON VA	350
EASTVILLE STATION VA	200
ECLIPSE VA	275
EDGEHILL VA	125
EDWARDSVILLE VA	250
EGGLESTON VA	300
ELEVON VA	150
ELK CREEK VA	250
ELK GARDEN VA	250
ELLERSON VA	150
ENDICOTT VA	300
ENONVILLE VA	100
EPWORTH VA	100
ESMONT VA	900
ESSERVILLE VA	308
ETHEL VA	101
ETLAN VA	250
EVERGREEN VA	150
EVINGTON VA	200
FABER VA	200
FAIRFIELD VA	200
FAIR PORT VA	650
FALLS MILLS VA	500
FARMERS FORK VA	224
FARNHAM VA	300
FENTRESS VA	250
FERNCLIFF VA	150
FINCASTLE VA	405
FISHERS HILL VA	130
FISHERSVILLE VA	500
FLATRIDGE VA	500
FLEETON VA	200
FLINT HILL VA	300
FONESWOOD VA	150
FORD VA	125
FORDWICK VA	750
FOREST VA	300
FORKS OF BUFFALO VA	200
FORT BLACKMORE VA	250
FORT MITCHELL VA	150
FOSTERS FALLS VA	200
FOX VA	600
FOX HALL VA.	1,200
FRANKTOWN VA	100
FREMONT VA	250
GAINESBORO VA	125
GAINESVILLE VA	100
GARRISONVILLE VA	200
GASBURG VA	200
GIBSON STATION VA	100
GLADEHILL VA	100
GLADYS VA	200
GLASS VA	400
GLENALLEN VA	150
GLENWOOD VA.	1,913
GLOUCESTER VA	350
GLOUCESTER POINT VA	200
GOLDDALE VA	100
GOLDVEIN VA	180
GOODE VA	250
GORE VA	100
GRAFTON VA	100
GRANITE SPRINGS VA	150
GREENBACKVILLE VA	500
GREEN BAY VA	240
GREENBUSH VA	100
GREENDALE VA	260
GREENLEE VA	600
GREENVILLE VA	400
GREENWOOD VA	450
GRESSITT VA	200
GRIMSTEAD VA	300
GUINEA VA	160
GUM SPRING VA	100

VIRGINIA -CONT-

LOCATION	1950 CEN POP
GWYNN VA	300
HACKSNECK VA	300
HALLIEFORD VA	203
HALLWOOD VA	350
HANDSOM VA	350
HANOVER VA	200
HANSONVILLE VA	500
HARBORTON VA	357
HARDY VA	100
HARDYVILLE VA	250
HARMONY VA	100
HARMONY VILLAGE VA	166
HARTFIELD VA	200
HARTWOOD VA	150
HAYES VA	200
HAYFIELD VA	150
HAYMARKET VA	213
HAYNESVILLE VA	300
HAYSI VA	476
HAYWOOD VA	100
HEALING SPRINGS VA	195
HEARDS VA	200
HEBRON VA	160
HELMET VA	150
HENRY VA	175
HERALD VA	250
HEWLETT VA	200
HICKORY VA	300
HIWASSEE VA	500
HOBSON VA	600
HODGES CHAPEL VA	100
HOLLINS VA	570
HOME CREEK VA	100
HOPETON VA	208
HOPKINS VA	101
HORNSBYVILLE VA	200
HORNTOWN VA	300
HORSE HEAD VA	250
HORSEPEN VA	500
HOWARDSVILLE VA	105
HUDDLESTON VA	225
HUME VA	300
HUNTINGTON HEIGHTS VA.	400
HUNTLY VA	500
HURT VA	600
HUSTLE VA	250
IBERIS VA	125
INDEX VA	125
INGLESIDE VA.	400
INO VA	250
IRONTO VA	450
ISLE OF WIGHT VA	100
ISOM VA	500
IVY VA	250
JAMAICA VA	170
JAMESVILLE VA	290
JEFFERSONTON VA	400
JEROME VA	250
JETERSVILLE VA	175
JORDAN MINES VA	140
JUSTISVILLE VA	102
KEELING VA	675
KEEZLETOWN VA	300
KELLER VA	500
KESWICK VA	500
KIDDS FORK VA	150
KING GEORGE VA	150
KING WILLIAM VA	100
LABAN VA	200
LACEY SPRING VA	300
LADYSMITH VA	200
LAFAYETTE VA	200
LAKESIDE VA.	2,806
LAMBSBURG VA	250
LAUREL VA	750
LAUREL LINK VA.	300
LEBANON CHURCH VA	200
LECK VA	102
LEEMASTER VA	125
LEE MONT VA	100
LERTY VA	130
LEWISETTA VA	160
LIGHTFOOT VA	300

PLACES WITH NO COMMUNITY WATER SUPPLY

VIRGINIA -CONT-

LOCATION	1950 CEN POP
LIGNUM VA	500
LINCOLN VA	263
LINDEN VA	200
LINVILLE VA	930
LITHIA VA	101
LOCUST DALE VA	2,853
LOCUSTGROVE VA	125
LOCUST HILL VA	150
LOCUSTVILLE VA	100
LODGE VA	150
LONG SPUR VA	125
LORNE VA	300
LOVETTSVILLE VA	341
LOWESVILLE VA	200
LOWRY VA	202
LUTTRELLVILLE VA	126
LYNCH STATION VA	400
LYNDHURST VA	200
LYNNHAVEN VA	200
MCCOY VA	350
MCGAHEYSVILLE VA	500
MACHIPONGO VA	130
MACON VA	125
MADISON RUN VA	110
MAGGIE VA	200
MAKEMIE PARK VA	250
MANAKIN VA	345
MANGOHICK VA	250
MANQUIN VA	300
MAPPSVILLE VA	500
MARKHAM VA	280
MARYUS VA	500
MASCOT VA	111
MASSIES MILL VA	225
MATHEWS VA	500
MATTAPONI VA	200
MAURERTOWN VA	175
MAVISDALE VA	500
MAXIE VA	500
MAX MEADOWS VA	750
MAXWELL VA	250
MAYO VA	400
MEADOWS OF DAN VA	200
MECHANICSBURG VA	200
MEHERRIN VA	200
MELFA VA	600
MERRIFIELD VA	500
MERRY POINT VA	150
MESSONGO VA	165
MIDLAND VA	165
MIDLOTHIAN VA	350
MILA VA	120
MILES VA	150
MILFORD VA	400
MILLBORO SPRING VA	100
MILLENBECK VA	100
MILLER SCHOOL VA	200
MILLERS TAVERN VA	150
MILLWOOD VA	420
MINOR VA	108
MISSION HOME VA	200
MODEST TOWN VA	200
MOLLUSK VA	325
MONETA VA	200
MONTPELIER STATION VA	225
MONTVALE VA	600
MOON VA	400
MORATTICO VA	200
MORRISVILLE VA	120
MOSELEY VA	200
MOTORUN VA	230
MOUNTAIN GROVE VA	137
MOUKT CRAWFORD VA	303
MOUNT HERON VA	300
MOUNT HOLLY VA	100
MOUNT LANDING VA	100
MOUNT SOLON VA	112
MOUNT VERNON VA	101
MOUTH OF WILSON VA	125
MUNDEN VA	150
MURPHY VA	150
NAOLA VA	300
NARUNA VA	200

VIRGINIA -CONT-

LOCATION	1950 CEN POP
NASSAWADOX VA	250
NATHALIE VA	125
NATURAL BRIDGE STATION VA	600
NAXERA VA	250
NEALY RIDGE VA	216
NELLYSFORD VA	200
NELSON VA	110
NEW CANTON VA	300
NEW CHURCH VA	363
NEW HOPE VA	250
NEWINGTON VA	150
NEW POINT VA	500
NEW RIVER VA	506
NEWTOWN VA	250
NOKESVILLE VA	200
NORA VA	763
NORTH VA	350
NORTH EMPORIA VA.	672
NORTH HOLSTON VA	200
NORTHWEST VA	500
NORWOOD VA	200
NOTTOWAY VA	200
NUTTSVILLE VA	150
OAK GROVE VA	100
OAK HALL VA	200
OAKWOOD VA	750
OCOONITA VA	100
OILVILLE VA	100
OLDHAMS VA	200
OMAHA VA	100
ONEMO VA	175
ONLEY VA	455
ONTARIO VA	105
ORDINARY VA	100
ORISKANY VA	300
OTTOMAN VA	300
OWENS VA	100
OWENTON VA	150
OYSTER VA	270
PACES VA	125
PAEONIAN SPRINGS VA	200
PAGE VA	150
PAINTER VA	250
PALMER VA	150
PARKER VA	125
PARROTT VA	800
PARTLOW VA	200
PATRICK SPRINGS VA	500
PAULS CROSS ROADS VA	200
PEAKS VA	150
PEARY VA	175
PEDLAR MILLS VA	175
PENDLETONS VA	125
PERKINSVILLE VA	100
PERRIN VA	350
PHENIX VA	290
PHILOMONT VA	140
PHILPOTT VA	450
PILOT VA	100
PINE CHAPEL VA.	648
PINERO VA	350
PITTSVILLE VIRGINIA	200
PLAIN VIEW VA	175
PLEASANT RIDGE VA	200
PORT HAYWOOD VA	150
PORT REPUBLIC VA	500
POTOMAC MILLS VA	164
PRATER VA	150
PRINCE GEORGE VA	100
PRINCESS ANNE VA	250
PROSPECT VA	300
PROVIDENCE FORGE VA	500
PUNGOTEAGUE VA	200
PURDY VA	250
QUARRY VA	500
QUICKSBURG VA	205
QUINBY VA	250
RADIANT VA	147
RAINSWOOD VA	250
RANDOLPH VA	120
RAPHINE VA	250
RAWLINGS VA	100
RECTORTOWN VA	225

PLACES WITH NO COMMUNITY WATER SUPPLY

VIRGINIA -CONT-

LOCATION	1950 CEN POP
REDART VA	300
RED ASH VA	500
REDOAK VA	250
REDWOOD VA	250
REHOBOTH CHURCH VA	200
REMLIK VA	150
REMO VA	200
REPUBLICAN GROVE VA	100
REVA VA	100
RICE VA	300
RILEYVILLE VA	250
RINER VA	153
RINGGOLD VA	150
RIVERVILLE VA	150
ROBLEY VA	100
ROCHELLE VA	150
ROCKBRIDGE BATHS VA	150
ROCKFISH VA	200
ROCKINGHAM VA	165
ROGERS VA	100
ROLLINS FORK VA	100
ROSELAND VA	150
ROSEVILLE VA	265
ROWE VA	350
ROYAL CITY VA	550
RUGBY VA	450
RUSTBURG VA	350
RUTHER GLEN VA	100
RUTHVILLE VA	410
SAINT BRIDES VA	200
SAINT CHARLES VA	550
SAINT GEORGE VA	200
SALVIA VA	100
SAMOS VA	300
SHERBOURNE HEIGHTS VA.	400
SANDY LEVEL VA	500
SANFORD VA	200
SAXE VA	150
SAXIS VA	650
SCHLEY VA	300
SCOTTSBURG VA	222
SEAFORD VA	985
SEALSTON VA	300
SEAVIEW VA	500
SEBRELL VA	200
SEDLEY VA	500
SELDEN VA	150
SENORA VA	200
SEVEN FOUNTAINS VA	128
SEVEN MILE FORD VA	150
SEVERN VA	300
SHACKLEFORDS VA	250
SHADWELL VA	400
SHARPS VA	500
SHELBY VA	100
SHIPMAN VA	500
SHORTT GAP VA	250
SHUMANSVILLE VA	100
SIMONSON VA	100
SINGERS GLEN VA	126
SKEETROCK VA	200
SKIPPERS VA	250
SKIPWITH VA	136
SLATE VA	500
SNELL VA	150
SNOWFLAKE VA	100
SOMERSET VA	200
SOMERVILLE VA	100
SOUTH CLINCHFIELD VA	140
SPENCER VA	200
SPERRYVILLE VA	300
SPOTTSWOOD VA	100
SPOUT SPRING VA	750
SPRINGFIELD VA	200
SPRINGWOOD VA	300
STAFFORD VA	250
STAFFORDSVILLE VA	200
STAR TANNERY VA	125
STEELES TAVERN VA	121
STEINMAN VA	300
STERLING VA	750
STEVENSVILLE VA	200
STRATTON VA	225

VIRGINIA -CONT-

LOCATION	1950 CEN POP
SUMERDUCK VA	200
SUSAN VIRGINIA	500
SUTHERLAND VA	150
SWEET CHALYBEATE VA	200
SWEET HALL VA	300
SWIFTRUN VA	150
SWORDS CREEK VA	200
SYDNORSVILLE VA	100
SYLVATUS VA	450
SYRIA VA	200
SYRINGA VA	150
TACOMA VA	400
TAMWORTH VA	200
TARPON VA	950
TASLEY VA	400
TAYLORS VALLEY VA	215
TEMPERANCEVILLE VA	500
THAXTON VA	600
TIBITHA VA	200
TIDEMILL VA	100
TIDEWATER VA	500
TINY VA	100
TIPTOP VA	300
TIVIS VA	123
TOMS BROOK VA	256
TOOKLAND VA	900
TOPPING VA	100
TOWNSEND VA	300
TREVILIANS VA	123
TRIPLET VA	300
TROUT DALE VA	250
TRUHART VA	125
TURBEVILLE VA	100
TYE RIVER VA	200
TYRO VA	150
UNION LEVEL VA	190
UNIONVILLE VA	250
UPPERVILLE VA	400
VALENTINES VA	100
VANSANT VA	850
VENIA VA	225
VERNON HILL VA	115
VESTA VA	200
VESUV'US VA	400
VICKER VA	250
VIEWTOWN VA	200
VILLAGE VA	300
VILLAMONT VA	200
VIRGILINA VA	323
VIRGINIA CITY VA	200
VOLNEY VA	100
WACHAPREAGUE VA	551
WALLACE VA	200
WALTERS VA	158
WARDTOWN VA	100
WARE NECK VA	300
WARNER VA	175
WATERFORD VA	247
WATER VIEW VA	400
WEALTHIA VA	100
WEST AUGUSTA VA	200
WEST ESTABROOK VA	400
WESTHAVEN VA.	2.127
WESTMORELAND VA	100
WEYERS CAVE VA	500
WHITE POST VA	300
WHITETHORNE VA	100
WHITETOP VA	125
WHITEWOOD VA	300
WICOMICO VA	300
WICOMICO CHURCH VA	219
WIDEWATER VA	100
WILLIAMSVILLE VA	200
WILLIS WHARF VA	528
WILSONS VA	285
WINTERPOCK VA	100
WIRTZ VA	500
WITHAMS VA	200
WOLFORD VA	500
WOODBERRY FOREST VA	300
WOODBRIDGE VA	500
WOODFORD VA	100
WOODLAWN VA	300

PLACES WITH NO COMMUNITY WATER SUPPLY

VIRGINIA -CONT-

LOCATION	1950 CEN POP
WYLLIESBURG VA	100
WYNDALE VA	225
YALE VA	225
YARDS VA	500
ZACATA VA	225
ZEPP VA	118

WEST VIRGINIA

INVENTORY OF MUNICIPAL WATER FACILITIES

STATE	DATE	PAGE
WEST VIRGINIA	Jan. 1, 1958	1 of 20

COMMUNITY	1950 Population Estimated Population Served	Year Oper. Started: Present Supply Present Treatment Plant	OWNERSHIP	Number of Services Number of Meters	LAB. CONTROL	SOURCE OF SUPPLY	Safe Yield Impounded Maximum Dependable Draft (Gr. water) MGD	Rated Plant Capacity Average Plant Output MGD	TREATMENT	Dist Storage: Pumps to Mains Gravity to Mains MG	IMPROVEMENTS NEEDED	LINE NO.
1	2	3	4	5	6	7	8	9	10	11	12	
ABNEY	125	Δ	Δ	-	-	Coal City	-	-	Coal City	-	-	1
	(Δ)	-	-	-	-	-	-	-	-	-	-	
ACCOVILLE	1,400	Δ	P	Δ	Δ	Well	-	Δ	Dh	Δ	Δ	2
	500	Δ	-	Δ	-	-	Δ	0.031	-	0.030	-	
ACME	450	Δ	P	Δ	Δ	Well	-	Δ	Dh	Δ	Δ	3
	Δ	Δ	-	Δ	-	-	Δ	0.010	-	0.025	-	
AFFINITY	400	Δ	P	Δ	Δ	Well	-	Δ	Dc	Δ	Δ	4
	450	Δ	-	Δ	-	-	Δ	0.035	-	0.105	-	
ALBERT	250	Δ	P	Δ	Δ	Long Run (imp.)	Δ	-	None	Δ	Δ	5
	200	-	-	Δ	-	-	-	Δ	-	0.300	-	
ALDERSON	1,489	Δ	M	Δ	C	Greenbriar River	Δ	Δ	P-CaMbS FrsDcKp	Δ	Δ	6
	1.500	Δ	-	Δ	-	-	-	0.110	-	0.200	-	
ALGOMA	900	Δ	P	Δ	Δ	Mine	-	Δ	Dc	Δ	Δ	7
	1.000	Δ	-	Δ	-	-	Δ	Δ	-	Δ	-	
ALLEN JUNCTION	600	Δ	P	110	3	Abandoned mine	-	-	None	0.025	TL	8
	440	-	-	0	-	-	Δ	0.025	-	Δ	-	
ALLOY	900	Δ	P	Δ	C	Kanawha River	Δ	1.000	P-CasMbS FrsDc	6	6	9
	1.600	Δ	-	Δ	-	-	-	0.525	-	0.200	-	
* ALPOCA	800	Δ	P	205	Δ	Springs and wells	-	Δ	Dh	Δ	Δ	10
	700	Δ	-	0	-	-	Δ	Δ	-	0.050	-	
* AMEAGLE	833	Δ	P	Δ	Δ	Well	-	Δ	I-CsA FpsDc	Δ	Δ	11
	1.000	Δ	-	Δ	-	-	Δ	Δ	-	0.044	-	
AMES	42	Δ	P	Δ	Δ	Mill Creek	Δ	Δ	P-FrsDc	Δ	Δ	12
	100	Δ	-	Δ	-	-	-	Δ	-	Δ	-	
* AMHERSTDALE	2,200	Δ	P	Δ	Δ	Buffalo Creek	-	Δ	P-CasMbSbFraDh	Δ	Δ	13
	475	Δ	-	Δ	-	and mine	Δ	0.055	-	0.070	-	
AMIGO	500	Δ	P	Δ	Δ	Well and mine	-	-	None	Δ	Δ	14
	Δ	-	-	Δ	-	-	Δ	0.020	-	0.025	-	
ANAWALT	1,383	Δ	P	Δ	Δ	2 wells	-	Δ	Dh	Δ	Δ	15
	800	Δ	-	Δ	-	-	Δ	0.030	-	0.030	-	
ANJEAN	400	Δ	P	Δ	Δ	Stream (imp.)	Δ	-	None	Δ	Δ	16
	500	-	-	Δ	-	well (aux.)	-	0.010	-	0.050	-	
ANMOORE	1,388	Δ	M	-	-	Clarksburg	-	-	Clarksburg	-	-	17
	(Δ)	-	-	-	-	-	-	-	-	-	-	
ANSTED	1,543	1947	M	Δ	C	Mill Creek	Δ	0.280	P-CalMbSbFrsDcKp	Δ	Δ	18
	2.800	1947	-	Δ	-	-	-	0.085	-	0.100	-	
ARACOMA	900	Δ	P	-	-	Logan	-	-	Logan	-	-	19
	(Δ)	-	-	-	-	-	-	-	-	-	-	
ARGYLE	500	Δ	P	-	-	Yolyn	-	-	Yolyn	-	-	20
	(250)	-	-	-	-	-	-	-	-	-	-	
ARISTA	300	Δ	P	Δ	Δ	Well	-	Δ	P-Frs	Δ	Δ	21
	Δ	Δ	-	Δ	-	-	Δ	Δ	-	0.020	-	
ARLINGTON	150	Δ	P	-	-	Greenbrier	-	-	None	-	-	22
	(200)	-	-	-	-	-	-	-	-	-	-	
ARTHURDALE	509	Δ	M	Δ	Δ	Ground	-	Δ	Dh	Δ	Δ	23
	200	Δ	-	Δ	-	-	Δ	0.010	-	0.100	-	
ASHLAND	650	Δ	P	Δ	Δ	Mine	-	-	None	0.005	Δ	24
	350	-	-	Δ	-	-	Δ	Δ	-	0.060	-	
ATHENS	935	Δ	M	167	Δ	Wells	-	Δ	Dc	Δ	Δ	25
	700	Δ	-	Δ	-	-	Δ	0.100	-	0.075	-	
* BANCROFT	575	1954	Δ	320	C	Guano Creek	Δ	-	None	Δ	Δ	26
	1,280	-	-	304	-	-	-	0.350	-	0.100	-	
BARNABUS	1,650	Δ	P	Δ	Δ	Drilled well	-	Δ	Dh	Δ	Δ	27
	300	Δ	-	Δ	-	(Stirrat in winter)	Δ	Δ	-	0.050	-	
BARBOURSVILLE	1,943	Δ	P	-	-	Huntington	-	-	Huntington	-	-	28
	(1,600)	-	-	-	-	-	-	-	-	-	-	
BARRACKVILLE	765	Δ	P	-	-	Fairmont	-	-	Fairmont	-	-	29
	(1,300)	-	-	-	-	-	-	-	-	-	-	
BARRETT	400	Δ	P	221	Δ	Well	-	Δ	A Dc	Δ	Δ	30
	1,025	1948	-	Δ	-	-	Δ	0.180	-	0.108	-	

PHS-2226
REV. 4-59

Preceding page blank

INVENTORY OF MUNICIPAL WATER FACILITIES

STATE	DATE	PAGE
WEST VIRGINIA	Jan. 1, 1958	2 of 20

COMMUNITY	1950 Population Estimated Population Served	Year Oper Started Present Supply Present Treatment Plant	OWNERSHIP	Number of Services Number of Meters	LAB. CONTROL	SOURCE OF SUPPLY	Safe Yield Impounded Maximum Dependable Draft (Gr. water) MGD	Rated Plant Capacity Average Plant Output MGD	TREATMENT	Dist. Storage Pumps to Mains Gravity to Mains MG	IMPROVEMENTS NEEDED	LINE NO.
1	2	3	4	5	6	7	8	9	10	11	12	
BARTLEY Source # 1	1,275 1.200	Δ -	P -	Δ Δ	Δ -	Abandoned mine -	- Δ	- Δ	None -	Δ Δ	Δ -	1
BARTLEY Source # 2	- 300	Δ Δ	P -	- -	Δ -	Well -	- Δ	Δ Δ	I-DcFrs -	Δ 0.060	Δ -	2
BAXTER	574 (590)	Δ -	P -	- -	- -	Fairmont -	- -	- -	Fairmont -	- -	- -	3
BAYARD	589 400	Δ -	M -	Δ Δ	Δ -	Springs -	- Δ	- 0.020	None -	Δ 0.111	Δ -	4
BEARDS FORK	853 1.500	Δ Δ	P -	Δ Δ	Δ -	Well and streams -	Δ Δ	Δ 0.040	P-FpsDc -	Δ 0.235	Δ -	5
BEAVER	1,494 (500)	Δ -	P -	- -	- -	Beckley -	- -	- -	Beckley -	- -	- -	6
BEEBE	179 (Δ)	Δ -	Δ -	- -	- -	Holden -	- -	- -	Holden -	- -	- -	7
BECCO	200 800	Δ -	P -	Δ Δ	Δ -	Mine Stream (aux.)	- Δ	- 0.040	None -	Δ 0.040	Δ -	8
* BECKLEY	19,397 25,000	Δ Δ	P -	Δ Δ	C B	Creek -	Δ -	3.000 2.200	P-AtClaDcMpSbFrsKpN -	Δ 3.850	Δ -	9
BEECHBOTTOM	792 Δ	Δ Δ	P -	155 0	Δ -	3 wells and 3 springs	- Δ	Δ Δ	Dc -	Δ 0.150	Δ -	10
BELINGTON	1,699 1.500	Δ Δ	M -	Δ Δ	Δ -	River (summer only)	Δ -	Δ Δ	P-CasMtSbFrsDc -	Δ Δ	Δ -	11
BELLBURN	250 295	Δ -	M -	60 0	Δ -	Ground -	- Δ	- Δ	None -	Δ Δ	Δ -	12
* BELLE	4,000 9.000	Δ Δ	P -	Δ Δ	C B	Kanawha River -	Δ -	Δ 0.300	P-NcD ClaT Mb SoFrsKpVs	Δ 0.300	Δ -	13
BELLWOOD	300 Δ	Δ -	P -	Δ Δ	Δ -	Well -	- Δ	- 0.006	None -	Δ 0.010	Δ -	14
BELMONT	215 Δ	1955 1955	M -	Δ Δ	Δ -	Drilled well -	- Δ	Δ Δ	Dc -	Δ 0.050	Δ -	15
BENBUSH	107 Δ	Δ Δ	P -	Δ Δ	Δ -	Snyders Run (imp.) -	Δ -	Δ Δ	Dh -	Δ Δ	Δ -	16
BENWOOD	3,485 (3,550)	Δ -	M -	- -	- -	McMechan -	- -	- -	McMechan -	- -	- -	17
BERGOO	900 250	Δ Δ	P -	85 Δ	Δ -	Leatherwood Creek wells (aux.)	Δ -	Δ 0.030	Dh -	Δ Δ	Δ -	18
BERKELEY SPRINGS	1,213 1.300	Δ Δ	P -	Δ Δ	Δ -	Spring -	- Δ	Δ Δ	Dc -	Δ Δ	Δ -	19
BERWIND	1,354 3.000	Δ Δ	P -	Δ Δ	C B	Dry Fork wells (aux.)	Δ -	0.090 0.300	PH-ClaIoMSbFrsDc -	0.010 0.500	Δ -	20
BESOCO	700 250	Δ 1928	P -	50 0	Δ -	Well and spring -	- Δ	Δ 0.020	Dh -	Δ 0.125	Δ -	21
BETHANY	1,063 1.000	Δ Δ	P -	Δ Δ	C -	Buffalo Creek -	Δ -	Δ 0.070	P-CasT MbS FrsDc -	Δ 0.500	Δ -	22
BETHLEHEM	1,146 (Δ)	Δ -	M -	- -	- -	Wheeling -	- -	- -	Wheeling -	- -	- -	23
BIG SANDY	200 350	Δ -	P -	Δ Δ	Δ -	Drilled wells -	- Δ	- 0.015	None -	Δ 0.012	Δ -	24
BIG STICK	100 200	Δ -	P -	Δ Δ	Δ -	Well and abandoned mine	- Δ	- 0.015	None -	Δ 0.030	Δ -	25
BIM	130 (Δ)	Δ -	Δ -	- -	- -	Wharton -	- -	- -	Wharton -	- -	- -	26
BISHOP	601 Δ	Δ Δ	P -	Δ Δ	Δ -	Spring -	- Δ	Δ Δ	Dc -	Δ Δ	Δ -	27
BLACK BETSY	100 (Δ)	Δ -	Δ -	- -	- -	Bancroft -	- -	- -	None -	- -	- -	28
BLACK EAGLE	200 300	Δ -	P -	39 0	Δ -	Well -	- Δ	- 0.015	None -	Δ 0.001	Δ -	29
BLACKSVILLE	241 180	Δ -	P -	Δ Δ	Δ -	Well -	- Δ	- Δ	None -	Δ 0.050	Δ -	30

PHS-2226
REV 4-59

INVENTORY OF MUNICIPAL WATER FACILITIES

STATE	DATE	PAGE
WEST VIRGINIA	Jan. 1, 1958	3 of 20

COMMUNITY	1950 Population Estimated Population Served	Year Oper. Started Present Supply Present Treatment Plant	OWNERSHIP	Number of Services Number of Meters	LAB. CONTROL	SOURCE OF SUPPLY	Safe Yield Impounded Maximum Dependable Draft (Gr. water) MGD	Rated Plant Capacity Average Plant Output MGD	TREATMENT	Dist. Storage Pumps to Mains Gravity to Mains MG	IMPROVEMENTS NEEDED	LINE NO.
1	2	3	4	5	6	7	8	9	10	11	12	
BLAIRTON	200 350	Δ Δ	P -	Δ Δ	Δ -	Spring -	- Δ	Δ Δ	Dc -	Δ 0.010	Δ -	1
BLUEFIELD	21,506 30,000	Δ Δ	P -	6,070 6,070	C B	25 springs -	- Δ	2.000 1.600	P-A CaMbScFrsDcVt -	Δ 2.100	Δ -	2
BLUEVILLE	300 (Δ)	Δ -	M -	- -	- -	Grafton -	- -	- -	Grafton -	- -	- -	3
BOGGS RUN	1,100 (Δ)	Δ -	P -	- -	- -	Wheeling -	- -	- -	Wheeling -	- -	- -	4
BOLIVAR	637 (Δ)	Δ -	P -	- -	- -	Harpers Ferry -	- -	- -	Harpers Ferry -	- -	- -	5
BOOMER	1,900 1,600	1955 1955	P -	Δ Δ	C -	Kanawha River -	Δ -	Δ 0.155	P-CalKcMbS FrsDc -	Δ 0.219	Δ -	6
BOOTH	504 450	Δ Δ	P -	Δ Δ	Δ -	Monongahela River -	Δ -	Δ Δ	Dh -	Δ 0.050	Δ -	7
BORDERLAND	300 250	Δ -	P -	Δ Δ	Δ -	Well -	- Δ	- 0.015	None -	Δ 0.016	Δ -	8
BOTTOM CREEK	700 Δ	Δ -	P -	Δ Δ	Δ -	Springs -	- Δ	- Δ	None -	Δ Δ	Δ -	9
BRADSHAW Source # 1	1,062 250	Δ Δ	P -	Δ 115	Δ -	Wells -	- Δ	Δ 0.007	H-FsDh -	Δ 0.015	Δ -	10
BRADSHAW Source # 2	- 300	Δ -	P -	- -	Δ -	Well -	- Δ	- 0.010	None -	Δ 0.030	Δ -	11
BRADY	190 100	Δ -	P -	Δ Δ	Δ -	Well -	- Δ	- Δ	None -	Δ 0.010	T -	12
BRAEHOLM	950 Δ	Δ Δ	P -	Δ Δ	Δ -	Well -	- Δ	Δ Δ	A Dh -	Δ Δ	Δ -	13
BRAMWELL	1,587 1,100	Δ 1954	M -	Δ Δ	Δ -	Stream (Imp.) well (aux.)	Δ -	Δ 0.110	P-A CasMbSbFrsDh -	Δ 0.030	Δ -	14
BRIDGEPORT	2,414 3.200	Δ Δ	M -	Δ Δ	C -	Stream -	Δ -	0.290 0.250	P-A CasMbSbFrsDcV -	Δ 0.220	Δ -	15
BROOKLYN Source # 1	500 400	Δ Δ	P -	Δ Δ	Δ -	Stream -	Δ -	Δ 0.010	ClsDc -	Δ 0.020	Δ -	16
BROOKLYN Source # 2	- 100	Δ -	P -	- -	Δ -	Spring -	- Δ	- Δ	None -	Δ Δ	Δ -	17
BUCKHANNON	6,016 8,000	Δ Δ	P -	Δ Δ	C B	Buckhannon River -	Δ -	Δ 0.620	P-CalMtS T FrsDc -	Δ 0.600	Δ -	18
BUD	250 (200)	Δ -	Δ -	- -	- -	Alpoca -	- -	- -	Alpoca -	- -	- -	19
BUFFALO	333 800	Δ Δ	M -	Δ Δ	Δ -	Wells -	- Δ	Δ 0.019	Dc -	Δ 0.030	Δ -	20
BURNSVILLE	731 680	Δ Δ	P -	170 Δ	Δ -	Little Kanawha River -	Δ -	Δ 0.018	P-CalM S FrsDc -	Δ 0.055	Δ -	21
BURNWELL	699 350	Δ Δ	P -	Δ Δ	Δ -	Spring -	- Δ	Δ 0.010	Dh -	Δ 0.012	Δ -	22
CABIN CREEK Source # 1	850 (300)	Δ -	P -	- -	- -	Chelyan -	- -	- -	Chelyan -	- -	- -	23
CABIN CREEK Source # 2	- 550	Δ Δ	P -	Δ Δ	Δ -	Kanawha River -	Δ -	Δ Δ	PH-CasS FpsDc -	Δ Δ	Δ -	24
CAIRO	500 Δ	Δ Δ	M -	Δ Δ	C -	North Fork of Hughes River	Δ -	Δ 0.035	P-ClaM S DcFrsKp -	Δ 0.187	Δ -	25
CALLAWAY	100 (Δ)	Δ -	P -	- -	- -	Tamroy -	- -	- -	None -	- -	- -	26
CALORIE	200 125	Δ 1949	P -	Δ 0	Δ -	Well -	- Δ	Δ 0.010	I-AoFpsDh -	Δ 0.004	Δ -	27
CAMDEN-on-GAULEY	373 300	Δ Δ	M -	70 Δ	Δ -	Gauley River -	Δ -	Δ Δ	Dc -	Δ 0.055	Δ -	28
CAMERON	1,736 1.900	Δ Δ	M -	Δ Δ	Δ -	Wells -	- Δ	Δ 0.011	Dc -	Δ 0.140	Δ -	29
CANNELTON	700 640	Δ 1958	P -	160 0	B -	Abandoned mine -	- Δ	Δ 0.098	Dc -	0.098 0.040	T -	30

INVENTORY OF MUNICIPAL WATER FACILITIES

STATE	DATE	PAGE
WEST VIRGINIA	Jan. 1, 1958	4 of 20

COMMUNITY	1950 Population Estimated Population Served	Year Oper. Started: Present Supply Present Treatment Plant	OWNERSHIP	Number of Services Number of Meters	LAB. CONTROL	SOURCE OF SUPPLY	Safe Yield Impounded Maximum Dependable Draft (Gr. water) MGD	Rated Plant Capacity Average Plant Output MGD	TREATMENT	Dist. Storage: Pumps to Mains Gravity to Mains MG	IMPROVEMENTS NEEDED	LINE NO.
1	2	3	4	5	6	7	8	9	10	11	12	
CAPELS	815 1.500	Δ Δ	P -	Δ Δ	Δ -	Abandoned mine -	- Δ	Δ 0.050	I-AcS FrsDc -	Δ 0.100	Δ -	1
CARBON	500 600	Δ Δ	P -	Δ Δ	Δ -	Wells -	- Δ	Δ 0.030	Dh -	Δ 0.052	Δ -	2
CARBONDALE	500 (400)	Δ -	P -	- -	- -	Smithers -	- -	- -	Smithers -	- -	- -	3
CARETTA	1,856 2.600	Δ Δ	P -	650 Δ	Δ -	Wells Pumped mine drainage	- Δ	Δ 0.300	Dc -	Δ 0.150	Δ -	4
CARLISLE	500 (600)	Δ -	P -	- -	- -	Oak Hill -	- -	- -	Oak Hill -	- -	- -	5
CAROLINA	722 (1,000)	Δ -	P -	- -	- -	Fairmont -	- -	- -	Fairmont -	- -	- -	6
CARSWELL	1,428 1.500	Δ Δ	P -	200 0	Δ -	1 well -	- Δ	Δ 0.400	Dh -	0.005 0.160	Δ -	7
CASCADE	200 120	Δ -	P -	30 0	N -	Well -	- Δ	- 0.005	None -	Δ 0.005	T -	8
CASS	417 Δ	Δ Δ	P -	Δ Δ	Δ -	Leatherbark Creek -	Δ -	Δ 0.050	Dc -	Δ 0.150	Δ -	9
CASSVILLE	767 (Δ)	Δ -	P -	- -	- -	Morgantown -	- -	- -	Morgantown -	- -	- -	10
* CEDAR GROVE	1,738 1.800	Δ 1951	M -	Δ Δ	C -	Kanawha River -	Δ -	Δ 0.205	P-ClaTcMbSbFrsDcKp -	Δ 0.100	Δ -	11
CEREDO	1,399 (1.400)	Δ -	P -	- -	- -	Catlettsburg, Kentucky	- -	- -	Catlettsburg, Kentucky	- -	- -	12
* CHAPMANVILLE	1,349 1.500	1949 1949	M -	450 344	Δ -	Drilled well -	- Δ	Δ 0.087	Dh -	Δ 0.100	Δ -	13
* CHARLESTON	73,501 119.000	1885 1953	P -	31,271 31,271	C B	Elk and Kanawha Rivers	Δ -	21.60 14.40	P-ClaTc[(MtpsSv)][As MaSoTd]MgDcFrsFraKpVs	0.285 10.10	M -	14
* CHARLES TOWN	3,035 6.500	Δ Δ	P -	Δ Δ	Δ -	Springs -	- Δ	Δ 0.650	Dc -	Δ 1.000	Δ -	15
CHARLTON HEIGHTS	230 600	1954 1954	P -	Δ Δ	C -	Kanawha River -	Δ -	Δ 0.048	P-CalMbSbFrsDc -	Δ 0.030	Δ -	16
CHATTAROY	1,484 800	Δ -	P -	Δ Δ	Δ -	Wells -	- Δ	- 0.050	None -	Δ 0.100	T -	17
CHAUNCEY	800 450	1930 Δ	P -	155 0	Δ -	Mountain streams and wells	Δ Δ	Δ 0.062	Dc -	Δ 0.045	Δ -	18
* CHELYAN	700 1.500	Δ Δ	P -	Δ Δ	C -	Kanawha River -	Δ -	Δ 0.080	P-CalDcMbSbFrs -	Δ 0.038	Δ -	19
CHEROKEE	60 250	Δ -	P -	Δ Δ	Δ -	Well -	- Δ	- 0.010	None -	Δ 0.010	Δ -	20
CHESAPEAKE	2,566 (2.500)	Δ -	P -	- -	- -	Belle	- -	- -	Belle -	- -	- -	21
CHESTER	3,758 4.000	Δ Δ	M -	Δ Δ	Δ -	Infiltration cut under Ohio River	- Δ	2.500 0.370	Dc -	Δ 1.750	Δ -	22
CHRISTIAN	400 350	Δ Δ	P -	Δ Δ	Δ -	Well -	- Δ	Δ 0.015	Dc -	Δ 0.014	Δ -	23
CINDERELLA	600 200	Δ Δ	P -	Δ Δ	Δ -	2 wells -	- Δ	Δ 0.030	I-AcS FpsDh -	Δ 0.100	Δ -	24
CIRCLEVILLE	250 100	Δ -	M -	Δ Δ	Δ -	Timber Ridge Run and Rouses Run	Δ -	- Δ	None -	Δ 0.040	Δ -	25
* CLARKSBURG	32,014 42,000	1911 1956	M -	9,000 8.451	C B	West Fork River -	Δ -	9.700 4.880	P-DcClaTcSbFrs FraKpDcVs V 0.30	0.300 7.000	M -	26
CLAY	500 1.200	Δ Δ	M -	Δ Δ	Δ -	Elk River -	Δ -	0.140 0.072	P-CalMbSbFrsKpDc -	Δ 0.120	Δ -	27
CLEARCO	150 190	Δ Δ	P -	Δ Δ	Δ -	Spring and Mountain Stream	Δ Δ	Δ 0.050	Dh -	Δ 0.015	Δ -	28
CLENDENIN	1,475 2.000	Δ Δ	P -	Δ Δ	Δ -	Elk River -	Δ -	0.420 0.134	P-CalMbS FraKpDc -	Δ 0.370	Δ -	29
CLOTHIER	392 250	Δ Δ	P -	Δ Δ	Δ -	Well -	- Δ	Δ 0.030	Dh -	Δ 0.024	Δ -	30

PHS-2226
REV. 4-59

INVENTORY OF MUNICIPAL WATER FACILITIES

STATE	DATE	PAGE
WEST VIRGINIA	Jan. 1, 1958	5 of 20

COMMUNITY	1950 Population / Estimated Population Served	Year Oper. Started / Present Supply / Present Treatment Plant	OWNERSHIP	Number of Services / Number of Meters	LAB CONTROL	SOURCE OF SUPPLY	Safe Yield Impounded / Maximum Dependable Draft (Gr. water) MGD	Rated Plant Capacity / Average Plant Output MGD	TREATMENT	Dist. Storage / Pumps to Mains / Gravity to Mains MG	IMPROVEMENTS NEEDED	LINE NO.
1	2	3	4	5	6	7	8	9	10	11	12	
* COAL CITY	804	Δ	P	400	Δ	Abandoned mine	-	0.100	PI-A FrsDc	0.042	Δ	1
	675	1948	-	3	-	-	1.500	Δ	-	0.040	-	
COALFIELD	150	Δ	P	Δ	Δ	Well	-	-	None	Δ	Δ	2
	Δ	-	-	Δ	-	-	Δ	0.004	-	0.040	-	
COAL MOUNTAIN	500	Δ	P	75	B	Well	-	-	None	Δ	T	3
	300	-	-	0	-	-	Δ	Δ	-	0.100	-	
COALTON	407	Δ	M	Δ	Δ	Yokum Run	Δ	-	None	Δ	Δ	4
	500	-	-	Δ	-	Roaring Creek	-	Δ	-	Δ	-	
* COALWOOD	1,310	Δ	P	Δ	Δ	Ground	-	Δ	I-A DcFps	Δ	Δ	5
	3.000	1953	-	Δ	-	-	Δ	0.300	-	0.350	-	
COKETON	156	Δ	P	-	-	Thomas	-	-	Thomas	-	-	6
	(Δ)	-	-	-	-	-	-	-	-	-	-	
COLCORD	900	Δ	Δ	-	-	Ameagle	-	-	Ameagle	-	-	7
	(300)	-	-	-	-	-	-	-	-	-	-	
* COLLINS	300	Δ	P	Δ	Δ	Well	-	-	None	Δ	Δ	8
	Δ	-	-	Δ	-	-	Δ	Δ	-	Δ	-	
* CONCHO	350	Δ	P	Δ	Δ	Abandoned mine	-	-	None	Δ	Δ	9
	150	-	-	Δ	-	-	Δ	0.002	-	0.002	-	
CONNELL	400	Δ	P	-	-	Belle	-	-	Belle	-	-	10
	(Δ)	-	-	-	-	-	-	-	-	-	-	
CORA	1,600	Δ	Δ	-	-	Logan	-	-	Logan	-	-	11
	(Δ)	-	-	-	-	-	-	-	-	-	-	
CORINNE	927	Δ	P	106	Δ	Well	-	-	None	Δ	Δ	12
	450	-	-	Δ	-	-	Δ	Δ	-	0.020	-	
COVEL	325	Δ	P	70	Δ	Deep well	-	Δ	FpsDh	0.000	Δ	13
	400	Δ	-	0	-	-	Δ	Δ	-	0.028	-	
COWEN	632	Δ	M	Δ	Δ	Gauley River	Δ	Δ	P-CasMbS FrsDhKp	Δ	Δ	14
	230	Δ	-	Δ	-	-	-	0.045	-	0.050	-	
CRAB ORCHARD	1,544	Δ	Δ	-	-	Beckley	-	-	Beckley	-	-	15
	(1.500)	-	-	-	-	-	-	-	-	-	-	
CRANBERRY (Raleigh County)	716	Δ	P	-	-	Beckley	-	-	Beckley	-	-	16
	(700)	-	-	-	-	-	-	-	-	-	-	
CRANECO	110	Δ	Δ	-	-	Lundale	-	-	Lundale	-	-	17
	(25)	-	-	-	-	-	-	-	-	-	-	
CRICHTON	700	Δ	P	64	N	Well	-	-	None	Δ	T	18
	266	-	-	0	-	Leslie (aux.)	Δ	0.015	-	0.024	-	
CROWN HILL	200	Δ	P	-	-	Pratt	-	-	Pratt	-	-	19
	(250)	-	-	-	-	-	-	-	-	-	-	
CROZER	1,000	Δ	P	Δ	Δ	Well	-	Δ	H-ClaS FpsDh	Δ	Δ	20
	Δ	Δ	-	Δ	-	-	Δ	Δ	-	Δ	-	
CRUMPLER	1,007	Δ	P	Δ	Δ	Abandoned mine	-	Δ	Dc	0.030	Δ	21
	Δ	Δ	-	Δ	-	-	Δ	0.020	-	0.050	-	
CUCUMBER	450	Δ	P	Δ	Δ	Well	-	Δ	Dc	Δ	Δ	22
	500	Δ	-	Δ	-	-	Δ	Δ	-	Δ	-	
* DABNEY	300	Δ	P	Δ	Δ	Mines	-	Δ	Dc	Δ	Δ	23
	650	Δ	-	Δ	-	-	Δ	0.005	-	0.015	-	
DAILEY (Randolph County)	800	Δ	Δ	-	-	Tygart Valley	-	-	Tygart Valley	-	-	24
	(Δ)		-	-	-	Homesteads	-	-	Homesteads	-	-	
DAKOTA	415	Δ	Δ	-	-	Fairmont	-	-	Fairmont	-	-	25
	(Δ)	-	-	-	-	-	-	-	-	-	-	
DANVILLE	514	Δ	Δ	-	-	Madison	-	-	Madison	-	-	26
	(500)	-	-	-	-	-	-	-	-	-	-	
DAVIN	600	Δ	Δ	-	-	Mallory	-	-	None	-	-	27
	(Δ)	-	-	-	-	-	-	-	-	-	-	
DAVIS	1,271	Δ	M	Δ	Δ	Weimer's Run and	Δ	Δ	Dc	Δ	Δ	28
	1.400	Δ	-	Δ	-	Devils Run	-	0.090	-	0.465	-	
DAVY	1,650	Δ	P	Δ	Δ	Abandoned mine	-	Δ	AcFgDc	0.000	Δ	29
	900	Δ	-	212	-	well (aux.)	Δ	0.750	-	0.000	-	
DECOTA	700	Δ	P	Δ	Δ	Well	-	Δ	Dh	Δ	Δ	30
	Δ	Δ	-	Δ	-	-	Δ	0.055	-	0.000	-	

PHS-2226
REV 4-59

INVENTORY OF MUNICIPAL WATER FACILITIES

STATE	DATE	PAGE
WEST VIRGINIA	Jan. 1, 1958	6 of 20

COMMUNITY	1950 Population Estimated Population Served	Year Oper. Started Present Supply Present Treatment Plant	OWNERSHIP	Number of Services Number of Meters	LAB. CONTROL	SOURCE OF SUPPLY	Safe Yield Impounded Maximum Dependable Draft (Gr. water) MGD	Rated Plant Capacity Average Plant Output MGD	TREATMENT	Dist. Storage Pumps to Mains Gravity to Mains MG	IMPROVEMENTS NEEDED	LINE NO.
1	2	3	4	5	6	7	8	9	10	11	12	
DEHUE	983 800	Δ Δ	P -	Δ Δ	Δ -	Mine -	- Δ	Δ 0.003	I-AcS FrsDc -	Δ 0.020	Δ -	1
DELBARTON	1,353 500	Δ -	P -	Δ Δ	Δ -	Well -	- Δ	- 0.012	None -	Δ 0.005	Δ -	2
DELLSLOW	800 (Δ)	Δ -	Δ -	- -	- -	Morgantown -	- -	- -	Morgantown -	- -	- -	3
DIAMOND	900 (Δ)	Δ -	Δ -	- -	- -	Belle -	- -	- -	Belle -	- -	- -	4
DOBRA	175 (200)	Δ -	P -	- -	- -	Sharples -	- -	- -	Sharples -	- -	- -	5
DOROTHY	875 165	Δ -	P -	Δ Δ	Δ -	Abandoned mine and spring	- Δ	- 0.010	None -	Δ 0.020	Δ -	6
DOTT	950 350	Δ Δ	P -	Δ Δ	Δ -	Well -	- Δ	Δ 0.032	H-CaM Frs -	Δ 0.045	Δ -	7
DUNBAR	8,032 (Δ)	Δ -	Δ -	- -	- -	Charleston -	- -	- -	Charleston -	- -	- -	8
DUNDON	88 150	Δ Δ	P -	Δ Δ	Δ -	Titzwater Run and Elk River (aux.)	Δ -	Δ 0.015	P-Ca FpsDc -	Δ 0.063	Δ -	9
DUN EDEN	200 (250)	Δ -	P -	- -	- -	Concho -	- -	- -	None -	- -	- -	10
DUO	150 100	1948 1948	P -	Δ Δ	N -	Well and abandoned mine	- Δ	0.036 0.010	I-AtClMpSvDh -	Δ Δ	Δ -	11
DURBIN	540 500	Δ Δ	M -	163 Δ	Δ -	Cromer Spring -	- Δ	Δ 0.050	Dh -	Δ 0.150	Δ -	12
EARLING	600 1,000	Δ Δ	P -	Δ Δ	Δ -	Guyandot River -	Δ -	Δ 0.020	P-CasMbSbFrsDh -	Δ 0.020	Δ -	13
EASTBANK	735 (700)	Δ -	M -	- -	- -	Cedar Grove -	- -	- -	Cedar Grove -	- -	- -	14
EAST BECKLEY	410 (Δ)	Δ -	Δ -	- -	- -	Beckley -	- -	- -	Beckley -	- -	- -	15
EAST GULF	517 300	Δ -	P -	Δ Δ	Δ -	Well -	- Δ	- 0.040	None -	Δ 0.030	Δ -	16
EAST KANAWHA ESTATES	500 (Δ)	Δ -	Δ -	- -	- -	Charleston -	- -	- -	Charleston -	- -	- -	17
EAST RAINELLE	1,695 2,540	Δ -	P -	626 626	C B	2 drilled wells -	- Δ	- 0.085	None -	Δ 0.100	Δ -	18
ECCLES	1,985 2,500	Δ Δ	P -	Δ Δ	Δ -	Mine -	- Δ	Δ 0.100	Dc -	Δ 0.100	Δ -	19
ECKMAN	1,574 1,200	Δ Δ	P -	Δ Δ	Δ -	2 wells -	- Δ	Δ Δ	ClsS F -	Δ 0.100	Δ -	20
EDWIGHT	953 400	Δ Δ	P -	Δ Δ	Δ -	Well -	- Δ	Δ Δ	Dc -	Δ Δ	Δ -	21
ELBERT	1,564 (1,600)	Δ -	P -	- -	- -	Gary -	- -	- -	Gary -	- -	- -	22
ELEANOR	700 1,300	Δ Δ	M -	Δ Δ	C -	2 wells -	- Δ	Δ 0.031	I-KpDcFps -	Δ 0.075	Δ -	23
ELIZABETH	755 700	Δ Δ	M -	Δ Δ	Δ -	Wells -	- Δ	Δ 0.045	I-AtClS D Fps -	Δ 0.150	Δ -	24
ELKHORN	1,035 450	Δ -	P -	Δ 12	Δ -	2 wells -	- Δ	- 0.025	None -	Δ 0.100	Δ -	25
ELKINS	9,121 9,500	Δ Δ	M -	Δ Δ	C B	Tygart River -	Δ -	2.000 1.200	P-ClaDcT MbSbFraKpDc -	Δ 1.350	Δ -	26
ELKRIDGE	200 450	Δ Δ	P -	Δ Δ	Δ -	Well -	- Δ	Δ 0.002	Dc -	Δ 0.030	Δ -	27
ENGLISH	695 800	Δ Δ	P -	100 Δ	Δ -	Well -	- Δ	Δ 0.018	Dh -	Δ 0.015	Δ -	28
ENTERPRISE	894 (Δ)	Δ -	Δ -	- -	- -	Fairmont -	- -	- -	Fairmont -	- -	- -	29
EPPERLY	200 (Δ)	Δ -	Δ -	- -	- -	Winding Gulf -	- -	- -	Winding Gulf -	- -	- -	30

PHS-2226
REV. 4-59

INVENTORY OF MUNICIPAL WATER FACILITIES

STATE	DATE	PAGE
WEST VIRGINIA	Jan. 1, 1958	7 of 20

COMMUNITY	1950 Population	Year Oper. Started Present Supply	OWNERSHIP	Number of Services	LAB. CONTROL	SOURCE OF SUPPLY	Safe Yield Impounded	Rated Plant Capacity	TREATMENT	Dist. Storage Pumps to Mains	IMPROVEMENTS NEEDED	LINE NO.
	Estimated Population Served	Present Treatment Plant		Number of Meters			Maximum Dependable Draft (Gr. water) MGD	Average Plant Output MGD		Gravity to Mains MG		
1	2	3	4	5	6	7	8	9	10	11	12	
ESDALE	982	Δ	P	Δ	Δ	Well	-	-	None	Δ	Δ	1
	200	-	-	Δ	-	-	Δ	0.030	-	0.020	-	
ETHEL	1,032	Δ	P	Δ	Δ	Well	-	-	None	Δ	T	2
	600	-	-	Δ	-	-	Δ	Δ	-	0.010	-	
EUNICE	500	Δ	P	11	N	Mountain stream	Δ	-	None	0.003	TL	3
	44	-	-	0	-	-	-	0.003	-	0.000	-	
EVERETTVILLE	724	Δ	Δ	Δ	Δ	Monongahela River	Δ	Δ	P-ClaM DhT S FraM	Δ	Δ	4
	500	Δ	-	Δ	-	-	-	Δ	-	Δ	-	
EXCELSIOR	509	Δ	Δ	-	-	War	-	-	War	-	-	5
(McDowell County)	(Δ)	-	-	-	-	-	-	-	-	-	-	
* FAIRMONT	29,346	1925	M	12,000	C	Tygart Valley River	227.00	8.000	P-S CsaMpKgSoT	1.500	PL	6
	43,000	1925	-	12,000	B	-	-	4.500	FraKcDcVsKp V 0.40	2.100	-	
FAIRVIEW	775	Δ	M	Δ	Δ	Wells	-	Δ	I-AcS Fp Dc	Δ	Δ	7
	900	1953	-	Δ	-	-	Δ	0.080	-	0.100	-	
FARMINGTON	824	Δ	M	-	-	Monongah	-	-	Monongah	-	-	8
	(750)	-	-	-	-	-	-	-	-	-	-	
* FAYETTEVILLE	1,952	Δ	M	Δ	C	Wolf Creek (imp.)	Δ	Δ	P-CalMbS T FrsKpDc	Δ	Δ	9
	3.000	Δ	-	Δ	-	-	-	0.100	-	0.100	-	
FILBERT	1,214	Δ	Δ	-	-	Gary	-	-	Gary	-	-	10
	(Δ)	-	-	-	-	-	-	-	-	-	-	
FIRECO	700	Δ	P	Δ	Δ	Mine	-	-	None	Δ	Δ	11
	900	-	-	Δ	-	-	Δ	0.150	-	0.010	-	
FOLLANSBEE	4,435	Δ	P	Δ	Δ	Drilled wells	-	Δ	Dc	Δ	Δ	12
	4.500	Δ	-	Δ	-	-	Δ	0.240	-	1.400	-	
FORT BRANCH	400	Δ	P	Δ	Δ	Spring	-	-	None	Δ	Δ	13
	500	-	-	Δ	-	drilled well	Δ	Δ	-	Δ	-	
FORT GAY	714	Δ	M	Δ	C	Tug Fork	Δ	Δ	P-CalMbSbFrsDc	Δ	Δ	14
	800	Δ	-	Δ	-	-	-	0.037	-	0.050	-	
FOUR STATES	823	Δ	P	Δ	C	East Run Stream	Δ	Δ	P-CasMbS FrsDh	Δ	Δ	15
	1.000	Δ	-	Δ	-	-	-	Δ	-	0.100	-	
FRANCIS	250	Δ	P	-	-	Rhodell	-	-	Rhodell	-	-	16
(Raleigh County)	(200)	-	-	-	-	-	-	-	-	-	-	
FRANKLIN	777	Δ	M	Δ	Δ	Spring	-	Δ	Dc	Δ	Δ	17
	600	Δ	-	Δ	-	-	Δ	0.050	-	0.150	-	
GALLOWAY	815	Δ	P	Δ	Δ	Well	-	Δ	Dc (V 1.20)	Δ	Δ	18
	300	Δ	-	Δ	-	-	Δ	0.010	-	Δ	-	
GARTEN	662	Δ	Δ	-	-	Fayetteville	-	-	Fayetteville	-	-	19
	(Δ)	-	-	-	-	-	-	-	-	-	-	
GARWOOD	150	Δ	P	Δ	Δ	Well	-	-	None	Δ	Δ	20
	Δ	-	-	Δ	-	-	Δ	Δ	-	Δ	-	
* GARY	1,600	1954	Δ	Δ	Δ	Well	-	2.000	I-AcCalM S FpsDc	Δ	Δ	21
	Δ	1954	-	Δ	-	-	Δ	Δ	-	2.500	-	
GASSAWAY	1,306	Δ	P	570	Δ	Elk River	Δ	Δ	P-CalM DcS Fps	Δ	Δ	22
	1,600	Δ	-	570	-	-	-	0.130	-	0.325	-	
GAULEY BRIDGE	1,134	Δ	P	Δ	C	Gauley River	Δ	Δ	P-CalMbS FrsDc	Δ	Δ	23
	1.425	Δ	-	Δ	-	-	-	0.072	-	0.090	-	
GENTRYTOWN	100	Δ	Δ	-	-	Oak Hill	-	-	Oak Hill	-	-	24
	(Δ)	-	-	-	-	-	-	-	-	-	-	
GILLIAM	580	Δ	P	Δ	Δ	Artesion well	-	-	None	Δ	Δ	25
	300	-	-	Δ	-	-	Δ	0.010	-	0.050	-	
GLASGOW	881	Δ	Δ	-	-	Cedar Grove	-	-	Cedar Grove	-	-	26
	(Δ)	-	-	-	-	-	-	-	-	-	-	
GLEN ALUM	724	Δ	P	Δ	Δ	Well	-	Δ	P-ClsMpS F	Δ	Δ	27
	600	Δ	-	Δ	-	-	Δ	0.040	-	0.055	-	
* GLENDALE	1,467	Δ	M	Δ	Δ	Wells	-	Δ	H-FzDhKp	Δ	Δ	28
	1.7000	Δ	-	Δ	-	-	Δ	0.070	-	0.225	-	
GLENDALE HEIGHTS	300	Δ	Δ	-	-	Glendale	-	-	Glendale	-	-	29
	(Δ)	-	-	-	-	-	-	-	-	-	-	
GLEN FERRIS	400	Δ	P	Δ	C	Kanawha River	Δ	Δ	P-CasMbS FrsDc	Δ	Δ	30
	450	Δ	-	Δ	-	-	-	0.060	-	0.100	-	

INVENTORY OF MUNICIPAL WATER FACILITIES

STATE	DATE	PAGE
WEST VIRGINIA	Jan. 1, 1958	8 of 20

COMMUNITY	1950 Population Estimated Population Served	Year Oper. Started Present Supply Present Treatment Plant	OWNERSHIP	Number of Services Number of Meters	LAB. CONTROL	SOURCE OF SUPPLY	Safe Yield Impounded Maximum Dependable Draft (Gr. water) MGD	Rated Plant Capacity Average Plant Output MGD	TREATMENT	Dist. Storage Pumps to Mains Gravity to Mains MG	IMPROVEMENTS NEEDED	LINE NO.
1	2	3	4	5	6	7	8	9	10	11	12	
GLEN HEDRICK	1,484 (1,499)	Δ -	P -	- -	- -	Beckley -	- -	- -	Beckley -	- -	- -	1
GLEN JEAN	1,080 (650)	Δ -	P -	- -	- -	Oak Hill -	- -	- -	Oak Hill -	- -	- -	2
GLEN MORGAN	500 (Δ)	Δ -	P -	- -	- -	Beckley -	- -	- -	Beckley -	- -	- -	3
GLEN MORRISON	936 382	Δ -	P -	83 0	Δ -	Well -	- Δ	- Δ	None -	0.000 0.015	T -	4
GLEN ROGERS	1,593 1,500	Δ Δ	P -	Δ Δ	Δ -	Mine -	- Δ	Δ Δ	H-Cls(MtpsSv)Dc -	Δ 0.055	Δ -	5
GLENVILLE	1,789 1,400	Δ Δ	P -	Δ Δ	Δ -	Little Kanawha River -	Δ -	0.600 0.086	P-CasKpMbS FrsDc -	Δ 0.233	Δ -	6
GLEN WHITE	800 600	Δ Δ	P -	Δ Δ	Δ -	Mine -	- Δ	Δ 0.025	PI-AcCsSbFrs -	Δ 0.100	Δ -	7
GODBY	100 (Δ)	Δ -	Δ -	- -	- -	Chapmanville -	- -	- -	Chapmanville -	- -	- -	8
GORDON	300 225	Δ -	P -	Δ Δ	M -	1 well -	- Δ	- Δ	None -	Δ 0.010	T -	9
* GRAFTON	7,365 7,500	Δ Δ	M -	Δ Δ	C B	Tygart Lake -	Δ -	Δ 2,000	P-ClsDcT MbS FrsD Kp -	Δ 1.500	Δ -	10
GRANTSVILLE	959 2,000	Δ Δ	M -	Δ Δ	C -	Little Kanawha River -	Δ -	Δ 0.072	P-CasM S FrsDcVt -	Δ 0.110	Δ -	11
GRANT TOWN	1,273 (1,400)	Δ -	P -	- -	- -	Fairmont -	- -	- -	Fairmont -	- -	- -	12
* GREENBRIER (McDowell County)	300 250	Δ -	P -	Δ Δ	Δ -	1 well -	- Δ	- 0.010	None -	0.000 0.017	Δ -	13
GREENVILLE	500 (200)	Δ -	Δ -	- -	- -	Man -	- -	- -	Man -	- -	- -	14
GYPSY	500 (Δ)	Δ -	P -	- -	- -	Fairmont -	- -	- -	Fairmont -	- -	- -	15
HAMBLETON	283 400	Δ -	P -	Δ Δ	Δ -	Roaring Creek (imp.) -	Δ -	- 0.006	None -	0.000 0.000	Δ -	16
* HAMLIN	841 1,400	Δ Δ	P -	Δ Δ	C -	Drilled well -	- Δ	Δ 0.064	I-AsCalMhSvFrsDc -	Δ 0.110	Δ -	17
HANDLEY	1,907 900	Δ Δ	P -	Δ Δ	Δ -	Kanawha River -	Δ -	Δ 0.020	PB-ClsIS CalFps -	Δ Δ	Δ -	18
HAREWOOD	390 (200)	Δ -	P -	- -	- -	Smithers -	- -	- -	Smithers -	- -	- -	19
HARMAN	346 157	Δ -	M -	Δ Δ	Δ -	Spring -	- Δ	- Δ	None -	Δ 0.005	Δ -	20
HARMCO	200 175	Δ Δ	P -	Δ Δ	Δ -	Well -	- Δ	Δ Δ	Dc -	Δ 0.016	Δ -	21
* HARPERS FERRY (Jefferson County)	822 1,500	Δ Δ	P -	Δ Δ	Δ -	Spring -	- Δ	Δ 0.076	Dc -	Δ Δ	Δ -	22
HARRISVILLE	1,387 1,000	Δ 1954	M -	Δ Δ	Δ -	Wells -	- Δ	Δ 0.090	P-CalM S FrsDcVt -	Δ 0.190	Δ -	23
HARVEY	752 800	Δ Δ	P -	Δ Δ	Δ -	Well -	- Δ	Δ Δ	Dc -	Δ 0.050	Δ -	24
HASTINGS	300 200	Δ Δ	P -	40 Δ	Δ -	Fishing Creeks -	Δ -	Δ 0.002	Dc -	Δ 0.012	Δ -	25
HAVACO	719 Δ	Δ Δ	P -	Δ Δ	Δ -	Mine -	- Δ	Δ 0.025	Dc -	Δ 0.020	Δ -	26
HELEN	610 410	Δ Δ	P -	Δ Δ	Δ -	Mine shaft -	- Δ	Δ Δ	I-A S FpsDh -	Δ 0.060	Δ -	27
HEMPHILL	810 210	Δ Δ	Δ -	Δ Δ	Δ -	Abandoned mine -	- Δ	0.050 0.025	I-AcFrsDh -	Δ 0.055	Δ -	28
HENDERSON (Mason County)	413 (400)	Δ -	Δ -	- -	- -	Point Pleasant -	- -	- -	Point Pleasant -	- -	- -	29
HENDRICKS	442 340	Δ -	P -	Δ Δ	Δ -	2 wells -	- Δ	- Δ	None -	0.000 0.065	Δ -	30

PHS-2226
REV. 4-59

INVENTORY OF MUNICIPAL WATER FACILITIES

STATE	DATE	PAGE
WEST VIRGINIA	Jan. 1, 1958	9 of 20

COMMUNITY	1950 Population Estimated Population Served	Year Oper. Started Present Supply Present Treatment Plant	OWNERSHIP	Number of Services Number of Meters	LAB CONTROL	SOURCE OF SUPPLY	Safe Yield Impounded Maximum Dependable Draft (Gr. water) MGD	Rated Plant Capacity Average Plant Output MGD	TREATMENT	Dist. Storage Pumps to Mains Gravity to Mains MG	IMPROVEMENTS NEEDED	LINE NO.
1	2	3	4	5	6	7	8	9	10	11	12	
HENLAWSON	1,750 (1,700)	Δ -	P -	- -	- -	Logan -	- -	- -	Logan -	- -	- -	1
HENSLEY	200 Δ	Δ -	P -	Δ Δ	Δ -	Well -	- Δ	- Δ	None -	Δ Δ	Δ -	2
HEPZIBAH	800 (Δ)	Δ -	Δ -	- -	- -	Fairmont -	- -	- -	Fairmont -	- -	- -	3
HERNDON	600 75	Δ [illegible]	P -	53 0	Δ -	Well -	- Δ	- Δ	None -	Δ 0.006	Δ -	4
* HETZEL	300 Δ	Δ -	P -	Δ Δ	Δ -	Well -	- Δ	- 0.020	None -	Δ 0.025	Δ -	5
HIAWATHA	300 200	Δ Δ	P -	Δ Δ	Δ -	Well -	- Δ	Δ 0.015	I-AcS Frs -	Δ 0.020	Δ -	6
HIGHLAWN	920 (900)	Δ -	Δ -	- -	- -	Nitro -	- -	- -	Nitro -	- -	- -	7
HILLTOP	690 (680)	Δ -	Δ -	- -	- -	Oak Hill -	- -	- -	Oak Hill -	- -	- -	8
HINTON	5,780 6,000	Δ Δ	P -	Δ Δ	C -	New River -	Δ -	Δ 0.300	S FprsDc -	Δ 0.450	Δ -	9
* HOLDEN	2,000 Δ	Δ Δ	P -	Δ Δ	Δ -	Mine water -	- 6	6 0.300	hl-A ClsM S FrsDc -	Δ 0.500	Δ -	10
HOLDEN MINES	450 Δ	Δ Δ	P -	Δ Δ	Δ -	Pine Creek well (aux.)	Δ -	Δ Δ	HI-C M S FrsDc -	Δ Δ	Δ -	11
HOMETOWN	900 (Δ)	Δ -	Δ -	- -	- -	Bancroft -	- -	- -	None -	- -	- -	12
HOPEWELL	1,159 (Δ)	Δ -	Δ -	- -	- -	Fairmont -	- -	- -	Fairmont -	- -	- -	13
HOTCOAL	150 250	Δ -	P -	Δ Δ	Δ -	Well -	- Δ	- 0.020	None -	Δ 0.050	Δ -	14
HUGHESTON	590 (500)	Δ -	Δ -	- -	- -	Montgomery -	- -	- -	Montgomery -	- -	- -	15
HUNDRED	587 500	Δ Δ	M -	Δ Δ	C -	5 wells -	- Δ	Δ 0.035	I-AcS FpsN D -	Δ 0.715	Δ -	16
* HUNTINGTON	86,353 110,000	1895 1956	P -	27,659 26,881	C M	Ohio River -	1000. -	20.00 12.50	P-AsDcCaTcDc[M SoCl] [(MtpsSv)]FrsVsDc	0.250 3.073	STDL -	17
HURRICANE	1,463 2,000	Δ Δ	M -	Δ Δ	Δ -	Impounded Supply -	Δ -	Δ 0.108	P-CalFrsMbS[illegible]Vt -	Δ 0.100	Δ -	18
HUTCHINSON (Marion County)	500 (Δ)	Δ -	P -	- -	- -	Monongah -	- -	- -	Monongah -	- -	- -	19
IAEGER	1,271 1,600	Δ Δ	P -	190 190	Δ -	Well -	- Δ	Δ 0.090	I-AtClDcS FpsVt -	Δ 0.105	Δ -	20
IDAMAY	845 (Δ)	Δ -	P -	- -	- -	Monongah -	- -	- -	Monongah -	- -	- -	21
INDIAN RIDGE	250 140	Δ Δ	P -	Δ Δ	Δ -	Well -	- Δ	Δ Δ	Dc -	Δ 0.048	Δ -	22
INSTITUTE	3,000 (Δ)	Δ -	P -	- -	- -	Nitro -	- -	- -	Nitro -	- -	- -	23
INWOOD	480 400	Δ Δ	P -	Δ Δ	Δ -	3 wells -	- Δ	Δ Δ	Dc -	Δ 0.044	Δ -	24
IROQUOIS	210 350	Δ 1949	P -	66 0	Δ -	Well -	- Δ	Δ Δ	Dc -	Δ 0.010	Δ -	25
ITMANN	231 950	Δ 1951	P -	180 10	Δ -	Well -	- Δ	Δ 0.040	H-A FpsDc -	Δ 0.135	Δ -	26
JENKINJONES	1,859 1,000	Δ Δ	P -	150 Δ	Δ -	Well -	- Δ	Δ 0.030	H-AcClFpsDc -	Δ 0.110	Δ -	27
JERE	750 (125)	Δ -	Δ -	- -	- -	Morgantown -	- -	- -	Morgantown -	- -	- -	28
JORDAN	500 250	Δ Δ	P -	100 Δ	Δ -	Monongahela River -	Δ -	Δ Δ	P-CasM S FrsDhKp -	Δ 0.033	Δ -	29
JUNIOR	729 Δ	Δ -	P -	Δ Δ	Δ -	Springs -	- Δ	- Δ	None -	Δ Δ	T -	30

INVENTORY OF MUNICIPAL WATER FACILITIES

STATE	DATE	PAGE
WEST VIRGINIA	Jan. 1, 1958	10 of 20

COMMUNITY	1950 Population Estimated Population Served	Year Oper. Started Present Supply Present Treatment Plant	OWNERSHIP	Number of Services Number of Meters	LAB. CONTROL	SOURCE OF SUPPLY	Safe Yield Impounded Maximum Dependable Draft (Gr. water) MGD	Rated Plant Capacity Average Plant Output MGD	TREATMENT	Dist. Storage Pumps to Mains Gravity to Mains MG	IMPROVEMENTS NEEDED	LINE NO.
1	2	3	4	5	6	7	8	9	10	11	12	
KAYFORD	1,000 Δ	Δ Δ	P -	Δ Δ	Δ -	Well and infiltration sump	- Δ	Δ 0.020	Dh -	Δ 0.030	Δ -	1
KAYMOOR	150 (Δ)	Δ -	P -	- -	- -	Fayetteville -	- -	- -	Fayetteville -	- -	- -	2
KENOVA	4,320 (4,000)	Δ -	P -	- -	- -	Catlettsburg, Kentucky	- -	- -	Catlettsburg, Kentucky	- -	- -	3
* KERMIT	964 3,500	Δ Δ	Δ -	Δ Δ	C -	Tug Fork -	Δ -	Δ 0.165	P-CalMbDcSbFrs -	Δ 0.150	Δ -	4
KEYSER	6,347 7,000	Δ 1924	M -	Δ Δ	Δ -	Springs (imp.) New Creek (aux.)	- Δ	Δ 0.500	P-CaMbS FraDc -	Δ 0.580	Δ -	5
KEYSTONE	2,594 2,000	Δ Δ	P -	400 Δ	Δ -	3 wells -	- Δ	Δ 0.075	Dc -	Δ 0.375	Δ -	6
KILLARNEY	712 Δ	Δ Δ	P -	Δ Δ	Δ -	Mine and spring -	- Δ	Δ 0.040	Dh -	Δ 0.020	Δ -	7
KILSYTH	300 (600)	Δ -	P -	- -	- -	Mt. Hope -	- -	- -	Mt. Hope -	- -	- -	8
KIMBALL	1,359 1,500	Δ Δ	P -	335 167	Δ -	Well -	- Δ	Δ 0.130	I-AcClS Dc -	Δ 0.100	Δ -	9
KIMBERLY	900 Δ	Δ Δ	P -	Δ Δ	Δ -	Drilled well -	- Δ	Δ 0.050	Dh -	Δ 0.050	Δ -	10
KINGMONT	500 (Δ)	Δ -	P -	- -	- -	Fairmont -	- -	- -	Fairmont -	- -	- -	11
KINGSTON	1,098 500	Δ Δ	P -	Δ Δ	Δ -	Mine -	- Δ	Δ 0.070	Dc -	Δ 0.200	Δ -	12
KINGWOOD	2,186 2,500	1953 1953	P -	Δ Δ	Δ -	Ashpola Run (imp.) Elsey Creek (aux.)	Δ -	0.432 0.103	P-CalM S FrsDc -	Δ 0.150	Δ -	13
KISTLER	1,072 250	Δ -	P -	Δ Δ	Δ -	Well -	- Δ	- Δ	None -	Δ 0.010	Δ -	14
KOPPERSTON	1,112 1,000	Δ Δ	P -	Δ Δ	Δ -	Well -	- Δ	Δ 0.070	I-AtF DhKp -	Δ 0.150	Δ -	15
KROLLITZ	125 150	Δ -	P -	Δ Δ	Δ -	Spring -	- Δ	- 0.005	None -	Δ 0.015	Δ -	16
KYLE	700 (Δ)	Δ -	P -	- -	- -	Upland -	- -	- -	Upland -	- -	- -	17
LAING	200 150	Δ -	P -	Δ Δ	Δ -	Well -	- Δ	- 0.010	None -	Δ 0.015	Δ -	18
LANDGRAFF	776 700	Δ Δ	P -	Δ Δ	Δ -	Well -	- Δ	Δ Δ	H-ClsFpsDc -	Δ 0.127	Δ -	19
LANDSTREET	300 Δ	Δ -	P -	Δ Δ	Δ -	Well -	- Δ	- Δ	None -	Δ Δ	Δ -	20
LANDVILLE	450 300	Δ -	P -	Δ Δ	Δ -	Well -	- Δ	- 0.020	None -	Δ 0.040	Δ -	21
LAUCHPORT	400 (Δ)	Δ -	Δ -	- -	- -	Parkersburg -	- -	- -	Parkersburg -	- -	- -	22
LAUREL CREEK	400 500	Δ -	P -	Δ Δ	Δ -	Mine -	- Δ	- Δ	None -	Δ 0.000	Δ -	23
LAWTON	500 600	Δ -	P -	Δ Δ	Δ -	Mine -	- Δ	- Δ	None -	Δ 0.000	Δ -	24
LAYLAND	876 800	Δ Δ	P -	Δ Δ	Δ -	Mine -	- Δ	Δ 0.030	Dc -	Δ 0.060	Δ -	25
LEEVALE	175 100	Δ -	P -	20 0	Δ -	Well -	- Δ	Δ 0.010	None -	Δ 0.010	Δ -	26
LEEWOOD	250 100	Δ Δ	P -	Δ Δ	Δ -	Well -	- Δ	Δ 0.005	Dh -	Δ 0.002	Δ -	27
LEGO	541 800	Δ Δ	P -	Δ Δ	Δ -	Well supplemented by mine	- Δ	Δ 0.006	Dh -	Δ 0.018	Δ -	28
LESLIE	774 700	Δ -	M -	117 0	Δ -	Drilled well -	- Δ	- Δ	None -	Δ 0.050	Δ -	29
LESTER	780 800	Δ Δ	P -	Δ Δ	Δ -	Ground -	- Δ	Δ 0.018	Dc -	Δ 0.100	Δ -	30

INVENTORY OF MUNICIPAL WATER FACILITIES

STATE	DATE	PAGE
WEST VIRGINIA	Jan. 1, 1958	11 of 20

COMMUNITY	1950 Population Estimated Population Served	Year Oper. Started Present Supply Present Treatment Plant	OWNERSHIP	Number of Services Number of Meters	LAB. CONTROL	SOURCE OF SUPPLY	Safe Yield Impounded Maximum Dependable Draft (Gr. water) MGD	Rated Plant Capacity Average Plant Output MGD	TREATMENT	Dist. Storage Pumps to Mains Gravity to Mains MG	IMPROVEMENTS NEEDED	LINE NO.
1	2	3	4	5	6	7	8	9	10	11	12	
LEVI	1,442	Δ	P	-	-	Belle	-	-	Belle	-	-	1
	(1,400)	-	-	-	-	-	-	-	-	-	-	
LEWISBURG	2,192	Δ	M	Δ	C	Greenbriar River	-	Δ	P-CalMbSoFrsDcKp	Δ	Δ	2
	4,000	1935	-	Δ	-	-	Δ	0.230	-	0.285	-	
LILLYBROOK	498	Δ	P	Δ	Δ	Mine	-	-	None	Δ	Δ	3
	1,500	-	-	Δ	-	-	Δ	0.150	-	0.040	-	
LILLY GROVE	1,023	Δ	Δ	-	-	Princeton	-	-	Princeton	-	-	4
	(Δ)	-	-	-	-	-	-	-	-	-	-	
LITTLETON	448	Δ	M	Δ	Δ	2 wells	-	Δ	Dc	Δ	Δ	5
	700	Δ	-	Δ	-	-	Δ	0.025	-	0.120	-	
LITWAR	200	Δ	P	Δ	Δ	Well	-	-	None	Δ	Δ	6
	Δ	-	-	Δ	-	-	Δ	Δ	-	0.300	-	
LOBATO	300	Δ	P	Δ	Δ	1 well	-	-	None	Δ	Δ	7
	200	-	-	Δ	-	-	Δ	0.015	-	0.300	-	
LOCHGELLY	650	Δ	P	-	-	Oak Hill	-	-	Oak Hill	-	-	8
	(700)	-	-	-	-	-	-	-	-	-	-	
* LOGAN	5,079	Δ	P	Δ	C	Guyandot River	Δ	Δ	P-DcCalMpSbFraD Vs	Δ	Δ	9
	10,000	Δ	-	Δ	R	-	-	1.200	-	0.965	-	
LONGACRE	825	Δ	P	-	-	Smithers	-	-	Smithers	-	-	10
	(800)	-	-	-	-	-	-	-	-	-	-	
LONG BRANCH	300	Δ	P	-	-	Pax	-	-	Pax	-	-	11
	(Δ)	-	-	-	-	-	-	-	-	-	-	
LORADO	1,087	Δ	P	Δ	Δ	Well	-	Δ	Dc	Δ	Δ	12
	700	Δ	-	Δ	-	-	Δ	Δ	-	0.038	-	
LUMBERPORT	1,198	Δ	M	Δ	C	Jones Run	Δ	Δ	P-ClM SbFpsKpDc	Δ	Δ	13
	1,500	Δ	-	Δ	-	and well	Δ	0.048	-	0.070	-	
* LUNDALE	1,000	Δ	P	Δ	Δ	Mine and well	-	Δ	Dc	Δ	Δ	14
	475	Δ	-	Δ	-	-	Δ	0.033	-	0.200	-	
LYBURN	250	1944	P	37	Δ	Mine and 2 wells	-	Δ	Ac	Δ	Δ	15
	200	Δ	-	0	-	-	Δ	Δ	-	0.010	-	
LYNWINN	500	Δ	P	-	-	Winding Gulf	-	-	Winding Gulf	-	-	16
	(300)	-	-	-	-	-	-	-	-	-	-	
McALPIN	700	Δ	P	Δ	Δ	Well	-	0.230	I-AsS Frs	Δ	Δ	17
	750	Δ	-	Δ	-	-	Δ	0.025	-	0.100	-	
McBATH	400	Δ	P	-	-	Dabney	-	-	Dabney	-	-	18
	(Δ)	-	-	-	-	-	-	-	-	-	-	
McCOMAS	2,999	Δ	P	Δ	Δ	Well	-	Δ	I-AcFrs	Δ	Δ	19
Source # 1	940	Δ	-	Δ	-	-	Δ	0.020	-	0.060	-	
McCOMAS	-	Δ	P	-	Δ	Well	-	-	None	Δ	Δ	20
Source # 2	720	-	-	-	-	-	Δ	Δ	-	0.060	-	
McCOMAS	-	Δ	P	Δ	Δ	Well	-	Δ	H-ClsM Fps	Δ	Δ	21
Source # 3	320	Δ	-	Δ	-	-	Δ	0.030	-	0.100	-	
McCONNELL	950	Δ	P	-	-	Logan	-	-	Logan	-	-	22
	(Δ)	-	-	-	-	-	-	-	-	-	-	
McDONALD	400	Δ	P	-	-	Mt. Hope	-	-	Mt. Hope	-	-	23
	(Δ)	-	-	-	-	-	-	-	-	-	-	
McDOWELL	988	Δ	P	Δ	Δ	Well	-	Δ	Dc	Δ	Δ	24
	500	Δ	-	Δ	-	-	Δ	Δ	-	0.050	-	
* McMECHEN	3,518	Δ	M	Δ	C	3 wells	-	Δ	H-FzAsKpDh	Δ	Δ	25
	10,000	Δ	-	Δ	-	-	Δ	0.500	-	0.400	-	
MABEN	857	Δ	P	-	-	Beckley	-	-	Beckley	-	-	26
	(500)	-	-	-	-	-	-	-	-	-	-	
MABSCOTT	1,665	Δ	P	-	-	Beckley	-	-	Beckley	-	-	27
	(Δ)	-	-	-	-	-	-	-	-	-	-	
* MADISON	2,025	Δ	Δ	975	C	Pond Fork	Δ	Δ	P-DcCalMbSbFrs	Δ	Δ	28
	1,800	Δ	-	Δ	-	-	-	0.163	-	0.172	-	
MAHAN	800	Δ	P	Δ	Δ	1 well	-	-	None	Δ	Δ	29
	400	-	-	Δ	-	-	Δ	Δ	-	0.040	-	
MAITLAND	540	Δ	P	Δ	Δ	Mine	-	Δ	Dc	Δ	Δ	30
	(Δ)	Δ	-	Δ	-	-	Δ	0.025	-	0.080	-	

PHS-2226
REV. 4-59

INVENTORY OF MUNICIPAL WATER FACILITIES

STATE WEST VIRGINIA

DATE Jan. 1, 1958

PAGE 12 of 20

COMMUNITY	1950 Population Estimated Population Served	Year Oper. Started Present Supply Present Treatment Plant	OWNERSHIP	Number of Services Number of Meters	LAB. CONTROL	SOURCE OF SUPPLY	Safe Yield Impounded Maximum Dependable Draft (Gr. water) MGD	Rated Plant Capacity Average Plant Output MGD	TREATMENT	Dist. Storage Pumps to Mains Gravity to Mains MG	IMPROVEMENTS NEEDED	LINE NO.
1	2	3	4	5	6	7	8	9	10	11	12	
MALCO	150 100	Δ Δ	P -	Δ Δ	Δ -	Spring well (aux.)	- Δ	Δ 0.005	Dc -	0.000 0.000	Δ -	1
MALDEN	600 (Δ)	Δ -	P -	- -	- -	Belle -	- -	- -	Belle -	- -	- -	2
* MALLORY	1,286 500	Δ -	P -	Δ Δ	Δ -	Well -	- Δ	- 0.025	None -	Δ 0.068	Δ -	3
MAMMOTH	870 700	Δ -	P -	Δ Δ	Δ -	Mine and well -	- Δ	- 0.030	None -	Δ Δ	Δ -	4
* MAN	1,632 1,500	Δ Δ	P -	Δ Δ	Δ -	Guyandot River -	Δ -	Δ 0.092	P-DcCalM S Fps -	Δ 0.200	Δ -	5
MANNINGTON	3,241 3,261	Δ Δ	M -	Δ Δ	Δ -	14 wells -	- Δ	Δ 0.030	S Dc -	Δ 0.400	Δ -	6
MARFORK	600 200	Δ Δ	P -	Δ Δ	Δ -	Spring and well -	- Δ	Δ Δ	Dh -	Δ 0.010	Δ -	7
MARFRANCE	926 320	Δ Δ	P -	Δ Δ	Δ -	Mine -	- Δ	Δ 0.010	Dh -	Δ 0.019	Δ -	8
MARIANNA Source # 1	500 300	Δ -	P -	100 Δ	Δ -	Well -	- Δ	- Δ	None -	Δ Δ	Δ -	9
MARIANNA Source # 2	- 250	Δ -	P -	43 0	Δ -	Well -	- Δ	- Δ	None -	0.000 0.040	Δ -	10
MARLINTON	1,645 1.700	Δ Δ	M -	Δ Δ	C -	Knapp Creek -	Δ -	0.650 0.225	P-CaMbSbFrs. K -	Δ 0.320	Δ -	11
MARMET	2,515 (Δ)	Δ -	P -	- -	- -	Belle -	- -	- -	Belle -	- -	- -	12
MARTING	506 Δ	Δ -	P -	Δ Δ	Δ -	Well -	- Δ	- Δ	None -	Δ Δ	Δ -	13
MARTINSBURG	15,621 16,000	Δ Δ	M -	Δ Δ	Δ -	3 springs -	- Δ	Δ 3.000	DcVs V 0.20 -	1.000 2.000	Δ -	14
MARYTOWN	1,268 1.200	Δ -	P -	Δ Δ	Δ -	Well -	- Δ	- Δ	None -	Δ Δ	Δ -	15
MASON	924 1.300	Δ Δ	M -	Δ Δ	Δ -	Wells -	- Δ	Δ 0.055	Dc -	Δ 0.100	Δ -	16
MASONTOWN	941 500	Δ [illegible]55	M -	Δ Δ	Δ -	Imp. on Back Run well (aux.)	Δ -	Δ 0.040	HI-AcFpszDhKp -	Δ 0.150	Δ -	17
* MATEWAN	989 2,000	Δ Δ	M -	Δ Δ	Δ -	Tug Fork -	Δ -	Δ 0.110	P-CalMbSbFrsDcVt -	Δ 0.150	Δ -	18
MATOAKA	1,003 250	Δ -	P -	215 Δ	Δ -	Wells -	- Δ	- 0.025	None -	Δ 0.050	Δ -	19
* MAYBEURY	1,250 1.200	Δ Δ	P -	Δ Δ	Δ -	Wells and mine drainage	- Δ	Δ 0.144	Dc -	Δ 0.220	Δ -	20
MEAD	300 350	Δ -	P -	Δ Δ	Δ -	Well and spring -	- Δ	- 0.010	None -	Δ 0.010	Δ -	21
MEADOW BRIDGE	597 Δ	1953 1953	M -	Δ Δ	Δ -	Drilled well -	- Δ	Δ 0.050	I-A S Fp -	Δ 0.100	Δ -	22
MERRILL	500 Δ	Δ -	P -	Δ Δ	Δ -	Well and spring -	- Δ	- Δ	None -	Δ Δ	Δ -	23
MERRIMAC	350 200	Δ -	P -	Δ Δ	Δ -	Well -	- Δ	- 0.010	None -	0.000 0.000	Δ -	24
MIAMI	550 900	Δ -	P -	225 0	B -	Drilled well -	- Δ	- 0.030	None -	0.030 0.025	Δ -	25
MICCO	400 550	Δ Δ	P -	Δ Δ	Δ -	Well -	- Δ	Δ 0.030	Dh -	Δ 0.025	Δ -	26
MIDDLEBOURNE	741 800	Δ Δ	P -	Δ Δ	C -	Middle Island Creek -	- Δ	Δ 0.085	P-CasS FrsDc -	Δ 0.100	Δ -	27
MILBURN	700 350	Δ -	P -	Δ Δ	Δ -	Artesian well -	- Δ	- 0.020	None -	Δ 0.045	Δ -	28
MILL CREEK	800 Δ	Δ Δ	M -	Δ Δ	Δ -	Mill Creek and spring	Δ Δ	Δ Δ	Dc -	Δ Δ	Δ -	29
MILLERSVILLE (Marion County)	225 Δ	Δ -	M -	- -	- -	Fairmont -	- -	- -	Fairmont -	- -	- -	30

INVENTORY OF MUNICIPAL WATER FACILITIES

STATE	DATE	PAGE
WEST VIRGINIA	Jan. 1, 1958	13 of 20

COMMUNITY	1950 Population Estimated Population Served	Year Oper. Started Present Supply Present Treatment Plant	OWNERSHIP	Number of Services Number of Meters	LAB. CONTROL	SOURCE OF SUPPLY	Safe Yield Impounded Maximum Dependable Draft (Gr. water) MGD	Rated Plant Capacity Average Plant Output MGD	TREATMENT	Dist. Storage Pumps to Mains Gravity to Mains MG	IMPROVEMENTS NEEDED	LINE NO.
1	2	3	4	5	6	7	8	9	10	11	12	
MILTON	1,552 2,500	Δ Δ	P -	Δ Δ	C -	Mud River -	Δ -	Δ 0.150	P-CalMbSbFrsDc -	Δ 0.385	Δ -	1
MINDEN	1,800 1,500	Δ Δ	P -	Δ Δ	C -	Abandoned mine -	- Δ	Δ 0.040	HI-AcCaS FpszDc -	Δ 0.200	Δ -	2
* MINE # 22	738 595	1922 1922	Δ -	143 0	Δ -	Ground -	- Δ	0.072 0.060	AsDh -	Δ 0.075	Δ -	3
MITCHELL HEIGHTS	185 (Δ)	Δ -	Δ -	- -	- -	Logan -	- -	- -	Logan -	- -	- -	4
MONA	1,004 (950)	Δ -	P -	- -	- -	Morgantown -	- -	- -	Morgantown -	- -	- -	5
MONAVILLE Source # 1	1,200 200	Δ Δ	P -	Δ Δ	Δ -	Well -	- Δ	Δ 0.005	Dh -	Δ 0.010	Δ -	6
MONAVILLE Source # 2	- 1.000	Δ Δ	P -	Δ Δ	Δ -	Island Creek -	Δ -	Δ Δ	HI-ClsS DhFrs -	Δ Δ	Δ -	7
MONCLO	721 (700)	Δ -	Δ -	- -	- -	Sharples -	- -	- -	Sharples -	- -	- -	8
MONITOR	512 (500)	Δ -	Δ -	- -	- -	Wilkinson -	- -	- -	Wilkinson -	- -	- -	9
* MONONGAH	1,622 8,000	1951 1951	M -	Δ Δ	Δ -	Tygart River -	Δ -	Δ 0.850	P-CasMbSbFrsDc -	Δ 1.000	Δ -	10
MONTCALM	827 260	Δ -	P -	65 Δ	B -	3 wells -	- Δ	- 0.031	None -	0.031 0.002	UMPI DL	11
MONTCOAL	450 1,100	Δ 1947	P -	108 0	Δ -	Coal River -	Δ -	0.216 0.110	P-CasMbSbFrsDc -	0.117 0.040	Δ -	12
* MONTGOMERY	3,484 4,000	Δ Δ	P -	Δ Δ	C -	Kanawha River -	Δ -	1.000 0.350	P-ClaT DcM SbFrsDcVs -	Δ 0.250	Δ -	13
MOOREFIELD	1,405 Δ	Δ Δ	M -	Δ Δ	C -	Impounded -	Δ -	Δ 0.250	P-ClaMbSbFrsDc -	Δ 0.100	Δ -	14
MORAN	100 (Δ)	Δ -	P -	- -	- -	Hetzel -	- -	- -	None -	- -	- -	15
• MORGANTOWN	25,525 45,000	1890 1953	M -	8,422 8,517	C B	Monongahela River and Tibbs Run	Δ -	6.500 4.150	P-CalM TcSbFrs NcDcKpNcDc	0.100 1.250	SPTD -	16
MOUNDSVILLE	14,772 14,300	Δ Δ	M -	Δ Δ	C -	Wells -	- Δ	Δ 0.800	H-ClNcDc -	Δ 2.000	Δ -	17
MOUNT GAY	2,600 (Δ)	Δ -	P -	- -	- -	Logan -	- -	- -	Logan -	- -	- -	18
* MOUNT HOPE	2,588 2,500	Δ Δ	M -	575 575	Δ -	2 drilled wells -	- Δ	Δ 0.300	HI-AtCls(MtpsSv)Frs -	Δ 0.400	Δ -	19
MUDFORK	500 (Δ)	Δ -	Δ -	- -	- -	Logan -	- -	- -	Logan -	- -	- -	20
MULLENS	3,470 4,000	Δ Δ	P -	985 985	Δ -	Drilled wells -	- Δ	Δ 0.155	I-AtSbFpsDc -	Δ 0.100	Δ -	21
MUNSON	500 Δ	Δ Δ	P -	Δ 0	Δ -	Mine drainage -	- Δ	0.200 0.100	I-AtS FpsDc -	Δ 0.400	Δ -	22
NATIONAL	300 Δ	Δ -	P -	Δ Δ	Δ -	Monongahela River -	Δ -	- Δ	None -	Δ 0.014	Δ -	23
NELLIS	554 400	Δ Δ	M -	87 0	Δ -	Drilled wells -	- Δ	Δ 0.075	I-A ClS FpsDh -	Δ 0.040	Δ -	24
NEMOURS	65 150	Δ 1929	P -	Δ Δ	Δ -	Bluestone River -	Δ -	0.057 0.007	P-AcCalDcM S FrsDc -	0.001 0.050	Δ -	25
NEW CUMBERLAND	2,119 2,100	Δ Δ	P -	Δ Δ	Δ -	Dr. wells and springs Cullen Run (aux.)	- Δ	Δ 0.600	Dc -	Δ 0.200	Δ -	26
NEWELL	2,101 1.900	Δ Δ	P -	Δ Δ	Δ -	Well Crib (aux.)	- Δ	Δ 0.975	Dc -	Δ 2.200	Δ -	27
NEWHALL	640 700	Δ -	P -	Δ Δ	Δ -	Drilled well -	- Δ	- Δ	None -	Δ 0.050	Δ -	28
NEW HAVEN	969 1.000	Δ Δ	M -	Δ Δ	Δ -	Drilled well -	- Δ	Δ 0.030	Dc -	Δ 0.150	Δ -	29
NEW MARTINSVILLE	4,084 3.450	Δ Δ	M -	Δ Δ	Δ -	Dug and drilled wells -	- Δ	Δ 0.250	DcVs -	Δ 0.700	Δ -	30

INVENTORY OF MUNICIPAL WATER FACILITIES

STATE	DATE	PAGE
WEST VIRGINIA	Jan. 1, 1958	14 of 20

COMMUNITY 1	1950 Population Estimated Population Served 2	Year Oper. Started Present Supply Present Treatment Plant 3	OWNERSHIP 4	Number of Services Number of Meters 5	LAB. CONTROL 6	SOURCE OF SUPPLY 7	Safe Yield Impounded Maximum Dependable Draft (Gr. water) MGD 8	Rated Plant Capacity Average Plant Output MGD 9	TREATMENT 10	Dist. Storage Pumps to Mains Gravity to Mains MG 11	IMPROVEMENTS NEEDED 12	LINE NO.
* NITRO	3,314 12,000	Δ Δ	P -	Δ Δ	Δ -	Kanawha River -	Δ -	Δ 4.000	P-CaN AsT SoFrs NoDcKpVs	4.000 0.600	Δ -	1
NORTHFORK	994 1,800	Δ Δ	M P	Δ Δ	Δ -	Drilled wells -	- Δ	Δ 0.090	I-A FpsDcVs -	Δ Δ	Δ -	2
NORTH MATEWAN	931 (900)	Δ -	M -	- -	- -	Matewan -	- -	- -	Matewan -	- -	- -	3
NORTON	600 250	Δ Δ	Δ -	Δ Δ	Δ -	Drilled well -	- Δ	Δ 0.004	Dc -	Δ 0.050	Δ -	4
NORWOOD	565 (Δ)	Δ -	M -	- -	- -	Fairmont -	- -	- -	Fairmont -	- -	- -	5
NOTOMINE	250 600	Δ -	P -	Δ Δ	Δ -	Drilled well -	- Δ	- 0.030	None -	Δ 0.010	Δ -	6
NUTTER FORT	2,285 (Δ)	Δ -	Δ -	- -	- -	Clarksburg -	- -	- -	Clarksburg -	- -	- -	7
* OAK HILL	4,518 15.000	Δ 1954	P -	Δ Δ	C -	Mine well (aux.)	- Δ	Δ 0.560	I-AtS FrsDc -	Δ 0.250	Δ -	8
OCEANA	1,373 2.200	Δ Δ	Δ -	Δ Δ	C -	Laurel Fork (Creek) -	Δ -	Δ 0.065	P-CalKpFrsDc -	Δ 0.100	Δ -	9
OMAR	1,400 1.000	1920 1939	P -	600 77	Δ -	3 wells and 2 mines -	- 1.500	1.500 0.365	HI-AcS Frs -	Δ 0.100	Δ -	10
ORVILLE	400 200	Δ Δ	P -	Δ Δ	Δ -	Rum Creek -	Δ -	Δ 0.004	P-FrsDch -	Δ 0.020	Δ -	11
OSAGE	799 (Δ)	Δ -	Δ -	- -	- -	Morgantown -	- -	- -	Morgantown -	- -	- -	12
OSWALD	320 (300)	Δ -	Δ -	- -	- -	Tamroy -	- -	- -	Tamroy -	- -	- -	13
O'TOOLE	950 300	Δ -	P -	Δ Δ	Δ -	Well -	- Δ	- Δ	None -	Δ 0.035	Δ -	14
OTSEGO	600 280	Δ Δ	P -	Δ Δ	Δ -	Well -	- Δ	Δ Δ	I-AoFpsDh -	Δ 0.014	Δ -	15
OWINGS	300 (500)	Δ -	Δ -	- -	- -	Fairmont -	- -	- -	Fairmont -	- -	- -	16
PADEN CITY	2,588 3.000	Δ 1955	M -	Δ Δ	Δ -	3 wells -	- Δ	0.906 0.390	Dc -	0.390 0.400	Δ -	17
PAGE	950 Δ	Δ -	P -	Δ Δ	Δ -	Wells -	- Δ	- 0.020	None -	Δ 0.020	Δ -	18
PAGETON	1,116 1.200	Δ Δ	P -	Δ Δ	Δ -	2 wells -	- Δ	Δ 0.160	H-ClaM S FrsDh -	Δ 0.240	Δ -	19
* PARKERSBURG	29,684 60,000	1953 1953	M -	13,800 13,800	B C	4 wells -	- 10.100	8.000 5.000	I-AsCl(MtpsSv) FrsKpDcVs Vo.40	0.120 7.200	TDG -	20
PARSONS Source # 1	2,009 2.077	Δ Δ	M -	Δ Δ	Δ -	Elk Lick Run Shaver's Fork (aux.)	Δ -	Δ 0.280	Dc -	Δ Δ	Δ -	21
PARSONS Source # 2	- Δ	Δ -	P -	Δ Δ	Δ -	Drilled well -	- Δ	- Δ	None -	Δ Δ	Δ -	22
PAW PAW	820 834	Δ 1936	M -	Δ Δ	Δ -	1 well -	- Δ	0.045 Δ	I-ClSoFrsKpDc -	Δ Δ	Δ -	23
* PAX	561 1.000	1951 1951	M -	Δ Δ	C -	Deep well -	- Δ	Δ 0.070	P-S Fs Dc -	Δ 0.100	Δ -	24
PEACH CREEK	942 (Δ)	Δ -	Δ -	- -	- -	Logan -	- -	- -	Logan -	- -	- -	25
PECKS MILL	150 (Δ)	Δ -	Δ -	- -	- -	Chapmanville -	- -	- -	Chapmanville -	- -	- -	26
PEMBERTON	697 450	Δ Δ	P -	Δ Δ	Δ -	Well -	- Δ	Δ 0.010	I-AcS -	0.008 0.010	Δ -	27
PENNSBORO	1,753 1.800	Δ 1955	M -	Δ Δ	C -	Wells -	- Δ	Δ 0.098	P-CalKcFrsDc -	Δ 0.212	Δ -	28
PETERSBURG	1,898 2.000	Δ Δ	M -	Δ Δ	Δ -	South Branch of Potomac R. well (aux)	Δ -	Δ 0.170	P-CalS Fs Dc -	Δ 0.142	Δ -	29
PETERSTOWN	571 700	Δ Δ	M -	Δ Δ	Δ -	Limestone Spring -	- Δ	Δ 0.075	Dc -	Δ 0.150	Δ -	30

PHS-2226
REV. 4-59

INVENTORY OF MUNICIPAL WATER FACILITIES

STATE	DATE	PAGE
WEST VIRGINIA	Jan. 1, 1958	15 of 20

COMMUNITY	1950 Population Estimated Population Served	Year Oper. Started Present Supply Present Treatment Plant	OWNERSHIP	Number of Services Number of Meters	LAB. CONTROL	SOURCE OF SUPPLY	Safe Yield Impounded Maximum Dependable Draft (Gr. water) MGD	Rated Plant Capacity Average Plant Output MGD	TREATMENT	Dist. Storage Pumps to Mains Gravity to Mains MG	IMPROVEMENTS NEEDED	LINE NO.
1	2	3	4	5	6	7	8	9	10	11	12	
PHICO	200	Δ	Δ	-	-	Chapmanville	-	-	Chapmanville	-	-	1
	(Δ)	-	-	-	-	-	-	-	-	-	-	
PHILIPPI	2,531	Δ	M	865	C	Tygart River	Δ	Δ	P-ClaM SbFrsDc	Δ	Δ	2
	3,000	1952	-	Δ	-	-	-	0.210	-	0.550	-	
PICKSHIN	150	Δ	P	Δ	Δ	Abandoned mine	-	-	None	Δ	Δ	3
	500	-	-	Δ	-	-	Δ	Δ	-	0.010	-	
PIEDMONT	2,565	Δ	M	Δ	C	Savage River	Δ	Δ	P-CasM S FrsDc	Δ	Δ	4
	2,700	Δ	-	Δ	B	-	-	0.325	-	0.800	-	
PINE GROVE	877	Δ	M	Δ	Δ	North Fork of Fishing	Δ	Δ	I-AcS KcDc	Δ	Δ	5
	1.000	1932	-	Δ	-	Creek and wells	Δ	0.045	-	0.150	-	
PINEVILLE	1,082	Δ	M	Δ	C	Pinnacle Creek	Δ	Δ	P-ClaMbS FrsDcVs	Δ	Δ	6
	2.000	Δ	-	Δ	-	-	-	0.100	-	0.120	-	
PINNICKINNICK	515	Δ	Δ	-	-	Clarksburg	-	-	Clarksburg	-	-	7
	(Δ)	-	-	-	-	-	-	-	-	-	-	
PLYMOUTH	200	Δ	Δ	-	-	Bancroft	-	-	None	-	-	8
	(Δ)	-	-	-	-	-	-	-	-	-	-	
POCA	250	Δ	Δ	-	-	Nitro	-	-	Nitro	-	-	9
	(Δ)	-	-	-	-	-	-	-	-	-	-	
* POINT PLEASANT	4,596	Δ	P	Δ	Δ	Wells	-	Δ	Dc	Δ	Δ	10
	4,000	Δ	-	Δ	-	-	Δ	0.240	-	0.300	-	
POWELLTON	1,477	Δ	P	Δ	C	Gum Hollow;Powellton	Δ	0.150	P-AcDhCasMbS FrsDc	Δ	Δ	11
	1.300	1956	-	Δ	-	Fork: Armstrong Creek	-	0.100	-	0.110	-	
POWER	750	Δ	P	Δ	Δ	4 drilled wells	-	Δ	Dc	Δ	Δ	12
	Δ	Δ	-	Δ	-	-	Δ	0.050	-	0.050	-	
POWHATAN	500	Δ	P	-	-	Upland	-	-	Upland	-	-	13
	(Δ)	-	-	-	-	-	-	-	-	-	-	
* PRATT	457	Δ	M	Δ	C	Kanawha River	Δ	Δ	P-CalMbSbFpsDh	Δ	Δ	14
	1,200	Δ	-	Δ	-	-	-	0.060	-	0.100	-	
PREMIER	820	Δ	P	Δ	Δ	1 well	-	Δ	I-AcS Fps	Δ	Δ	15
	175	Δ	-	Δ	-	-	Δ	Δ	-	0.015	-	
PRICE HILL	500	Δ	Δ	-	-	Mount Hope	-	-	Mount Hope	-	-	16
(Raleigh County)	(Δ)	-	-	-	-	-	-	-	-	-	-	
* PRINCETON	8,279	Δ	P	Δ	C	3 wells	-	Δ	I-(MtpsSv)FrsDc	Δ	Δ	17
	9.000	1955	-	Δ	-	Brush Creek (aux.)	Δ	0.480	-	0.300	-	
PRINCEWICK	250	Δ	P	-	-	Coal City	-	-	Coal City	-	-	18
	(Δ)	-	-	-	-	-	-	-	-	-	-	
PROCTOR	500	Δ	Δ	-	-	Amherstdale	-	-	Amherstdale	-	-	19
	(Δ)	-	-	-	-	-	-	-	-	-	-	
PROSPERITY	877	Δ	Δ	-	-	Beckley	-	-	Beckley	-	-	20
	(Δ)	-	-	-	-	-	-	-	-	-	-	
PRUDENCE	250	Δ	Δ	-	-	Oak Hill	-	-	Oak Hill	-	-	21
	(200)	-	-	-	-	-	-	-	-	-	-	
PURITAN	611	Δ	P	Δ	Δ	Well	-	-	None	Δ	Δ	22
	400	-	-	Δ	-	-	Δ	Δ	-	0.006	-	
PURSGLOVE	661	Δ	Δ	-	-	Morgantown	-	-	Morgantown	-	-	23
	(Δ)	-	-	-	-	-	-	-	-	-	-	
QUINCY	550	Δ	P	-	-	Belle	-	-	Belle	-	-	24
	350	-	-	-	-	-	-	-	-	-	-	
QUINNIMONT	500	Δ	P	50	B	Kettle Run	Δ	Δ	Dc	Δ	T	25
	200	Δ	-	0	-	-	-	Δ	-	0.030	-	
QUINWOOD	838	Δ	P	Δ	Δ	Drilled wells	-	Δ	Dh	Δ	Δ	26
	500	Δ	-	Δ	-	-	Δ	0.015	-	0.035	-	
RAGLAND	982	Δ	P	Δ	Δ	Abandoned mine	-	Δ	Dh	Δ	Δ	27
	350	Δ	-	Δ	-	-	Δ	0.010	-	Δ	-	
RAINELLE	853	Δ	P	Δ	Δ	3 drilled wells	-	-	None	Δ	Δ	28
	1,200	-	-	Δ	-	-	Δ	0.100	-	0.000	-	
RALEIGH	1,164	Δ	Δ	-	-	Beckley	-	-	Beckley	-	-	29
	(1,000)	-	-	-	-	-	-	-	-	-	-	
RANSON	1,436	Δ	Δ	-	-	Charles Town	-	-	Charles Town	-	-	30
	(1,400)	-	-	-	-	-	-	-	-	-	-	

PHS-2226
REV. 4-59

INVENTORY OF MUNICIPAL WATER FACILITIES

STATE	DATE	PAGE
WEST VIRGINIA	Jan. 1, 1958	16 of 20

COMMUNITY	1950 Population Estimated Population Served	Year Oper. Started: Present Supply Present Treatment Plant	OWNERSHIP	Number of Services Number of Meters	LAB. CONTROL	SOURCE OF SUPPLY	Safe Yield Impounded Maximum Dependable Draft (Gr. water) MGD	Rated Plant Capacity Average Plant Output MGD	TREATMENT	Dist. Storage: Pumps to Mains Gravity to Mains MG	IMPROVEMENTS NEEDED	LINE NO.
1	2	3	4	5	6	7	8	9	10	11	12	
RAVENSWOOD	1,175 1.200	Δ Δ	M -	Δ Δ	Δ -	Wells -	- Δ	Δ 0.060	DcVt -	Δ 0.250	Δ -	1
RAWL	110 200	Δ -	P -	Δ Δ	Δ -	Well -	- Δ	- Δ	None -	Δ Δ	Δ -	2
RAYSAL	714 1.000	Δ Δ	P -	Δ Δ	Δ -	Well -	- Δ	Δ 0.100	Dc -	Δ 0.040	Δ -	3
REAM	1,250 (Δ)	Δ -	P -	- -	- -	Gary -	- -	- -	Gary -	- -	- -	4
REDBIRD	125 Δ	Δ -	P -	Δ Δ	Δ -	Well -	- Δ	- Δ	None -	Δ Δ	Δ -	5
RED JACKET	1,575 1.400	Δ Δ	P -	Δ Δ	Δ -	Well -	- Δ	Δ 0.070	I-AcDcCaSbFrs -	Δ 0.200	Δ -	6
RED STAR	450 (500)	Δ -	P -	- -	- -	Oak Hill -	- -	- -	Oak Hill -	- -	- -	7
REED	900 (Δ)	Δ -	Δ -	- -	- -	Belle -	- -	- -	Belle -	- -	- -	8
RENSFORD	500 200	Δ -	P -	Δ Δ	Δ -	4 wells -	- Δ	- Δ	None -	Δ 0.048	Δ -	9
REPUBLIC	450 90	Δ -	P -	Δ Δ	Δ -	1 well -	- Δ	- Δ	None -	Δ 0.025	Δ -	10
* RHODELL	829 900	Δ Δ	M -	Δ Δ	Δ -	Mine drainage -	- Δ	Δ Δ	Dh -	Δ 0.100	Δ -	11
RICHARD	200 (Δ)	Δ -	Δ -	- -	- -	Morgantown -	- -	- -	Morgantown -	- -	- -	12
RICHWOOD	5,321 5.620	Δ Δ	M -	Δ Δ	C B	3 wells and Cherry River	Δ Δ	Δ 0.300	P-CasMbS FrsDc -	Δ 0.200	Δ -	13
RIDGELY	1,754 (1.972)	Δ -	Δ -	- -	- -	Cumberland, Maryland -	- -	- -	Cumberland, Maryland -	- -	- -	14
RIPLEY	1,813 1.600	Δ Δ	M -	Δ Δ	C -	Mill Creek -	Δ -	Δ 0.085	P-CalMbSbFrsDcVt -	Δ 0.152	Δ -	15
* RITA	300 140	Δ -	P -	28 0	Δ -	Well -	- Δ	- 0.010	None -	Δ 0.020	Δ -	16
RIVERSIDE	1,043 1.000	Δ -	Δ -	- -	- -	Morgantown -	- -	- -	Morgantown -	- -	- -	17
RIVESVILLE	1,343 (1,500)	Δ -	M -	- -	- -	Fairmont -	- -	- -	Fairmont -	- -	- -	18
ROBINETTE	180 (25)	Δ -	Δ -	- -	- -	Amherstdale -	- -	- -	Amherstdale -	- -	- -	19
ROCK LICK (Fayette County)	200 (Δ)	Δ -	Δ -	- -	- -	Concho -	- -	- -	Concho -	- -	- -	20
ROLFE	708 500	Δ Δ	P -	Δ Δ	Δ -	Well -	- Δ	Δ Δ	Dc -	Δ 0.050	Δ -	21
ROMNEY	2,059 Δ	Δ Δ	M -	Δ Δ	Δ -	South Branch of Potomac River	Δ -	Δ 0.170	P-CaM S FrsDc -	Δ 0.100	Δ -	22
RONCEVERTE	2,301 4.000	Δ Δ	M -	Δ Δ	C -	Greenbrier River -	Δ -	Δ 0.215	P-CasMbSbcFrsDcKp -	Δ 0.350	Δ -	23
RONEY'S POINT	125 (Δ)	Δ -	Δ -	- -	- -	Wheeling -	- -	- -	Wheeling -	- -	- -	24
ROSSMORE	630 500	Δ Δ	P -	Δ Δ	Δ -	Mill Creek and well -	Δ Δ	Δ Δ	P-DhS Frs -	Δ 0.015	Δ -	25
ROWLESBURG	1,299 1.573	Δ Δ	M -	Δ Δ	Δ -	Kyers Run (imp.) Salt Lick Creek (aux)	Δ -	Δ Δ	Dc -	Δ Δ	Δ -	26
RUPERT	952 250	1950 1950	Δ -	Δ Δ	C -	Drilled well -	- Δ	Δ Δ	I-AcSvFrsDch -	Δ 0.100	Δ -	27
SABRATON	1,810 (Δ)	Δ -	Δ -	- -	- -	Morgantown -	- -	- -	Morgantown -	- -	- -	28
ST. ALBANS	9,870 15.000	Δ Δ	P -	Δ Δ	C B	Coal River -	Δ -	Δ 0.700	P-AtDcCalT MbSoFrsDcVs	Δ 0.165	Δ -	29
ST. MARYS	2,196 2.400	Δ Δ	M -	Δ Δ	Δ -	Dog River (imp.) Wells (aux.)	Δ -	0.576 0.115	P-CalMbS Dc -	Δ 0.400	Δ -	30

INVENTORY OF MUNICIPAL WATER FACILITIES

STATE	DATE	PAGE
WEST VIRGINIA	Jan. 1, 1958	17 of 20

COMMUNITY	1950 Population Estimated Population Served	Year Oper. Started Present Supply Present Treatment Plant	OWNERSHIP	Number of Services Number of Meters	LAB. CONTROL	SOURCE OF SUPPLY	Safe Yield Impounded Maximum Dependable Draft (Gr. water) MGD	Rated Plant Capacity Average Plant Output MGD	TREATMENT	Dist. Storage Pumps to Mains Gravity to Mains MG	IMPROVEMENTS NEEDED	LINE NO.
1	2	3	4	5	6	7	8	9	10	11	12	
SALEM	2,578 Δ	Δ Δ	M -	Δ Δ	Δ -	4 wells -	- Δ	Δ 0.054	I-A CasFpsDc -	Δ 0.500	Δ -	1
SARAH ANN	900 280	1920 Δ	P -	45 0	Δ -	1 well -	- Δ	Δ 0.010	HI-Fs -	Δ 0.020	Δ -	2
SCARBRO	680 Δ	Δ Δ	P -	Δ Δ	Δ -	Mine -	- Δ	Δ 0.150	I-AtCsAcMbS FrsDc -	Δ 0.250	Δ -	3
SEWELL	230 250	Δ -	P -	Δ Δ	Δ -	Mine -	- Δ	- 0.005	None -	Δ 0.020	Δ -	4
SHADY SPRING	950 (Δ)	Δ -	Δ -	- -	- -	Beckley -	- -	- -	Beckley -	- -	- -	5
SHARON	612 50	Δ -	P -	Δ Δ	Δ -	Well -	- Δ	- 0.002	None -	Δ Δ	Δ -	6
* SHARPLES	500 1,000	Δ Δ	P -	Δ Δ	Δ -	Spruce Fork of Coal R drilled well (aux.)	Δ -	Δ Δ	P-CalMbSbFrsDcKp -	Δ 0.038	Δ -	7
SHEGON Source # 1	250 (Δ)	Δ -	P -	- -	- -	Logan -	- -	- -	Logan -	- -	- -	8
SHEGON Source # 2	- 100	Δ Δ	P -	Δ Δ	Δ -	Well (summer) -	- Δ	Δ Δ	P-CalS FrsDh -	Δ Δ	Δ -	9
SHEPHERDSTOWN	1,173 2.000	Δ Δ	P -	Δ Δ	C -	Potomac River -	Δ -	Δ 0.095	P-AsCalMbSbFrsDcKp -	Δ 0.065	Δ -	10
SHINNSTON	2,793 (2,760)	Δ -	Δ -	- -	- -	Monongah -	- -	- -	Monongah -	- -	- -	11
SHREWSBURY	400 640	Δ -	P -	160 0	C B	2 drilled wells -	- Δ	- 0.040	None -	0.040 0.003	L -	12
SILUSH	300 Δ	Δ Δ	P -	Δ Δ	Δ -	Well -	- Δ	Δ Δ	H-Fs -	Δ Δ	Δ -	13
SISTERSVILLE	2,313 2,800	Δ Δ	M -	Δ Δ	Δ -	Ohio River -	Δ -	Δ 0.475	P-CalM SbFrsDcVs -	Δ 0.750	Δ -	14
SIX	705 (Δ)	Δ -	Δ -	- -	- -	Coalwood -	- -	- -	Coalwood -	- -	- -	15
SKELTON	590 (Δ)	Δ -	Δ -	- -	- -	Beckley -	- -	- -	Beckley -	- -	- -	16
SLAB FORK	838 400	Δ Δ	P -	Δ Δ	Δ -	Mine -	- Δ	Δ Δ	H-DcFs -	Δ 0.060	Δ -	17
SLAGLE	750 700	Δ Δ	P -	Δ Δ	Δ -	Run Creek (imp.) and well	Δ Δ	Δ 0.008	Dc -	Δ 0.060	Δ -	18
* SMITHERS	2,208 2.450	Δ Δ	P -	Δ Δ	Δ -	Wells -	- Δ	Δ 0.280	I-AcClS FrsDc -	Δ 0.250	Δ -	19
SNOW HILL	157 (Δ)	Δ -	Δ -	- -	- -	Belle -	- -	- -	Belle -	- -	- -	20
SOPHIA	1,430 (1.400)	Δ -	Δ -	- -	- -	Beckley -	- -	- -	Beckley -	- -	- -	21
SOUTH CHARLESTON	16,686 (Δ)	Δ -	Δ -	- -	- -	Charleston -	- -	- -	Charleston -	- -	- -	22
SOUTH WALDEN	185 100	Δ -	Δ -	- -	- -	Belle -	- -	- -	Belle -	- -	- -	23
SOUTH PARKERSBURG	10,808 (10.900)	Δ -	Δ -	- -	- -	Parkersburg -	- -	- -	Parkersburg -	- -	- -	24
SPELTER	1,054 1.000	Δ Δ	P -	Δ Δ	C -	West Fork River -	Δ -	Δ 0.250	P-ClS FrsDc -	Δ Δ	Δ -	25
SPENCER	2,587 3,000	Δ Δ	P -	Δ Δ	C -	Spring Creek and Miletree Creek (imp.)	Δ -	Δ 0.240	P-ClasT DcM SbFrsDc -	Δ 0.700	Δ -	26
SPRAGUE	2,626 (2,500)	Δ -	Δ -	- -	- -	Beckley -	- -	- -	Beckley -	- -	- -	27
SPRIGG	350 100	Δ Δ	P -	Δ Δ	Δ -	Well -	- Δ	Δ Δ	H-Fps -	Δ 0.010	Δ -	28
SPRINGTON	150 500	Δ Δ	P -	Δ Δ	Δ -	Well -	- Δ	Δ 0.010	I-A S Frs -	Δ 0.020	Δ -	29
STANAFORD	946 (900)	Δ -	Δ -	- -	- -	Beckley -	- -	- -	Beckley -	- -	- -	30

PHS-2226
REV. 4-59

INVENTORY OF MUNICIPAL WATER FACILITIES

STATE	DATE	PAGE
WEST VIRGINIA	Jan. 1, 1958	18 of 20

COMMUNITY	1950 Population Estimated Population Served	Year Oper. Started Present Supply Present Treatment Plant	OWNERSHIP	Number of Services Number of Meters	LAB. CONTROL	SOURCE OF SUPPLY	Safe Yield Impounded Maximum Dependable Draft (Gr. water) MGD	Rated Plant Capacity Average Plant Output MGD	TREATMENT	Dist. Storage Pumps to Mains Gravity to Mains MG	IMPROVEMENTS NEEDED	LINE NO.
1	2	3	4	5	6	7	8	9	10	11	12	
STAR CITY	1,205 (Δ)	Δ -	Δ -	- -	- -	Morgantown -	- -	- -	Morgantown -	- -	- -	1
STEPHENSON	553 350	Δ Δ	P -	Δ Δ	Δ -	Well -	- Δ	Δ Δ	Dh -	Δ Δ	Δ -	2
* STIRRAT	800 1.500	Δ Δ	P -	Δ Δ	Δ -	Little Creek -	Δ -	Δ Δ	Dh -	Δ 0.075	Δ -	3
STOLLING	900 (Δ)	Δ -	Δ -	- -	- -	Logan -	- -	- -	Logan -	- -	- -	4
STONEWOOD	2,066 (2.000)	Δ -	Δ -	- -	- -	Clarksburg -	- -	- -	Clarksburg -	- -	- -	5
STOTESBURY	900 450	Δ Δ	P -	Δ Δ	Δ -	Mine -	- Δ	Δ 0.075	A S FrsDh -	Δ 0.110	Δ -	6
SULLIVAN	732 300	Δ -	P -	Δ Δ	Δ -	Mine -	- Δ	- 0.030	None -	Δ 0.050	Δ -	7
SUMMERLEE	747 (700)	Δ -	P -	- -	- -	Oak Hill -	- -	- -	Oak Hill -	- -	- -	8
SUMMERSVILLE	1,628 2.000	1951 1951	M -	Δ Δ	Δ -	Muddlety River -	Δ -	Δ 0.080	P-CalM S FrsDc -	Δ Δ	Δ -	9
SUNCREST	238 (Δ)	Δ -	Δ -	- -	- -	Morgantown -	- -	- -	Morgantown -	- -	- -	10
SUPERIOR	950 1.000	Δ Δ	P -	Δ Δ	Δ -	Mine and 1 well -	- Δ	Δ 0.010	Dc -	0.001 0.060	Δ -	11
SUTTON	1,070 1.300	Δ Δ	P -	Δ Δ	Δ -	Elk River -	Δ -	0.320 0.086	P-CalMbSbFrsDcKp -	Δ 0.530	Δ -	12
SWITCHBACK	390 (Δ)	Δ -	Δ -	- -	- -	Maybeury -	- -	- -	Maybeury -	- -	- -	13
SWITZER	668 1.000	1944 1957	P -	256 123	Δ -	2 wells -	- Δ	Δ 0.010	P-A CaKpSoFsDh -	Δ 0.014	Δ -	14
* TAMROY	90 800	Δ -	P -	Δ Δ	Δ -	Spring -	- Δ	- 0.010	None -	Δ 0.025	Δ -	15
TAMS	838 1.000	Δ Δ	P -	Δ Δ	Δ -	2 wells -	- Δ	Δ 0.080	I-A F -	Δ 0.075	Δ -	16
TAPLIN	200 75	Δ -	P -	14 0	B -	Drilled well -	- Δ	- 0.004	None -	Δ 0.001	TL -	17
TERRA ALTA	1,649 1.500	Δ Δ	M -	Δ Δ	Δ -	Wells -	- Δ	Δ 0.100	Dc -	Δ 0.345	Δ -	18
TERRY	200 300	Δ Δ	P -	Δ Δ	Δ -	Mountain Stream -	Δ -	Δ 0.010	Dc -	Δ Δ	Δ -	19
THACKER MINES	500 150	Δ -	P -	Δ Δ	Δ -	Wells -	- Δ	- 0.020	None -	Δ 0.012	Δ -	20
THAYER	300 100	Δ Δ	P -	Δ Δ	Δ -	States and Buffalo Creeks; spring	Δ Δ	Δ Δ	Fs -	Δ 0.002	Δ -	21
* THOMAS	1,146 1.300	Δ Δ	M -	Δ Δ	Δ -	Creek No. 9 (imp.) -	Δ -	Δ 0.100	Dc -	Δ 0.190	Δ -	22
* THORPE	1,362 (Δ)	Δ -	P -	- -	- -	Gary -	- -	- -	Gary -	- -	- -	23
THURMOND	219 100	Δ -	P -	32 Δ	Δ -	Well -	- Δ	- 0.025	None -	Δ 0.060	Δ -	24
TIDEWATER	200 500	Δ Δ	P -	20 0	Δ -	Well -	- Δ	Δ 0.050	Dc -	Δ 0.030	Δ -	25
TOMMY CREEK	200 (Δ)	Δ -	P -	- -	- -	Rhodell -	- -	- -	Rhodell -	- -	- -	26
TRALE	225 125	Δ -	P -	29 0	Δ -	Well -	- Δ	- Δ	None -	Δ 0.010	Δ -	27
TRIADELPHIA	741 (Δ)	Δ -	Δ -	- -	- -	Wheeling -	- -	- -	Wheeling -	- -	- -	28
TUNNELTON	544 1,000	Δ Δ	M -	Δ Δ	Δ -	Wells -	- Δ	Δ 0.050	DcKp -	Δ 0.150	Δ -	29
TWIN BRANCH	520 320	Δ -	P -	80 0	B -	Drilled well -	- Δ	- 0.020	None -	0.020 0.012	Δ -	30

INVENTORY OF MUNICIPAL WATER FACILITIES

STATE	DATE	PAGE
WEST VIRGINIA	Jan. 1, 1958	19 of 20

COMMUNITY	1950 Population	Year Oper. Started	OWNERSHIP	Number of Services	LAB. CONTROL	SOURCE OF SUPPLY	Safe Yield Impounded	Rated Plant Capacity	TREATMENT	Dist. Storage	IMPROVEMENTS NEEDED	LINE NO.
		Present Supply								Pumps to Mains		
	Estimated Population Served	Present Treatment Plant		Number of Meters			Maximum Dependable Draft (Gr. water) MGD	Average Plant Output MGD		Gravity to Mains MG		
1	2	3	4	5	6	7	8	9	10	11	12	
* TYGART VALLEY	1,200	Δ	M	Δ	Δ	Tygart River	Δ	Δ	P-CaMbSbFrsDcKp	Δ	Δ	1
HOMESTEADS	2.500	Δ	-	Δ	-	-	-	Δ	-	Δ	-	
UNION	300	Δ	M	Δ	Δ	2 wells and spring	-	Δ	Dc	Δ	Δ	2
	600	Δ	-	Δ	-	-	Δ	0.030	-	0.100	-	
UNITED	1,200	Δ	P	Δ	Δ	Well	-	Δ	Dh	Δ	Δ	3
	Δ	Δ	-	Δ	-	-	Δ	0.060	-	0.012	-	
* UPLAND	600	Δ	P	Δ	Δ	Well	-	Δ	H-CalsS FpsDh	Δ	Δ	4
	Δ	Δ	-	Δ	-	-	Δ	0.110	-	0.168	-	
URY	350	Δ	P	Δ	Δ	Well	-	-	None	Δ	Δ	5
	100	-	-	Δ	-	-	Δ	Δ	-	0.001	-	
VALLEY GROVE	175	Δ	Δ	-	-	Wheeling	-	-	Wheeling	-	-	6
	(Δ)	-	-	-	-	-	-	-	-	-	-	
VALLEY HEAD	800	Δ	Δ	-	-	Tygart Valley	-	-	Tygart Valley	-	-	7
	(Δ)	-	-	-	-	Homesteads	-	-	Homesteads	-	-	
VALLSCREEK	729	Δ	P	Δ	Δ	Well	-	Δ	Dh	Δ	Δ	8
	460	Δ	-		-	-	Δ	0.025	-	0.075	-	
VAN	940	Δ	P	Δ	N	1 well	-	-	None	Δ	Δ	9
	250	-	-	Δ	-	-	Δ	Δ	-	0.030	-	
VENUS	918	Δ	Δ	-	-	Thorpe	-	-	Thorpe	-	-	10
	(Δ)	-	-	-	-	-	-	-	-	-	-	
VERA	100	Δ	P	Δ	[illegible]	Well	-	-	None	Δ	Δ	11
	Δ	-	-	Δ	-	-	Δ	Δ	-	Δ	-	
VEEDUNVILLE	2,400	Δ	Δ	-	-	Logan	-	-	Logan	-	-	12
	(Δ)	-	-	-	-	-	-	-	-	-	-	
VIENNA	6,020	Δ	M	Δ	Δ	Wells	-	Δ	DcA KpMbSb	Δ	Δ	13
	8.000	Δ	-	Δ	-	-	Δ	0.350	-	0.360	-	
VIVIAN-BOTTOM CREEK-	1,820	Δ	P	Δ	Δ	Wells	-	Δ	H-CalM S FaDh	Δ	Δ	14
TIDEWATER	800	Δ	-	Δ	-	-	Δ	0.055	-	0.050	-	
WACOMAH	100	Δ	P	Δ	Δ	Small Stream	Δ	-	None	Δ	Δ	15
	Δ	-	-	Δ	-	-	-	0.005	-	0.002	-	
* WAR	3,992	Δ	P	Δ	Δ	Well	-	Δ	DhFps	Δ	Δ	16
	5.000	Δ	-	Δ	-	-	Δ	0.190	-	0.150	-	
WARD	2,055	Δ	P	Δ	Δ	Wells	-	-	None	Δ	Δ	17
	2.500	-	-	Δ	-	-	Δ	0.020	-	0.140	-	
WARRIORMINE	500	Δ	Δ	-	-	War	-	-	War	-	-	18
	(400)	-	-	-	-	-	-	-	-	-	-	
WATSON	900	Δ	Δ	-	-	Fairmont	-	-	Fairmont	-	-	19
	(Δ)	-	-	-	-	-	-	-	-	-	-	
WAYNE	1,257	Δ	M	Δ	Δ	Twelvepole Creek	Δ	Δ	P-CalM S FrsDcVt	Δ	Δ	20
	1.500	Δ	-	Δ	-	-	-	0.054	-	0.150	-	
WEBSTER SPRINGS	1,313	1918	P	Δ	C	Elk River	Δ	0.288	P-CasMbSbFrsDcKp	0.002	Δ	21
	1.300	1939	-	Δ	-	-	-	0.050	-	0.055	-	
* WEIRTON	24,005	1949	M	7,200	C	Ohio River	Δ	2.000	PI-AsCloDcxMs	3.000	DL	22
	28.000	1949	-	7,200	B	-	-	2.000	SmFarKpTcdVs	2.000	-	
WEIRTON HEIGHTS	2,476	Δ	Δ	-	-	Weirton	-	-	Weirton	-	-	23
	(2,400)	-	-	-	-	-	-	-	-	-	-	
WELCH	6,603	Δ	P	Δ	Δ	Tug River	Δ	Δ	P-AtCalDcM SbFpsVs	Δ	Δ	24
	8.000	Δ	-	Δ	-	-	-	0.580	-	0.425	-	
WELLSBURG	5,787	Δ	M	Δ	Δ	3 gravel-packed wells	-	Δ	HI-AcDcS FpszVa	Δ	Δ	25
	6.500	Δ	-	Δ	-	-	Δ	0.900	-	1.850	-	
WENDEL	300	Δ	P	Δ	Δ	3 wells	-	-	None	Δ	Δ	26
	1,000	-	-	Δ	-	-	Δ	Δ	-	Δ	-	
WEST HAMLIN	793	Δ	Δ	-	-	Hamlin	-	-	Hamlin	-	-	27
	(200)	-	-	-	-	-	-	-	-	-	-	
WEST LIBERTY	650	Δ	P	Δ	C	Atkinson Branch of N.	Δ	Δ	PH-CalSb(MtpsSv)FrsD	Δ	Δ	28
	1.600	Δ	-	Δ	-	Fork of Short Creek	-	0.034	-	0.150	-	
WEST LOGAN	1,652	Δ	Δ	-	-	Logan	-	-	Logan	-	-	29
	(1.600)	-	-	-	-	-	-	-	-	-	-	
WESTON	8,945	Δ	P	Δ	C	West Fork River	Δ	Δ	P-N DcCalM T A S Frs	Δ	Δ	30
	9.000	Δ	-	Δ	B	-	-	0.480	Dc	0.882	-	

INVENTORY OF MUNICIPAL WATER FACILITIES

STATE	DATE	PAGE
WEST VIRGINIA	Jan. 1, 1958	20 of 20

COMMUNITY 1	1950 Population Estimated Population Served 2	Year Oper. Started Present Supply Present Treatment Plant 3	OWNERSHIP 4	Number of Services Number of Meters 5	LAB. CONTROL 6	SOURCE OF SUPPLY 7	Safe Yield Impounded Maximum Dependable Draft (Gr. water) MGD 8	Rated Plant Capacity Average Plant Output MGD 9	TREATMENT 10	Dist. Storage Pumps to Mains Gravity to Mains MG 11	IMPROVEMENTS NEEDED 12	LINE NO.
WESTOVER	4,318 (Δ)	Δ -	Δ -	- -	- -	Morgantown -	- -	- -	Morgantown -	- -	- -	1
WEST UNION	1,341 1.600	Δ Δ	M -	Δ Δ	Δ -	Middle Island Creek -	Δ -	0.210 0.065	P-CalMbSbFrsDc -	Δ 0.250	Δ -	2
WEVACO	450 400	Δ -	P -	Δ Δ	Δ -	1 well -	- Δ	- 0.020	None -	Δ 0.010	Δ -	3
* WHARTON	1,500 Δ	Δ Δ	P -	250 Δ	Δ -	1 well -	- Δ	Δ Δ	I-A Dc -	Δ 0.100	Δ -	4
* WHEELING	58,891 64.000	1946 1925	M -	18,000 18,000	C B	1 well Ohio River	1000.0 Δ	20.00 10.00	P-AtoCllsMbSboDc DxSboT FrsTdVa	0.500 14.50	TD -	5
WHIPPLE	932 (900)	Δ -	M -	- -	- -	Oak Hill -	- -	- -	Oak Hill -	- -	- -	6
WHITE SULPHER SPRINGS	2,643 3.000	Δ -	M -	Δ Δ	Δ -	Δ -	- Δ	- 0.300	None -	Δ 1.250	Δ -	7
WHITESVILLE	1,017 1.280	Δ Δ	M -	470 Δ	C -	Marsh Fork of Coal River	Δ -	Δ 0.065	P-CasMoS FrsDc -	Δ 0.100	Δ -	8
WHITESVILLE (Anchor Coal Section)	- 250	Δ -	P -	Δ Δ	Δ -	Well -	- Δ	- Δ	None -	Δ Δ	Δ -	9
WHITMAN	200 1,500	Δ Δ	P -	Δ Δ	Δ -	Whitman Creek and mine	Δ Δ	Δ 0.090	P-CasM S FrsDh -	Δ 0.064	Δ -	10
WIDEN	1,274 500	Δ Δ	P -	Δ Δ	Δ -	1 drilled well and creek	Δ Δ	Δ Δ	Dh -	Δ 0.120	Δ -	11
WILBUR	150 (100)	Δ -	P -	- -	- -	Rita -	- -	- -	None -	- -	- -	12
WILCOE	981 (Δ)	Δ -	P -	- -	- -	Gary -	- -	- -	Gary -	- -	- -	13
WILEY FORD	200 (Δ)	Δ -	Δ -	- -	- -	Cumberland, Maryland -	- -	- -	Cumberland, Maryland -	- -	- -	14
* WILKINSON	800 1.000	1950 1950	P -	214 25	Δ -	3 wells -	- Δ	Δ Δ	I-AcS -	Δ 0.055	T -	15
* WILLIAMSON	8,624 10.000	Δ Δ	M -	1,700 1,700	C B	Tug Fork River -	Δ -	2.000 1.000	P-SbClaT DcM S FrsNcDcVs	Δ 1.000	Δ -	16
WILLIAMSTOWN	2,001 2.500	Δ Δ	M -	Δ Δ	Δ -	Wells -	- Δ	Δ 0.115	FzDcVt -	Δ 0.100	Δ -	17
* WINDING GULF	979 800	Δ Δ	P -	Δ Δ	Δ -	Wells -	- Δ	Δ 0.010	I-A Frs -	Δ 0.044	Δ -	18
WINDSOR HEIGHTS	780 1.000	Δ Δ	P -	Δ Δ	Δ -	Well -	- Δ	Δ 0.045	Dc -	Δ 0.125	Δ -	19
WINFIELD	346 400	1950 1950	M -	Δ 125	C -	Kanawha River -	Δ -	0.072 0.020	P-CalT M DcS Frs -	0.001 0.030	Δ -	20
WINGROVE	100 (Δ)	Δ -	Δ -	- -	- -	Oak Hill -	- -	- -	Oak Hill -	- -	- -	21
WINIFREDE	200 100	Δ -	P -	Δ Δ	Δ -	1 well -	- Δ	- 0.005	None -	Δ 0.025	Δ -	22
WORTHINGTON	544 (Δ)	Δ -	P -	- -	- -	Monongah -	- -	- -	Monongah -	- -	- -	23
WYCO	450 Δ	Δ Δ	P -	Δ Δ	Δ -	Well -	- Δ	Δ Δ	I-AcS Fps -	Δ 0.060	Δ -	24
WYOMING	300 400	Δ Δ	P -	Δ Δ	Δ -	Mine drainage and well	- Δ	Δ 0.020	I-A CaS FpsDc -	Δ 0.060	Δ -	25
* YOLYN	245 400	Δ Δ	P -	Δ Δ	Δ -	Abandoned mine and drilled well	- Δ	Δ 0.020	Dh -	Δ 0.020	Δ -	26
YUKON Source # 1	950 (900)	Δ -	Δ -	- -	- -	War -	- -	- -	War -	- -	- -	27
YUKON Source # 2	- 350	Δ 1937	P -	Δ 80	Δ -	Well -	- Δ	Δ 0.010	Dc -	Δ 0.030	Δ -	28
												29
												30

PHS-2226
REV. 4-59

PLACES WITH NO COMMUNITY WATER SUPPLY

WEST VIRGINIA

LOCATION	1950 CEN POP
ABRAHAM W VA	300
ADA W VA	300
ADOLPH W VA	100
ADRIAN W VA	600
ALBRIGHT W VA	396
ALEXANDER W VA	150
ALKOL W VA	500
ALMA W VA	152
ALTIZER W VA	160
ALTON W VA	176
ALUM BRIDGE W VA	120
ALUM CREEK W VA	700
AMMA W VA	300
ANNAMORIAH W VA	300
APPLE GROVE W VA	600
ARBOVALE W VA	250
ARCOLA W VA	100
ARDEN W VA	200
ARLINGTON W VA	120
ARNETT W VA	250
ARNOLDSBURG W VA	200
ARTIE W VA	900
ASBURY W VA	250
ASCO W VA	200
ASHFORD W VA	300
AUBURN W VA	149
AUGUSTA W VA	250
AUTO W VA	300
AVONDALE W VA	450
BAILEYSVILLE W VA	500
BAISDEN W VA	400
BAKERTON W VA	225
BALD KNOB W VA	200
BALDWIN W VA	100
BALLARD W VA	400
BARTOW W VA	200
BASIN W VA	300
BAYS W VA	320
BECKWITH W VA	500
BEDINGTON W VA	150
BEELICK KNOB W. VA.	490
BEESON W VA	300
BELLEVILLE W VA	900
BELVA W VA	200
BEMIS W VA	250
BENS RUN W VA	150
BENTREE W VA	4,518
BERNIE W VA	100
BERYL W VA	500
BEVERLY W VA	515
BICKMORE W VA	200
BIGBEND W VA	115
BIG CHIMNEY W VA	162
BIG CREEK W VA	450
BIG FOUR W. VA.	500
BIG RUN W VA	127
BIG SPRINGS W VA	225
BIRCH RIVER W VA	200
BIRCHTON W VA	175
BISMARCK W VA	113
BLAIR W VA	350
BLAKELEY W VA	600
BLOOMERY W VA	140
BLOOMINGROSE W VA	200
BLOUNT W VA	300
BLUE CREEK W VA	310
BLUE JAY W VA	300
BLUE PENNANT W VA	350
BLUESTONE W VA	600
BOB WHITE W VA	200
BOLAIR W VA	300
BOLT W VA	400
BOMONT W VA	295
BOWDEN W VA	150
BOYER W VA	250
BRADLEY W VA	800
BRANCHLAND W VA	518
BRANDONVILLE W VA	100
BRANDYWINE W VA	125
BRENTON W VA	900
BRETZ W VA	500
BRISTOL W VA	300
BROHARD W VA	100

WEST VIRGINIA -CONT-

LOCATION	1950 CEN POP
BROOKS W VA	100
BROUNLAND W VA	174
BROWN W VA	300
BROWNTON W VA	745
BRUCE W VA	100
BRUCETON MILLS W VA	165
BRUSH CREEK W. VA.	350
BRUSHY RUN W VA	300
BUCKEYE W VA	350
BUNKER HILL W VA	246
BURLINGTON W VA	400
BURNING SPRINGS W VA	200
BURTON W VA	160
CABINS W VA	100
CALDWELL W VA	500
CAMDEN W VA	125
CAMEO W VA	300
CAMP CREEK W VA	300
CANAAN W VA	150
CANEBRAKE W VA	501
CAPON BRIDGE W VA	223
CAPON SPRINGS W VA	240
CAPTINA W. VA.	200
CASHMERE W VA	100
CASSITY W VA	250
CATAWBA W VA	150
CEDARVILLE W VA	105
CENTER POINT W VA	125
CENTRALIA W VA	300
CENTRAL STATION W VA	150
CENTURY W VA	700
CHARMCO W VA	500
CHERRY GROVE W VA	115
CHERRY RUN W VA	100
CINCO W VA	100
CLAYTON W VA	130
CLEAR CREEK W VA	204
CLEAR FORK W VA	425
CLIFFTOP W VA	250
CLIFTON W VA	450
CLIO W VA	400
CLOVER W VA	250
CLOVER LICK W VA	350
COALBURG W VA	820
COALDALE W VA	250
COLFAX W VA	200
COLLIERS W VA	800
COMFORT W VA	160
COOL RIDGE W VA	600
COOPERS W VA	600
CORE W VA	100
CORINTH W VA	115
CORLEY W VA	100
CORNSTALK W VA	250
CORNWALLIS W VA	106
CORTON W VA	300
COSTA W VA	100
COTTAGEVILLE W VA	300
COTTLE W VA	400
CRAIGSVILLE W VA	175
CRAWFORD W VA	100
CRAWLEY W VA	100
CREMO W VA	100
CRESTON W VA	225
CRITES W VA	500
CROSS CREEK W. VA.	1,445
CROW W VA	100
CROWN W VA	350
CRUM W VA	300
CRYSTAL W VA	250
CULLODEN W VA	900
CUNARD W VA	500
CURTIN W VA	300
DALLAS W VA	135
DANESE W VA	250
DANIELS W VA	900
DAWES W VA	114
DAWMONT W VA	200
DAWSON W VA	150
DEEP WATER W VA	900
DESPARD W. VA.	1,976
DIANA W VA	180
DILLE W VA	500

PLACES WITH NO COMMUNITY WATER SUPPLY

WEST VIRGINIA -CONT-

LOCATION	1950 CEN POP
DINGESS W VA	300
DIXIE W VA	850
DOLA W VA	200
DOTHAN W VA	500
DRENNEN W VA	250
DRYBRANCH W VA	950
DRY CREEK W VA	490
DUHRING W VA	400
DUNLOW W VA	125
DUNMORE W VA	500
EAGLE W. VA.	250
EAST LYNN W VA	300
EAST VIEW W. VA.	1,642
EDGARTON W VA	150
EDNA W VA	190
EGERIA W VA	250
EGLON W VA	110
ELANA W VA	155
ELK GARDEN W VA	318
ELKWATER W VA	125
ELLAMORE W VA	450
ELLENBORO W VA	307
ELTON W VA	200
EMMETT W VA	450
ERBACON W VA	300
ERWIN W VA	150
EUREKA W VA	100
EVANS W VA	200
EXCHANGE W VA	250
FAIRDALE W VA	300
FALLING ROCK W VA	250
FALLING WATERS W VA	100
FANROCK W VA	100
FENWICK W VA	505
FERRELLSBURG W VA	350
FIVE FORKS W VA	100
FLAT TOP W VA	250
FLAT WOODS W VA	288
FLEMINGTON W VA	572
FLOWER W VA	150
FOLA W VA	300
FOLSOM W VA	300
FORT ASHBY W VA	800
FORT SPRING W VA	115
FOSTER W VA	300
FRAMETOWN W VA	500
FRANK W VA	350
FRANKFORD W VA	225
FRAZIERS BOTTOM W VA	100
FREEMAN W VA	900
FRENCH CREEK W VA	500
FRENCHTON W VA	275
FRIARS HILL W VA	225
FRIENDLY W VA	216
GALLAGHER W VA	370
GALLIPOLIS FERRY W VA	150
GANDEEVILLE W VA	350
GAP MILLS W VA	125
GARLAND W. VA.	250
GARRETTS BEND W VA	300
GARRISON W VA	500
GATEWOOD W. VA.	744
GAULEY MILLS W VA	300
GAY W VA	100
GEM W VA	247
GENOA W VA	200
GERRARDSTOWN W VA	250
GHENT W VA	500
GILBERT W VA	722
GILBOA W VA	235
GILL W VA	250
GILMER W VA	250
GLACE W VA	100
GLADY W VA	150
GLEN W VA	250
GLEN DANIEL W VA	216
GLEN EASTON W VA	130
GLEN FALLS W. VA.	525
GLENHAYES W VA	100
GLENWOOD W VA	200
GLOVERGAP W VA	150
GOFFS W VA	100
GOODMAN W. VA.	200

WEST VIRGINIA -CONT-

LOCATION	1950 CEN POP
GOODWILL W VA	371
GORMANIA W VA	307
GRAYDON W VA	400
GREAT CACAPON W VA	600
GREEN BANK W VA	100
GREEN SPRING W VA	430
GREEN SULPHUR SPRINGS W VA	300
GREENVIEW W VA	400
GREENWOOD W VA	300
GRIFFITHSVILLE W VA	200
GRIMMS LANDING W VA	350
GUARDIAN W VA	200
GUYAN W VA	450
HACKER VALLEY W VA	150
HAGER W VA	240
HALLBURG W VA	178
HALLTOWN W VA	300
HAMMOND W VA	150
HAMPDEN W VA	500
HANCOCK W VA	136
HANOVER W VA	300
HANSFORD W VA	500
HARDING W VA	250
HARPER W VA	900
HARTFORD W VA	366
HARTS W VA	221
HATCHER W VA	500
HAYWOOD W VA	950
HEATERS W VA	180
HEBRON W VA	100
HEDGESVILLE W VA	419
HERNDON HEIGHTS W VA	160
HERNSHAW W VA	975
HETTIE W VA	100
HEWETT W VA	669
HICO W VA	500
HIGHCOAL W VA	350
HILLSBORO W VA	241
HINES W VA	980
HIX W VA	100
HOLCOMB W VA	250
HOLLYWOOD W VA	215
HOMINY FALLS W VA	430
HOOKERSVILLE W VA	200
HOPEMONT W VA	650
HORNER W VA	145
HORSE SHOE RUN W VA	200
HOTCHKISS W VA	100
HUDNALL W. VA.	250
HUGHEY W. VA.	540
HULL W. VA.	500
HUNT W VA	975
HUNTERSVILLE W VA	100
HURST W VA	500
HUTCHINSON W VA	700
HUTTONSVILLE W VA	227
IKES FORK W VA	250
IMPERIAL W VA	300
INDEPENDENCE W VA	240
INDORE W VA	125
INGLESIDE W VA	150
INGRAM BRANCH W. VA.	500
ISABAN W VA	250
IVANHOE W VA	100
IVYDALE W VA	300
JACKSONBURG W VA	500
JANE LEW W VA	491
JEFFERY W VA	600
JERRYVILLE W VA	275
JESSE W VA	200
JETSVILLE W VA	110
JOB W VA	184
JODIE W VA	587
JOLO W VA	665
JONBEN W VA	300
JONES SPRINGS W VA	150
JOSEPHINE W VA	500
JOSEPHS MILLS W VA	145
JUDSON W VA	205
JULIAN W VA	480
JUMPING BRANCH W VA	500
JUSTICE W VA	600
KANAWHA FALLS W VA	250

PLACES WITH NO COMMUNITY WATER SUPPLY

WEST VIRGINIA -CONT-

LOCATION	1950 CEN POP
KANAWHA HEAD W VA	220
KEARNEYSVILLE W VA	700
KEGLEY W VA	500
KEITH W VA	180
KELLYSVILLE W VA	400
KENTUCK W VA	200
KERENS W VA	200
KESSEL W VA	100
KEYROCK W VA	400
KIEFFER W VA	135
KINCAID W VA	400
KNOB FORK W VA	146
KODOL W VA	200
LAKE W VA	400
LANARK W VA	400
LANDES W VA	150
LANDISBURG W VA	150
LANDO MINES W VA	503
LANSING W VA	472
LASHMEET W VA	100
LAVALETTE W VA	200
LECKIE W VA	708
LEFT HAND W VA	125
LENORE W VA	500
LEON W VA	244
LETART W VA	125
LETTER GAP W VA	300
LITTLE BIRCH W VA	500
LIZEMORES W VA	521
LOCKBRIDGE W VA	174
LOCKWOOD W VA	300
LONDON W VA	1,200
LONG RUN W VA	120
LOOKOUT W VA	350
LOONEYVILLE W VA	200
LORENTZ W VA	500
LOST CITY W VA	125
LOST CREEK W VA	798
LOVERN W VA	150
LOWELL W VA	250
LYNCO W VA	400
MCCORKLE W VA	300
MCROSS W VA	350
MCWHORTER W VA	265
MABIE W VA	750
MACARTHUR W VA	1,650
MACE W VA	150
MACFARLAN W VA	500
MAHONE W VA	150
MAIDSVILLE W VA	750
MANHEIM W VA	285
MANILA W VA	300
MAPLEWOOD W VA	190
MARTIN W VA	126
MATHENY W VA	900
MAXWELTON W VA	100
MAYSEL W VA	272
MAYSVILLE W VA	120
MEADOR W VA	100
MEADOW BLUFF W VA	150
MEADOWBROOK W VA	975
MEADOW CREEK W VA	500
MERIDEN W VA	200
METZ W VA	300
MIDKIFF W VA	300
MIDWAY W VA	990
MILL POINT W VA	150
MILLSTONE W VA	150
MILLVILLE W VA	500
MILLWOOD W VA	150
MINGO W VA	320
MINNORA W VA	500
MOHEGAN W. VA.	618
MONTANA MINES W VA	300
MONTERVILLE W VA	230
MOSSY W. VA.	527
MOUNTAIN W VA	200
MOUNT ALTO W VA	100
MOUNT CARBON W VA	400
MOUNT CLARE W VA	1,236
MOUNT LOOKOUT W VA	404
MOUNT NEBO W VA	100
MOUNT STORM W VA	200

WEST VIRGINIA -CONT-

LOCATION	1950 CEN POP
MOUNTVIEW W VA	100
MUD W VA	250
MUNDAY W VA	150
MURRAYSVILLE W VA	115
MYRA W VA	225
NALLEN W VA	350
NAOMA W VA	800
NAUGATUCK W VA	500
NEBO W VA	100
NEEDMORE W VA	600
NETTIE W VA	600
NEWBURG W VA	657
NEWCREEK W VA	500
NEW ENGLAND W VA	200
NEW RICHMOND W VA	500
NEWTON W VA	350
NEWTOWN W VA	500
NICUT W VA	200
NIMITZ W VA	150
NOBE W VA	119
NOLAN W VA	787
NORTH SPRING W VA	102
OAKVALE W VA	239
ODD W VA	600
OHLEY W VA	200
OLD FIELDS W VA	100
OMPS W VA	100
ONA W VA	100
ORCHARD W VA	100
ORGAS W VA	150
ORIENT HILL W VA	633
ORMA W VA	300
ORTON W VA	414
OTTAWA W VA	400
PACKSVILLE W VA	500
PALERMO W VA	166
PALESTINE W VA	127
PANTHER W VA	500
PARCOAL W VA	300
PATTERSON CREEK W VA	350
PENTRESS W VA	500
PERKINS W VA	150
PERSINGER W VA	400
PETROLEUM W VA	100
PETTUS W VA	500
PEYTONA W VA	450
PICKAWAY W VA	100
PICKENS W VA	500
PIE W VA	250
PINCH W VA	300
PINE CREEK W VA	500
PINEKNOB W VA	300
PINEY W VA	140
PINEY VIEW W VA	975
PIPESTEM WEST VIRGINIA	250
PISGAH W VA	125
PLEASANT DALE W VA	50
PLINY W VA	100
PLUTO W VA	115
POE W VA	100
POINTS W VA	400
POND GAP W VA	300
POOL W VA	150
PORTERS FALLS W VA	125
PRENTER W VA	600
PRICHARD W VA	400
PRINCE W VA	300
PROCIOUS W VA	300
PRUNTYTOWN W. VA.	300
PUGHTOWN W VA	300
PULLMAN W VA	210
PURGITSVILLE W VA	100
PUTNEY W. VA.	403
QUEEN SHOALS W VA	200
QUICK W VA	450
RACHEL W VA	950
RACINE W VA	975
RADNOR W VA	100
RAMAGE W VA	350
RAMSEY W VA	500
RAND W VA	2,000
RANGER W VA	500
RANGOON W VA	100

PLACES WITH NO COMMUNITY WATER SUPPLY

WEST VIRGINIA -CONT-

LOCATION	1950 CEN POP
RAVENCLIFF W VA	400
READER W VA	500
RED CREEK W VA	120
RED HOUSE W VA	250
RED SULPHUR SPRINGS W VA	200
REEDSVILLE W VA	321
REEDY W VA	352
RENICK W VA	307
REYNOLDSVILLE W VA	400
RIDGEVIEW W VA	350
RIDGEWAY W VA	150
RIG W VA	200
RIO W VA	156
RIPPON W VA	175
RIVERTON W VA	300
ROANOKE W VA	300
ROBERTSBURG W VA	100
ROBSON W VA	375
ROCK W VA	500
ROCK CAMP W VA	100
ROCK CASTLE W VA	100
ROCK CAVE W VA	340
ROCK CREEK W VA	500
ROCKOAK W VA	146
ROCKRIDGE W VA	700
ROCK VIEW W VA	150
RODERFIELD W VA	975
ROMANCE W VA	200
ROSEDALE W VA	175
ROSEMONT W VA	250
RUMBLE W. VA.	429
RUNA W VA	130
RUSSELLVILLE W VA	300
SABINE W VA	440
SAINT GEORGE W VA	200
SALTPETRE W VA	100
SALT ROCK W VA	150
SAND FORK W VA	273
SANDSTONE W VA	500
SANDY HUFF W. VA.	950
SANDYVILLE W VA	175
SARTON W VA	200
SAXON W VA	225
SCOTT DEPOT W VA	300
SECONDCREEK W VA	100
SEEBERT W VA	100
SERVIA W VA	145
SETH W VA	1,033
SHAW W VA	225
SHENANDOAH JUNCTION W VA	300
SHERRARD W VA	350
SHIRLEY W VA	137
SHOALS W VA	400
SHOCK W VA	100
SHORT CREEK W VA	500
SIMON W VA	250
SIMPSON W VA	400
SISSONVILLE W VA	140
SKYGUSTY W VA	418
SLATYFORK W VA	116
SLEEPY CREEK W VA	200
SMITHBURG W VA	250
SMITHFIELD W VA	390
SMITHVILLE W VA	400
SMOOT W VA	350
SOD W VA	250
SOUTHSIDE W VA	100
SPANISHBURG W VA	400
SPARKS W VA	130
SPRING DALE W VA	950
SPRINGFIELD W VA	300
SPURLOCKVILLE W VA	100
SQUIRE W VA	1,240
STATEN W VA	110
STICKNEY W VA	500
STILTNER W VA	400
STRANGE CREEK W VA	200
STREETER W VA	105
SUMERCO W VA	125
SUMMIT POINT W VA	250
SUN W. VA.	585
SUNDIAL W VA	250
SUROSA W VA	232

WEST VIRGINIA -CONT-

LOCATION	1950 CEN POP
SURVEYOR W VA	120
SWANDALE W VA	350
SWEETLAND W VA	400
SWEETSPRINGS W VA	500
SWISS W VA	325
SYBIAL W VA	200
SYLVESTER W VA	800
TAD W VA	654
TAGUE W VA	110
TALCOTT W VA	600
TALLMANSVILLE W VA	250
TAMCLIFF W VA	400
TEAYS W VA	150
TESLA W VA	250
THACKER W VA	500
THORNTON W VA	300
THREE CHURCHES W VA	200
THREE FORKS W. VA.	200
TIOGA W VA	500
TORNADO W VA	500
TROY W VA	133
UFFINGTON W VA	125
ULER W VA	120
UNEEDA W VA	500
UNGER W VA	210
UPPERGLADE W VA	200
UPPER TRACT W VA	117
VADIS W VA	125
VALLEY BEND W VA	350
VALLEYFORK W VA	475
VARNEY W VA	950
VERNER W VA	600
VICARS W VA	300
VICTOR W VA	400
VIRGINVILLE W VA	100
VIVIAN W VA	925
VOLGA W VA	139
VULCAN W VA	300
WAITEVILLE W VA	500
WALKERSVILLE W VA	190
WALLACE W VA	525
WALLBACK W VA	150
WALTON W VA	375
WANA W VA	110
WANETA W VA	250
WARDENSVILLE W VA	171
WAR EAGLE W VA	300
WASHBURN W VA	140
WASHINGTON W VA	300
WAVERLY W VA	300
WEST COLUMBIA W VA	400
WEST MILFORD W VA	401
WHARNCLIFFE W VA	500
WHITE OAK W VA	3
WHITBY W VA	400
WHITMER W VA	250
WHITTAKER W VA	200
WIDEMOUTH W VA	400
WILDCAT W VA	120
WILLIAMSBURG W VA	250
WILLIAMS MOUNTAIN W VA	800
WILLIS BRANCH W VA	200
WILLOW ISLAND W VA	100
WILLOWTON W VA	200
WILSIE W VA	165
WILSONBURG W VA	200
WILSONDALE W VA	300
WINONA W VA	450
WOLFE W VA	300
WOLF SUMMIT W VA	600
WOODLANDS W VA	100
WOODRUFF W VA	100
WOODVILLE W VA	100
WORTH W VA	900
WYATT W VA	400
YAWKEY W VA	300
ZELA W VA	250
ZENITH W VA	100

PLACES WITH NO COMMUNITY WATER SUPPLY

WYOMING

LOCATION	1950 CEN POP
ACME WYO	125
ARVADA WYO	125
BAIROIL WYO	250
BEULAH WYO	100
BIG HORN WYO	144
BITTER CREEK WYO	120
BURLINGTON WYO	150
CARPENTER WYO	100
EDEN WYO	200
EDGERTON WYO	203
ELK WYO	196
ELK MOUNTAIN WYO	196
ETHETE WYO	200
FORT LARAMIE WYO	300
FORT WASHAKIE WYO	150
FOXPARK WYO	100
GRASS CREEK WYO	300
HAWK SPRINGS WYO	149
HEART MOUNTAIN WYO.	200
HILLSDALE WYO	125
HYATTVILLE WYO	128
LA BARGE WYO	200
LAGRANGE WYO	221
LAMONT WYO	102
MOUNTAIN VIEW WYO	500
QUEALY WYO	147
RELIANCE WYO	710
SAND DRAW WYO	102
SMOOT WYO	300
STANSBURY WYO	200
STORY WYO	350
YELLOWSTONE PARK WYO	300

Preceding page blank

INVENTORY OF MUNICIPAL WATER FACILITIES

STATE	DATE	PAGE
PUERTO RICO	Jan. 1, 1958	1 of 3

COMMUNITY	1950 Population Estimated Population Served	Year Oper. Started Present Supply Present Treatment Plant	OWNERSHIP	Number of Services Number of Meters	LAB. CONTROL	SOURCE OF SUPPLY	Safe Yield Impounded Maximum Dependable Draft (Gr. water) MGD	Rated Plant Capacity Average Plant Output MGD	TREATMENT	Dist. Storage Pumps to Mains Gravity to Mains MG	IMPROVEMENTS NEEDED	LINE NO.
1	2	3	4	5	6	7	8	9	10	11	12	
ADJUNTAS	5,262 4,800	1927 1949	M -	715 441	N -	Cura Creek -	0.144 -	0.150 0.143	CalMbSoDcs -	Δ 0.384	Δ -	1
AGUADA	3,178 (5,300)	Δ -	M -	- -	- -	Aguadilla -	- -	- -	Aguadilla -	- -	- -	2
* AGUADILLA	18,276 30,200	Δ 1938	M -	4,489 3,127	C -	Irrigation Canal -	3.000 -	2.000 2.020	P-CalKpMbSoFrsDcsV -	Δ 1.785	Δ -	3
AGUAS BUENAS	2,671 3,300	1924 1923	M -	649 622	C -	Flordelis, Guadalupe, and Ramos Creeks	0.204 -	0.250 0.172	P-CalKpMbSoFrsDcsVt -	Δ 0.109	Δ -	4
AIBONITO	5,126 9,000	1920 1957	M -	1,130 1,104	N -	4 wells -	- 0.532	Δ 0.168	DchsVt -	Δ 0.660	Δ -	5
ANASCO	3,463 7,100	1924 1958	M -	1,161 1,005	C -	Piedras River -	0.300 -	Δ 0.198	P-CalKpMbSoFrsDcsVt -	Δ 0.090	Δ -	6
ARECIBO Plant # 1	22,134 Δ	1903 1928	M -	7,083 6,413	C B	Tanama River -	2.000 -	1.500 1.860	P-CalMbSbFrsDsVt -	Δ 2.846	N -	7
ARECIBO Plant # 2	- Δ	1955 1955	M -	- -	N -	Ojo de Agua Spring -	- 4.000	4.000 0.700	DsVt -	Δ -	Δ -	8
ARROYO	4,980 (8,300)	1951 -	M -	- -	- -	Guayama -	- -	- -	Guayama -	- -	- -	9
BARCELONETA	1,030 13,900	1955 1955	M -	1,456 1,033	N -	Well -	- 0.400	Δ 0.216	DcsVt -	Δ 0.130	Δ -	10
BARRANQUITAS	4,268 4,200	1953 1953	M -	847 832	C -	Surface -	0.150 -	0.250 0.165	P-CalKpMbSoFrsDcsVt -	Δ 0.250	Δ -	11
BAYAMON	20,171 (Δ)	Δ -	Δ -	- -	- -	San Juan -	- -	- -	San Juan -	- -	- -	12
CABO ROJO	4,797 12,800	1940 1940	M -	2,002 1,893	N -	2 wells -	- 1.000	Δ 0.733	DhVt -	Δ 0.418	Δ -	13
* CAGUAS Plant # 1	33,759 Δ	1918 1931	M -	5,880 5,763	C B	Quebradillas R. (imp) -	1.950 -	2.000 2.050	P-CalMbSbFrsDsVt -	Δ 3.163	Sr -	14
* CAGUAS Plant # 2	- Δ	1957 -	M -	- -	N -	Bairoa deep well -	- 0.360	0.360 0.270	DsVt -	0.360 Δ	Δ -	15
CAMUY	2,292 (7,600)	Δ -	M -	- -	- -	Hatillo -	- -	- -	Hatillo -	- -	- -	16
CAROLINA	5,041 (Δ)	Δ -	Δ -	- -	- -	San Juan -	- -	- -	San Juan -	- -	- -	17
CATANO	9,182 (Δ)	Δ -	Δ -	- -	- -	San Juan -	- -	- -	San Juan -	- -	- -	18
CAYEY Plant # 1	18,429 Δ	1914 1956	M -	3,510 3,407	C -	Santo Domingo Creek -	0.331 -	0.500 0.397	P-CalKpMbSoFrsDcsVt -	Δ 0.412	Δ -	19
CAYEY Plant # 2	- Δ	Δ -	M -	Δ Δ	N -	4 wells -	- 0.489	Δ 0.153	DhsV -	Δ 0.412	Δ -	20
CEIBA	1,665 (4,100)	1925 1951	M -	- -	- -	Fajardo -	- -	- -	Fajardo -	- -	- -	21
CIALES	3,482 5,000	1912 1958	M -	610 479	C -	Sonadura and Cojo Vales Creeks	0.334 -	0.350 0.181	P-CalKpMbSoFrsDcsVt -	Δ 0.141	Δ -	22
CIDRA	3,146 5,200	1930 1957	M -	696 681	N -	3 wells -	- 0.459	Δ 0.127	DchsVt -	Δ 0.074	Δ -	23
COAMO	11,592 13,300	1908 1951	M -	2,072 1,745	C -	Coamo River -	0.432 -	0.700 0.410	P-CalKpMbSoFrsDcsV -	Δ 0.630	Δ -	24
COMERIO Source # 1	5,031 Δ	Δ Δ	M -	854 830	N -	Convento Creek -	0.043 -	Δ 0.083	Dcs -	Δ 0.187	Δ -	25
COMERIO Source # 2	- Δ	1948 1952	M -	Δ Δ	N -	Well -	- 0.187	Δ 0.073	Dhs -	Δ 0.187	Δ -	26
COROZAL	2,428 4,400	1937 1937	M -	792 734	C -	Congo River -	0.225 -	0.250 0.210	P-CalKpMbSoFrsDcsVt -	Δ 0.319	T -	27
DORADO	2,537 (Δ)	Δ -	Δ -	- -	- -	San Juan -	- -	- -	San Juan -	- -	- -	28
* FAJARDO	15,336 28,200	1912 1956	M -	2,614 2,375	C -	Fajardo River -	0.979 -	1.600 1.000	P-CalKpMbtSoFrsDcsVt -	Δ 0.730	Δ -	29
GUANICA	4,833 7,200	1939 1939	M -	956 753	N -	2 wells -	- 0.906	Δ 0.182	DhsV -	Δ 0.035	Δ -	30

Preceding page blank

INVENTORY OF MUNICIPAL WATER FACILITIES

STATE	DATE	PAGE
PUERTO RICO	Jan. 1, 1958	2 of 3

COMMUNITY	1950 Population	Year Oper. Started Present Supply	OWNERSHIP	Number of Services	LAB. CONTROL	SOURCE OF SUPPLY	Safe Yield Impounded	Rated Plant Capacity	TREATMENT	Dist. Storage Pumps to Mains	IMPROVEMENTS NEEDED	LINE NO.
	Estimated Population Served	Present Treatment Plant		Number of Meters			Maximum Dependable Draft (Gr. water) MGD	Average Plant Output MGD		Gravity to Mains MG		
1	2	3	4	5	6	7	8	9	10	11	12	
* GUAYAMA	19,408	1884	M	3,401	C	Lake Carite	1.500	1.500	P-CalKpMbSoFrsVtDcs	Δ	Δ	1
	23,300	1941	-	3,321	B	-	-	1.190	-	1.427	-	
GUAYANILLA	3,113	1938	M	924	N	2 wells	-	Δ	DhsVt	Δ	Δ	2
	7,700	1938	-	681	-	-	0.274	0.270	-	0.167	-	
GUAYNABO	2,157	Δ	Δ	-	-	San Juan	-	-	San Juan	-	-	3
	(Δ)	-	-	-	-	-	-	-	-	-	-	
GURABO	4,419	1916	Δ	-	-	Caguas	-	-	Caguas	-	-	4
	(5,400)	-	-	-	-	-	-	-	-	-	-	
* HATILLO	2,483	1924	M	1,667	C	Camuy River	0.500	0.500	P-CalKpMbSoFrsDcsV	Δ	Δ	5
	4,000	1957	-	1,542	-	-	-	0.226	-	0.390	-	
HORMIGUEROS	1,776	1940	M	595	N	2 wells	-	Δ	DhVt	Δ	Δ	6
	3,600	1940	-	332	-	-	0.190	0.153	-	0.097	-	
* HUMACAO	10,851	1912	M	2,716	C	Humacao River	0.681	1.000	P-CalKpMbSoFrsDcsVt	Δ	Δ	7
	21,500	1939	-	2,642	B	-	-	0.830	-	0.845	-	
* ISABELA	6,895	1913	M	2,661	C	Moca Irrigation Canal	0.750	0.750	P-CalKpMbSoFrsDcsVt	Δ	Δ	8
	6,200	1951	-	2,445	-	-	-	0.492	-	0.670	-	
JAYUYA	2,318	1911	M	561	N	3 wells	-	Δ	DhVt	Δ	Δ	9
	6,100	1949	-	446	-	-	0.200	0.198	-	0.050	-	
* JUANA DIAZ	4,743	1922	M	1,507	C	Nacimiento Creek	0.500	0.700	P-CalKpMbSoFrsDsVt	Δ	Δ	10
	12,300	1956	-	1,174	-	-	-	0.750	-	0.176	-	
JUNCOS	8,285	1924	M	1,943	C	Gurabo River	0.430	0.500	P-CalKpMbSoFrsDcsVt	Δ	Δ	11
	11,100	1952	-	1,817	-	-	-	0.410	-	0.350	-	
LAJAS	1,146	Δ	M	-	-	San German	-	-	San German	-	-	12
	(6,300)	-	-	-	-	-	-	-	-	-	-	
LARES	3,936	1915	M	1,183	C	Guajataca River	0.350	0.350	P-CalKpMbSoFrsDcsVt	Δ	Δ	13
	6,800	1953	-	1,067	-	-	-	0.319	-	0.190	-	
LAS MARIAS	562	1930	M	203	C	Surface	0.060	0.250	P-CalKpMbSoFrsDcsVt	Δ	Δ	14
	2,300	1952	-	199	-	-	-	0.052	-	0.020	-	
LAS PIEDRAS	3,150	1925	M	-	-	Humacao	-	-	Humacao	-	-	15
	(5,500)	-	-	-	-	-	-	-	-	-	-	
LOIZA	2,872	Δ	Δ	-	-	San Juan	-	-	San Juan	-	-	16
	(Δ)	-	-	-	-	-	-	-	-	-	-	
LUQUILLO	2,255	1938	M	1,002	C	Sabana River	0.292	0.500	P-CalKpMbSoFrsDcsVt	Δ	Δ	17
	7,400	1957	-	838	-	-	-	0.145	-	0.110	-	
MANATI	10,092	1948	M	2,322	N	2 wells	-	Δ	DcsVt	Δ	Δ	18
	17,500	1948	-	1,810	-	-	1.000	0.540	-	0.584	-	
MARICAO	1,363	1914	M	210	C	Surface	0.250	0.250	P-CalKpMbSoFrsDcsVt	Δ	Δ	19
	2,000	1952	-	198	-	-	-	0.075	-	0.045	-	
MAUNABO	1,241	1937	M	506	N	Well	-	Δ	DhsVt	Δ	Δ	20
	4,800	Δ	-	472	-	-	0.182	0.093	-	0.035	-	
MAYAGUEZ Plant # 1	58,944	1862	M	10,710	C	Yaguez River	2.400	3.600	P-CalMbSbFrsDsVt	Δ	Δ	21
	Δ	1927	-	9,245	B	-	-	0.740	-	1.900	-	
MAYAGUEZ Plant # 2	-	1955	M	-	C	Canas River	2.000	5.000	P-AsCalMpSbFrsDsVt	Δ	Δ	22
	Δ	1955	-	-	B	(Miradero)	-	3.460	-	Δ	-	
MOCA	1,961	Δ	M	-	-	Aguadilla	-	-	Aguadilla	-	-	23
	(3,100)	-	-	-	-	-	-	-	-	-	-	
MOROVIS	2,434	1920	M	661	C	Morovis River	0.200	0.230	P-CasKpMbSoFpsDcsVt	Δ	Δ	24
	5,000	1947	-	523	-	-	-	0.111	-	0.095	-	
NAGUABO	4,442	1922	Δ	1,380	C	Grande Creek	0.322	0.350	P-CalKpMbSoFrsDcsVt	Δ	Δ	25
	8,900	1952	-	1,332	-	-	-	0.336	-	0.356	-	
NARANJITO	2,358	1937	M	483	C	Guadiana River	0.100	0.117	CasKpMbSboDcs	Δ	T	26
	3,700	1937	-	397	-	-	-	0.084	-	0.077	-	
OROCOVIS	2,674	1936	M	562	C	Sabana River	0.101	0.250	P-CalKpMbSoFrsDcsVt	Δ	Δ	27
	4,400	1957	-	402	-	-	-	0.114	-	0.181	-	
PATILLAS	2,237	1940	M	769	N	Well	-	Δ	DhsVt	Δ	Δ	28
	7,700	Δ	-	714	-	-	0.312	0.170	-	0.035	-	
PENUELAS	2,395	1912	M	571	N	Guayanes River	0.123	Δ	Dcs	Δ	Δ	29
	4,800	1940	-	419	-	-	-	0.102	-	0.052	-	
PONCE Plant # 1	99,492	1878	M	15,213	C	Portugues River (imp)	3.000	4.000	P-CalMbSbFrsDsVt	Δ	ST	30
	Δ	1929	-	11,262	B	-	-	3.000	-	4.920	-	

PHS-2226
REV. 4-59

INVENTORY OF MUNICIPAL WATER FACILITIES

STATE	DATE	PAGE
PUERTO RICO	Jan. 1, 1958	3 of 3

COMMUNITY	1950 Population Estimated Population Served	Year Oper. Started: Present Supply Present Treatment Plant	OWNERSHIP	Number of Services Number of Meters	LAB. CONTROL	SOURCE OF SUPPLY	Safe Yield Impounded Maximum Dependable Draft (Gr. water) MGD	Rated Plant Capacity Average Plant Output MGD	TREATMENT	Dist. Storage: Pumps to Mains Gravity to Mains MG	IMPROVEMENTS NEEDED	LINE NO.
1	2	3	4	5	6	7	8	9	10	11	12	
PONCE Plant # 2	- Δ	1936 1957	M -	- -	N -	6 wells -	- 5.000	5.000 3.700	DsVt -	Δ -	Δ -	1
QUEBRADILLAS	2,405 (9,300)	Δ -	M -	- -	- -	Isabela -	- -	- -	Isabela -	- -	- -	2
RINCON	1,065 2,900	1939 1956	M -	434 242	N -	2 wells -	- 0.220	Δ 0.090	DcsVt -	Δ 0.093	Δ -	3
RIO GRANDE	2,623 (Δ)	Δ -	Δ -	- -	- -	San Juan -	- -	- -	San Juan -	- -	- -	4
RIO PIEDRAS	132,438 (Δ)	Δ -	Δ -	- -	- -	San Juan -	- -	- -	San Juan -	- -	- -	5
SABANA GRANDE	4,967 8,700	1920 1954	M -	1,288 1,045	C -	Grande River -	0.250 -	0.350 0.324	P-CalKpMbSoFrsDcsVt -	Δ 0.284	Δ -	6
SALINAS	4,367 17,300	1925 Δ	M -	1,652 1,580	N -	2 wells -	- 0.455	Δ 0.351	DhsVt -	Δ 0.075	Δ -	7
* SAN GERMAN	8,872 11,600	1925 1945	M -	2,007 1,526	C B	Cain and Oconuco Rivers	0.650 -	1.000 0.800	P-CalKpMbhSoFrsDcsVt -	Δ 0.625	Δ -	8
* SAN JUAN Guaynabo Plant	- Δ	1929 1929	M -	- -	B C	Rio Bayamon -	20.000 -	26.00 20.00	P-CalDsMptSoFrsKpVs -	Δ 10.00	M -	9
* SAN JUAN Metropolitan Zone	406,086 Δ	1950 1950	M -	90,027 71,517	B C	Rio Grande de Loiza (imp.)	100.00 -	30.00 30.60	PAsCalDsMptSblcKpFrsVs -	Δ 10.00	M -	10
SAN LORENZO	6,745 7,400	1923 1946	M -	1,181 1,036	Δ -	Cayaguas River -	0.206 -	Δ 0.297	CalKpMbSoDcs -	Δ 0.390	Δ -	11
SAN SEBASTIAN	5,206 9,800	1929 1929	M -	1,669 1,073	Δ -	Colebrinas River -	0.250 -	0.500 0.390	CasKpMbSoDcs -	Δ 0.326	Δ -	12
SANTA ISABEL	4,117 9,200	1948 1948	M -	973 836	N -	2 wells -	- 0.298	Δ 0.245	DhsVt -	Δ 0.060	Δ -	13
TOA ALTA	1,392 (Δ)	Δ -	Δ -	- -	- -	San Juan -	- -	- -	San Juan -	- -	- -	14
TOA BAJA	1,824 (Δ)	Δ -	Δ -	- -	- -	San Juan -	- -	- -	San Juan -	- -	- -	15
TRUJILLO ALTO	1,082 (Δ)	Δ -	Δ -	- -	- -	San Juan -	- -	- -	San Juan -	- -	- -	16
UTUADO	9,693 14,400	1912 1954	M -	1,917 1,736	C -	Lake Vivi Arriba and P. R. Water Resources	0.700 -	0.700 0.382	P-CalKpMbSoFrsDcsVt -	Δ 0.265	Δ -	17
VEGA ALTA	3,492 6,100	Δ 1957	M -	906 702	N -	3 wells -	- 0.300	Δ 0.243	DcsVt -	Δ 0.243	Δ -	18
VEGA BAJA	5,536 12,900	1932 1932	M -	1,943 1,483	N -	Puente de Dios Spring -	- 0.500	Δ 0.346	Dcs -	Δ 0.295	Δ -	19
VIEQUES	3,085 5,600	Δ 1950	M -	787 638	N -	6 wells -	- 0.093	Δ 0.051	DhsVt -	Δ 0.100	Δ -	20
VILLALBA	1,499 (5,300)	1926 -	M -	- -	- -	Juana Diaz -	- -	- -	Juana Diaz -	- -	- -	21
YABUCOA	5,258 9,500	1929 1953	M -	1,282 1,223	C -	Aguas Largas Creek -	0.275 -	0.500 0.264	P-CalKpMbSoFrsVtDcs -	Δ 0.400	Δ -	22
YAUCO	9,801 17,200	1912 1946	Δ -	1,893 1,602	C -	[illegible]uey River -	0.650 -	0.650 0.650	CalKpMbSoDcs -	Δ 0.468	Δ -	23
												24
												25
												26
												27
												28
												29
												30

PHS-2226
REV. 4-59

Preceding page blank

INVENTORY OF MUNICIPAL WATER FACILITIES

STATE	DATE	PAGE
VIRGIN ISLANDS	Jan. 1, 1958	1 of 1

COMMUNITY	1950 Population Estimated Population Served	Year Oper. Started Present Supply Present Treatment Plant	OWNERSHIP	Number of Services Number of Meters	LAB. CONTROL	SOURCE OF SUPPLY	Safe Yield Impounded Maximum Dependable Draft (Gr. water) MGD	Rated Plant Capacity Average Plant Output MGD	TREATMENT	Dist. Storage Pumps to Mains Gravity to Mains MG	IMPROVEMENTS NEEDED	LINE NO.
1	2	3	4	5	6	7	8	9	10	11	12	
CHARLOTTE AMALIE	11,469 12,945	1949 -	M -	284 294	N -	Surface -	Δ -	- 0.250	None -	1.000 0.200	USP DL	1
CHRISTIANSTED	4,112 4,640	1951 -	M -	185 160	N -	3 wells -	- 0.130	- 0.040	None -	0.030 0.100	UDL -	2
FREDERICKSTED	1,961 2,210	1951 -	M -	108 85	N -	2 wells -	- 0.130	- Δ	None -	0.000 0.100	N -	3
												4
												5
												6
												7
												8
												9
												10
												11
												12
												13
												14
												15
												16
												17
												18
												19
												20
												21
												22
												23
												24
												25
												26
												27
												28
												29
												30

PHS-2226
REV. 4-59

☆ U.S. GOVERNMENT PRINTING OFFICE : 1960 O - 565160

Preceding page blank